The road to SuperK-Gd

Lluís Martí Magro, ICRR

XXXIX ICHEP July 5th, 2018. Seoul, Korea

Super-Kamiokande Detector in big numbers

~165 collaborators
10 countries

Large variety of studies are conducted at SuperK:

Solar neutrinos
Atmospheric neutrinos
Proton decay
Supernovae
Supernova Relic Neutrinos
Indirect search for DM
and more

Super-Kamiokande looks into the future:

SuperK-Gd

Super-Kamiokande Detector



- 50 kton water
- ~2 m OD viewed by 8-inch PMTs
- 32 kt ID viewed by 20-inch PMTs
- 22.5 kt fid. vol. (2m from wall)
- Trigger efficiency: >99%@3.5 MeV E_{kin}

	Phase	SK-I	SK-II	SK-III	SK-IV
	Start - end	1996 Apr - 2001 Jul	2002 Oct - 2005 Oct	2006 Jul - 2008 Sep	2008 Sep - 2018 Mar
Number of PMTs	ID (coverage)	11146 **(40 %)**	5182 **(19 %)**	11129 **(40 %)**	11129 **(40 %)**
	OD	**1885**			

The road to SuperK-Gd: how it started

Once upon a time…

VOLUME 93, NUMBER 17 PHYSICAL REVIEW LETTERS week ending 22 OCTOBER 2004

Antineutrino Spectroscopy with Large Water Čerenkov Detectors

John F. Beacom[1] and Mark R. Vagins[2]

[1]*NASA/Fermilab Astrophysics Center, Fermi National Accelerator Laboratory, Batavia, Illinois 60510-0500, USA*
[2]*Department of Physics and Astronomy, 4129 Reines Hall, University of California, Irvine, California 92697, USA*

(Received 25 September 2003; published 20 October 2004)

We propose modifying large water Čerenkov detectors by the addition of 0.2% gadolinium trichloride, which is highly soluble, newly inexpensive, and transparent in solution. Since Gd has an enormous cross section for radiative neutron capture, with $\sum E_\gamma = 8$ MeV, this would make neutrons visible for the first time in such detectors, allowing antineutrino tagging by the coincidence detection reaction $\bar{\nu}_e + p \rightarrow e^+ + n$ (similarly for $\bar{\nu}_\mu$). Taking Super-Kamiokande as a working example, dramatic consequences for reactor neutrino measurements, first observation of the diffuse supernova neutrino background, galactic supernova detection, and other topics are discussed.

DOI: 10.1103/PhysRevLett.93.171101 PACS numbers: 95.55.Vj, 29.40.Ka

...it was proposed to add **gadolinium** to the ultra-pure water of SuperK. Adding Gd would **make neutrons visible**, which would allow the detection of neutrons with high efficiency.

Many advantages. I hope you saw previous talk by Charles Simpson !

The road to SuperK-Gd: EGADS

Because of all the exciting possibilities, in June 2009 the SuperK collaboration launched the EGADS project

Evaluating **G**adolinium's **A**ction on **D**etector **S**ystems

Our Goals:

- ✔ Water purification system
- ✔ Monitor the water transparency
- ✔ Effects on detector components
- ✔ Adding/removing Gd
- ✔ Neutron background



The road to SuperK-Gd: EGADS



The EGADS detector was build using the same materials as in SuperK

EGADS' main result



<u>0.2 % Gd sulfate is</u> as <u>transparent</u> to Cherenkov light as pure-water

Our water system achieves the above with <u>no Gd losses</u>

<u>Gd concentration is homogeneous</u> in our detector

The road to SuperK-Gd

GADZOOKS! Proposal

M. Ikeda,[1] Y. Kishimoto,[1,2] M. Nakahata,[1,2] H. Sekiya,[1,2] Ll. Marti,[2] M. R. Vagins,[2,4]
H. Ishino,[3] A. Kibayashi,[3] Y. Koshio,[3] T. Mori,[3] M. Sakuda,[3] C. Xu,[3]
N. J. Griskevich,[4] W. R. Kropp,[4] A. Renshaw,[4] M. B. Smy,[4,2] P. Weatherly,[4]
P. Fernandez,[5] L. Labarga,[5] Y. Takeuchi,[6,2] T. Yano,[6] and R. Akutsu[7]

(The GADZOOKS! Working Group)

[1] *Kamioka Observatory, Institute for Cosmic Ray Research, University of Tokyo, Kamioka, Gifu 506-1205, Japan*

[2] *Kavli Institute for the Physics and Mathematics of the Universe (WPI), The University of Tokyo Institutes for Advanced Study, University of Tokyo, Kashiwa, Chiba 277-8582, Japan*

[3] *Department of Physics, Okayama University, Okayama, Okayama 700-8530, Japan*

[4] *Department of Physics and Astronomy, University of California, Irvine, Irvine, CA 92697-4575, USA*

[5] *Department of Theoretical Physics, University Autonoma Madrid, 28049 Madrid, Spain*

[6] *Department of Physics, Kobe University, Kobe, Hyogo 657-8501, Japan*

[7] *Research Center for Cosmic Neutrinos, Institute for Cosmic Ray Research, University of Tokyo, Kashiwa, Chiba 277-8582, Japan*

(Dated: June 16, 2015)

On June 27, 2015, the Super-Kamiokande collaboration approved the SuperK-Gd project

Backgrounds

Relevant radioactive contamination, typical impurities in untreated Gd sulfate and our requirements from our physics goals:

Chain	Part of the chain	Typical (mBq/Kg)	SRN (mBq/Kg)	Solar (mBq/Kg)
^{238}U	^{238}U	50	< 5	-
	^{226}Ra	5	-	< 0.5
^{232}Th	^{232}Th	10	-	< 0.05
	^{228}Th	100	-	< 0.05
^{235}U	^{235}U	32	-	< 3
	$^{227}Ac/^{227}Th$	300	-	< 3

Backgrounds

Relevant radioactive contamination, typical impurities in untreated Gd sulfate and our requirements from our physics goals:

Chain	Part of the chain	Typical (mBq/Kg)	SRN (mBq/Kg)	Solar (mBq/Kg)	Company A	Company B	Company C
^{238}U	^{238}U	50	< 5	-	< 0.04	< 0.04	< 0.04
	^{226}Ra	5	-	< 0.5	< 0.2	< 0.2	~ 1
^{232}Th	^{232}Th	10	-	< 0.05	0.02	0.06	0.09
	^{228}Th	100	-	< 0.05	< 0.3	< 0.26	~ 2
^{235}U	^{235}U	32	-	< 3	< 0.4	< 0.3	< 1.3
	$^{227}Ac/^{227}Th$	300	-	< 3	< 1.5	< 1.2	< 3.1

We plan to use resins AJ4400 and AJ1020 to further remove U and Ra after dissolving Gd sulfate

Measurements done at Canfranc, Boulby and Kamioka
Company names hidden

Leak fix

Two types of sealant materials: BIO-SEAL 197 (strong but rigid) and MineGuard-C (flexible)



Seal all submerged welded areas

New Water System for SuperK-Gd



New Water System for SuperK-Gd

EGADS



Cavern for the new water system has been excavated

Equipment has been already installed (Gd solution, etc)

ID PMT replacement

About 140 ID PMTs are ready to be replaced

Cables and connections of problematic PMTS being checked

OD work



- About 200 OD PMTs are expected to be replaced (about 100 on the top)
- Tyvek replacement: B-W and W-W Tyvek

Summary

Adding Gd sulfate at 0.2% in mass adds neutron tagging capabilities to Super-Kamiokande.

EGADS has shown its feasibility: we can remove impurities and maintain high transparency water, with basically no Gd losses, we can remove Gd efficiently when needed, etc.

Faulty OD and ID PMTs are being replaced. Detector structure being refurbished

We are fixing the leak at SuperK using two sealants: BIO-SEAL 197 and MineGuard-C

We are paving the road towards SuperK-Gd. Hard work ahead!

STAY TUNED!

Mine-guard-C soak tests



Soaked Mine-guard-C in Gd loaded water with good results: Cherenkov ilght loss in 15 m is 77.64 % (well within the typical SK-III SK-IV values)

EGADS detector

Sampling positions at 1660 mm, 3320 mm and 4990 mm from top of the tank (for water transparency, UDEAL, and Gd concentration measurements)

240 PMTs were installed in summer 2013

6025 mm



to water system

from water system

Atmospheric ν backgrounds

- **Charge Current:**

$\bar{\nu}_e$ CC



- **Neutral Current:**

NC elastic



Invisible μ:



μ generation:





Total Energy [MeV]

Background vs expected signal

SRN flux:
Horiuchi, Beacom, Dwek
PRD, 79, 083013 (2009)

The detection of SRN depends on the typical SN emission spectrum

$T_\nu \sim 5\,(M_{NS}/1.4M_\odot)^{1/3}\,(R_{NS}/10\text{km})^{-3/4}$



SRN number of expected events after 10 years of observation

HBD models	10-16MeV (evts/10yrs)	16-28MeV (evts/10yrs)	Total (10-28MeV)	significance (2 energy bin)
T_{eff} 8MeV	11.3	19.9	31.2	5.3 σ
T_{eff} 6MeV	11.3	13.5	24.8	4.3 σ
T_{eff} 4MeV	7.7	4.8	12.5	2.5 σ
T_{eff} SN1987a	5.1	6.8	11.9	2.1 σ
BG	10	24	34	----

With SuperK-Gd the first SRN observation is within our reach!!

Step 1: pure water



- **Step 1:** Circulation through the 200 ton tank with pure water (first half 2011 pure water circulation) **Done!**

Step 2: Gd water in 15 m^3 tank



- **Step 1:** Circulation through the 200 ton tank with pure water (first half 2011 pure water circulation) **Done!**
- **Step 2:** Circulation through the 15 ton tank with $Gd_2(SO_4)_3$ (from middle 2011 to end 2012) **Done!**

Step 3: Gd water in 200 m^3 tank



- **Step 1:** Circulation through the 200 ton tank with pure water (first half 2011 pure water circulation) **Done!**
- **Step 2:** Circulation through the 15 ton tank with $Gd_2(SO_4)_3$ (from middle 2011 to end 2012) **Done!**
- **Step 3:** Circulation though the 200 ton tank with $Gd_2(SO_4)_3$ **Done!**

Step 4: EGADS Detector



- **Step 1:** Circulation through the 200 ton tank with pure water (first half 2011 pure water circulation) **Done!**
- **Step 2:** Circulation through the 15 ton tank with $Gd_2(SO_4)_3$ (from middle 2011 to end 2012) **Done!**
- **Step 3:** Circulation though the 200 ton tank with $Gd_2(SO_4)_3$ **Done!**
- **Step 4:** PMT mounting (240 in total). **Done!**
- **Step 5:** Full realization of the EGADS project **Done!**