

THE MAGIX FOCAL PLANE TPC

An open-cage TPC for the MAGIX experiment

Stefano Caiazza





Multi-turn, superconducting ERL

Energy recovery mode


- 105 MeV polarized electrons @ 1 mA
- Internal target scattering (MAGIX)

External beam

- 155 MeV polarized electrons @ 0.15 mA
- Dedicated experiment (P2)
- Electroweak asymmetry precision measurement (10000 h measurement)

DarkMESA (BDX)

- Behind the P2 beam dump
- About 10^{23} electrons on target





MAGIX EXPERIMENT

A versatile experiment for precision measurements at low energy

Hadronic structure

- Proton form factors (electric and magnetic)
- Nuclear polarizabilities
- Light nuclei form factors (Deuteron and helium)

Precision measurement
of a differential cross-
section

Non-gaseous targets and
complex observables

Few-body physics

- Deuteron and ^3He breakup
- ^4He monopole transition factors
- Test of effective field theories
- Inclusive electron scattering

Detection of the low
energy recoil products

Precision cross-sections

- $^{16}\text{O}(e, e'\alpha)^{12}\text{C}$ S-factor

Search for exotic particles

- Direct dark photon search
- Invisible decaying dark photon search

Identification of a narrow
resonance on a large
background

A high-precision multi-purpose experimental setup

Internal Gas Target


- Windowless gas target
- Integrated recoil silicon detectors
- Forward luminosity monitors

Spectrometers

- Twin Arm Dipole Spectrometer
- Zero-degree tagger spectrometer

Focal Plane Detectors

- GEM-based TPC tracker
- Timestamping trigger




Experimental constraints

- Beam energy (E): 105 MeV
- Beam current (I): up to 1 mA
- Possible beam and target polarization
- ERL mode: minimal energy losses in the interaction region ($\frac{dE}{E} < \approx 10^{-4}$)
- Luminosity of the order of $10^{35} \text{cm}^{-2} \text{s}^{-1}$

Basic observables

- Scattered particle momentum (P)
- Scattering angle (θ, φ)



Momenta and angles



- Linear mapping of momenta to one coordinate in a focal plane
- Mapping of the scattering angles to the second coordinate and angle at the focal plane
- Momenta and angular resolution depend on the magnification properties as well as the detector resolution

Advantages

- Extremely good momentum and angular resolution

Disadvantages

- Limited geometric acceptance
- Compensated by the high luminosity





Momentum measurement

- Momentum range: ≈ 100 MeV
- Momentum resolution: $\frac{\delta P}{P} \approx 10^{-4}$
- Focal plane length: ≈ 1 m
- Required position resolution: ≈ 100 μm

Focal plane angle measurement

- Sample the particle trajectory in at least two points and perform a linear fit
- E.g. required angular resolution: $\approx 10^{-3}$ rad
- Position resolution: ≈ 100 μm
- Minimum plane distance: ≈ 10 cm



Gas detectors



- Low material budget
- Low cost for large area coverage

MPGD


- Modern gas amplification systems
- Resolutions of the order of 50 μm achieved by several detectors

GEM


- Simple to design and setup
- Good stability at high rate
- Adaptable to many exp. needs



S. Caiazza - Open-cage TPC for MAGIX



Angular error introduced by the foil separating the spectrometer vacuum and the detector volume




$$\theta_0 = \delta\theta_{plane} = \frac{1}{\sqrt{2}} \delta\theta_{space}$$

$$\theta_0 = \frac{13.6}{\beta c p} z \sqrt{\frac{x}{X_0}} \left[1 + 0.38 \ln \left(\frac{x z^2}{X_0 \beta^2} \right) \right]$$


p = particle momentum

z = charge of the projectile



Materials in the particle path

- Multiple scattering in the window is already enough to introduce a sizeable systematic error
- Any other material on the particle path should be sensitive





Relevant requirements

- Focal plane as close as possible to the first sensitive row to limit the lever arm from the main source of the MS
- Sensitive volume starting immediately after the vacuum window
- High uniformity of the angle and momentum measurement to limit position dependent position errors

No field cage parallel to the vacuum window

- No field shaping parallel to the vacuum window
- No additional material in the particle path






Field distortions

- Large field distortions especially near the opening where we need the higher precision

Extension plates

- Extending the TPC in the vacuum behind the field cage



Field cage

- 2 mm element spacing, no mirror strips on 3 sides
- 15 cm drift length
- 20x8 mm pad rows
- 1 cm gap between TPC and extension plates
- 15 cm extension plate in the magnet vacuum
- Field cage extending on the two sides
- Fully parameterized simulation in CST


Results


- Distortions $< 0.1\%$ in the focal plane
- Relevant distortions due to the gap between the TPC and the extension cage

E-field, Z component.

Nominal drift field: 100 V/mm parallel to Y

Color map range: -1:1 V/mm





Readout pads

- Rectangular 2x8 mm²
- Small enough to achieve a good charge sharing
- Large enough to integrate the electronics behind the readout
- We may test and compare the zigzag design

Pad rows

- Minimum 17 rows to achieve optimal resolution
- 20 or 24 rows with 0.5 mm staggering (4 rows repetition)
- A gap of ~1 mm between each couple of rows matching the GEM sectioning scheme

Other features

- Integrated HV distribution
- Gas tight
- Integrated electronics behind each readout section
- 128 pads per readout section for compatibility with VMM and APV
- 60-72 readout sections

Up to 4 GEM stack


- Unknown whether the IB will be a major factor in such a short drift (15 cm)
- Simulations and measurements are programmed
- Designing to support up to 4 GEMs allows freedom of choice

Sectioning

- Each section matching 2 readout rows
- Section size is 800x17 mm²
- Single side sectioning with bottom facing sections
- To evaluate the possibility of double side sectioning – more complex power distribution vs increased robustness

Support structure

- Need to choose between self-stretching or pre-stretched foils



One of the main users of SRS VMM


- Each detector needs at least 7680 channels
- 120 VMM3a per detector in 60 hybrids

VMM development

- First test-beam with TPC and VMM completed on May 4th at MAMI in Mainz
- SRS DAQ software to share within RD-51 under development

Radiation hardness

- Is the radiation environment harmful to the hybrid FPGA?
- Test in a compatible environment could be performed in the next months



Field cage and window

- Open field cage with minimal in-beam material
- Thin field cage in the back to maximize trigger efficiency
- Field plates extensions in the spectrometer vacuum to improve the field quality

Anode

- Gas tight with integrated high-voltage distribution and GEM support system for up to 4 GEMs
- VMM3 hybrids mounted directly on the back of the readout plane with SRS readout (15-20 k channel SRS system)
- Integration with the field cage to be defined

Other features

- Independent cathode plate that can be aligned with the anode
- Integrates an emission pattern to use in the detector calibration
- Laser and source based calibration system
- Trigger scintillators behind the field-cage back side to efficiently detect electron of energies of the order of 1 MeV



Small prototype


- 10x10 cm² for basic physics test, electronics integration, readout development, GEM stack integration and IBF measurements
- Already used in the lab and for the last test-beam

Final prototype

- Finalize design in May 2019 and start the production of a full-size prototype of the detectors
- Test the integration with the vacuum window, connected with a vacuum box that can be directly installed on the test-beam line
- Measure all the distortions and find hardware and software methods to mitigate possible issues
- Tweak the design of the production detectors

Milestone

- Build the final detectors for the commissioning of the experiment in 2022






THANK YOU FOR YOUR ATTENTION!


<http://magix.kph.uni-mainz.de>



**Massachusetts
Institute of
Technology**



University of Ljubljana



**WESTFÄLISCHE
WILHELMS-UNIVERSITÄT
MÜNSTER**

**JOHANNES GUTENBERG
UNIVERSITÄT MAINZ**



The logo consists of a dark blue stylized 'X' shape. Inside the 'X', the text 'MAGIX' is written vertically on the left and right arms, and '20' is written in the bottom right corner.

BACKUP

REQUIREMENTS

Limited material thickness

- Low energy electrons and recoil nuclei to measure
- Beam recapture after the interaction

High luminosity


- Target luminosity $10^{35} \text{ cm}^{-2} \text{ s}^{-1}$ @ 1mA
- Target thickness 10^{19} cm^{-2}

Gas polarization

- Optional requirement for some process


Flowing gas tube

- 30 cm open mylar tube
- Usable for polarized gases
- Lower luminosity




Supersonic jet


- 2 mm wide jet stream in vacuum
- $10^{19} \text{ atoms / cm}^2$



Cluster-Jet

- Molecular clustering @ 40K
- Increase self-containment





Jet injector

- Supersonic gas flow generated by a miniaturized Laval nozzle
- Supersonic shockwaves and molecular clustering at cryogenic temperatures limit the gas diffusion
- 2 mm wide collimated gas stream

Jet catcher

- Captures the gas stream limiting its diffusion in the scattering chamber
- Massive pumping system to reduce any backflow in the chamber vacuum

Performances

- Core stream pressure about 1 bar
- Scattering chamber pressure $< 10^{-4}$ mbar



Experimental challenge


- Minimize the multiple scattering of electrons of 10-100
- Detecting 50 MeV protons

GEM readout on a Kapton foil

- PCB substrate is the main contributor to the detector thickness
- Replace the substrate with a Kapton foil 0.96% \rightarrow 0.61% X_0

GEM copper reduction

- Replacing the copper layer with an atomic layer of Chromium 0.61% \rightarrow 0.44% X_0





Chromium GEMs



$X/X_0 = 0.44\%$

Vacuum foil only




$X/X_0 = 0.04\%$

- Windows Kapton
- GEM Cu
- GEM Kapton
- Cathode Al
- Cathode Mylar
- Readout Cu
- Readout Epoxide/Kapton
- Gas 70 % Ar
- Gas 30 % CO₂

Reduction to essentials

- The vacuum window is the only passive material we cannot eliminate
- Multiple scattering in the window is already enough to introduce a sizeable systematic error
- Any other material on the particle path should be sensitive



What is a chromium GEM

- 100 nm chromium layer always present between copper and Kapton in a standard GEM
- Etch all the copper away. Small copper strips to increase conductivity
- Discharge probability and energy resolution as standard GEMs

The long term reliability issue

- Measured efficiency drop by other groups as a function of accumulated charge
- How long can we efficiently use a chromium GEM in the different stack layers in beam conditions?


MAMI test-beam (Nov 2017)

- 5 hours at 1.4 MHz with 885 MeV electrons from MAMI
- Stress-test setup: chromium layer facing the readout
- Clear efficiency drop at the end of the test period



After 1 hour
Facing the drift
2MHz electron beam

First 30 minutes



Last 60 minutes

