The challenge of Digital Preservation at CERN

Contents

- 1. Preservation Scope
- 2. Scenarios
- 3. Digital Preservation
- 4. Creating SIPs
- 5. Platform
 - a. Architecture overview
 - b. Features
 - c. Technology
- 6. Further improvements

Preservation Scope

- Digital Repositories in use at CERN
- Local folders (user provided content)
 - E.g. Slides submitted to external conferences, notes, drafts













NOT

Another digital repository A backup

But...

Policies, infrastructures and technologies to face challenges of file corruption, media failure and technological (hardware and software) obsolescence, following OAIS principles

Scenarios


- A. Repositories periodically selecting and submitting resources for long term preservation
 - service implements preservation (AIPS) and register them to DM platform
 - service submits SIPs to DM platform
 - service request DM platform to harvest their resources
- B. CERN users want to preserve their assets
 - released on digital repositories
 - local files


→ CERN Digital Preservation Strategy

Creating SIPs

- **Baglt Create** a tool to harvest data and export digital repository records in packages with a consistent format, according to a well defined specification
 - → CERN SIP Spec

- CLI or as a software package
 - \$ bic --source cds --recid 2748063





Features

- SIP creation with BagIt Create
- AIP creation with Archivematica
- Push to Tape and Retrieve from Tape (CTA)
- (Optional) additional curation for local resources
- Fixity checks
- Dissemination and access to the archives







Technology

- Dev (and Git) Ops oriented approach to deployments
- Everything modular and OSS, with detailed documentation for usage and development
- CERN specifics documented and easily un-pluggable
- Platform: a Python Django restful web application
 - OpenAPI specs
 - Frontend in React
- Registry powered by InvenioRDM

Further improvements

- Moving SIP creation to the repositories
- Appraisal and content selection
- Archivematica and the support for Office documents
- Access to the Registry

References & Links


- CERN Digital Preservation Strategy: proposal http://cds.cern.ch/record/2856775
- 2. Baglt Create https://gitlab.cern.ch/digitalmemory/bagit-create
- OAIS Platform <u>https://gitlab.cern.ch/digitalmemory/oais-platform</u>
- 4. CERN SIP Specification https://gitlab.cern.ch/digitalmemory/sip-spec
- 5. Format Policies https://wiki.archivematica.org/Format_policies
- 6. The Challenge of Digital Preservation at CERN https://cds.cern.ch/record/2857550

Backup

Risks & Challenges

- Media which cannot be read
- 2. Information trapped in legacy systems
- 3. Incomplete metadata and uncomplete context
- 4. Unclear ownership & provenance
- 5. Corrupted or deleted files
- 6. Expired software licenses
- 7. Expired vendor supports
- 8. Lossy conversions or migrations







Archivematica default format policies

Media type	File formats	Preservation format(s)	Access format(s)	Normalization tool
Audio	AC3, AIFF, MP3, WAV, WMA	WAVE (LPCM)	MP3	FFmpeg
Email	PST	мвох	МВОХ	readpst
Email	Maildir**	Original format	МВОХ	md2mb.py
Office Open XML	DOCX, PPTX, XLSX	Original format	Original format	Tool search in progress
Plain text	тхт	Original format	Original format	None
Portable Document Format	PDF	PDF/A	Original format	Ghostscript
Presentation files	PPT	Original format	PDF	Tool search in progress
Raster images	BMP, GIF, JPG, JP2*, PCT, PNG*, PSD, TIFF, TGA	Uncompressed TIFF	JPEG	ImageMagick


Harvest UI



Pipeline overview



Registry results



Registry example

