

LHCONE Asia Connectivity


ASGC Wenshui Chen

June 13, 2011


LHC Community in Asia

- | | | |
|-----------------|-------|----------|
| • Taipei | Tier1 | Taiwan |
| • Tokyo | Tier2 | Japan |
| • Mumbai | Tier2 | India |
| • China | Tier2 | China |
| • Kolkata | Tier2 | India |
| • Taipei | Tier2 | Taiwan |
| • Pakistan | Tier2 | Pakistan |
| • Korea-KNU | Tier2 | Korea |
| • Korea-Daejaon | Tier2 | Korea |


JGN-X International & Domestic Circuits




TEIN3 Network Topology



Academia Sinica 2011 Global Network



LHCONE Prototype In Asia



Conditions:

- Access Link of the TierX would need its domestic service provider assistant for connecting at Hong Kong.
- When LHCOPN 10G link is down, the crossing ocean link will be used as backup link to support OPN service.
- The networking facilities at HK, Taipei, and Chicago of ASGC are all Juniper routers.

Connecting Type

- Only LHC members are allowed connecting to LHCONE at Hong Kong or Taipei.
- If not connecting from Hong Kong or Taipei aggregation network point, LHCONE connector itself has to settle done all of transit issues between ASGC and its accessing point.