

HOW TO CREATE VOTES, POLLS OR SURVEYS IN DRUPAL

Catherine REGELBRUGGE

Sonia CASENOVE

HOW TO CREATE VOTES, POLLS OR SURVEYS IN DRUPAL

- **Simple vote - mode of operation : exemple of the vote for the Staff Council**
- **A more complicated example : the elections at the Staff Council**
- **Conclusion**
- **Questions**

Simple vote - mode of operation

The screenshot shows a web browser window displaying a Drupal website. The address bar shows the URL: <https://ap-vote.web.cern.ch/content/vote-conseil-du-personnel#overlay-context=content/vote-conseil-du-personnel>. The browser's address bar also shows the CERN logo and the text 'cern.ch'. The page header includes a navigation menu with items: Dashboard, Content, Structure, Appearance, People, Modules, Configuration, Reports, Help. The user is logged in as 'Hello Catherine Regelbrugge' with a 'Log out' link. Below the header, there are links for 'Add content' and 'Find content', and 'Edit shortcuts'. The main content area features a blue banner with the 'Staff Association' logo and title. A search bar is located on the right side of the banner. Below the banner, there is a navigation menu with items: Home, Introduction, Bodies, Location, Relations, Socio-cultural, Publications, Membership, Vote Conseil du Personnel. On the right side of this menu, there are links for 'My account' and 'Log out'. The main content area is titled 'Vote Conseil du Personnel' and contains a form with buttons for 'View', 'Edit', 'Webform', and 'Results'. The form is submitted by 'Catherine Regel...' on 'Tue, 21/02/2012 - 13:39'. The text of the form reads: 'La proposition de la Direction est basée sur des calculs actuariels de type assurance effectués par l'actuaire de la Caisse de pensions. Pour ses évaluations l'actuaire a utilisé les dernières tables de longévité générationnelles disponibles adaptées à la population du CERN et a déterminé d'une façon prudente pour des personnes recrutées à l'âge moyen du CERN (33 ans) quel serait le taux de cotisation nécessaire pour financer la promesse de pensions qui leur est faite. Le résultat, 31,6%, est proposé comme taux de cotisation demandé aux nouveaux titulaires. Ceci correspond à la question restée ouverte dans la décision du Conseil du CERN en juin 2011 et clôt donc le paquet. Dans la déclaration, dont le projet est [ici](#), vous verrez que l'AP dit privilégier le statu quo, et qu'en tous cas, dans les études actuarielles futures, l'effet des nouvelles tables de longévité (et tout autre évolution de paramètres) doit être prise en compte pour toute la population de la Caisse pour déterminer le niveau juste de toutes les parties concernées. Si vous le désirez, vous pouvez faire des suggestions d'amélioration de texte (à michel.goossens@cern.ch).

Choix *

- Je suis d'accord que l'Association du personnel ne s'oppose pas à la proposition de la Direction
- Je ne suis PAS d'accord que l'Association du personnel ne s'oppose pas à la proposition de la Direction
- Je m'abstiens

Submit

Powered by [Drupal](#)

Install the webform module

There are updates available for one or more of your modules or themes. To ensure the proper functioning of your site, you should update as soon as possible. See the [available updates](#) page for more information and to install your missing updates.

Home

+ Install new module

Core

Enabled	Name	Version	Description	Operations
<input type="checkbox"/>	Aggregator	7.12	Aggregates syndicated content (RSS, RDF, and Atom feeds).	
<input checked="" type="checkbox"/>	Block	7.12	Controls the visual building blocks a page is constructed with. Blocks are boxes of content rendered into an area, or region, of a web page. Required by: Dashboard (enabled), CERN Dev-Status (disabled), Block languages (enabled), Menu translation (enabled)	? Help Permissions Configure
<input checked="" type="checkbox"/>	Blog	7.12	Enables multi-user blogs.	? Help
<input type="checkbox"/>	Book	7.12	Allows users to create and organize related content in an outline.	
<input checked="" type="checkbox"/>	Color	7.12	Allows administrators to change the color scheme of compatible themes. Required by: Stylizer (disabled)	? Help
<input checked="" type="checkbox"/>	Comment	7.12	Allows users to comment on and discuss published content. Requires: Text (enabled), Field (enabled), Field SQL storage (enabled) Required by: Forum (enabled), Advanced Forum (disabled), Multilingual forum (enabled), Migrate Example (disabled), Tracker (disabled)	? Help Permissions Configure
<input checked="" type="checkbox"/>	Contact	7.12	Enables the use of both personal and site-wide contact forms. Required by: Contact translation (enabled)	? Help Permissions

Create the Webform

The screenshot shows a web browser window displaying a Drupal administration page for the Staff Association. The page title is "Add content" and the breadcrumb trail is "Home > Add content". The main content area lists several content types with their descriptions:

- [Home](#)
- [Article](#)
Use *articles* for time-sensitive content like news, press releases or blog posts.
- [Basic page](#)
Use *basic pages* for your static content, such as an 'About us' page.
- [Blog entry](#)
Use for multi-user blogs. Every user gets a personal blog.
- [CAPOI Item](#)
La description d'une conference CAPOI
- [Echo Articles](#)
- [Forum topic](#)
A forum topic starts a new discussion thread within a forum.
- [My content](#)
- [Webform](#)
Create a new form or questionnaire accessible to users. Submission results and statistics are recorded and accessible to privileged users.

Below the list, there are two radio button options for the webform:

- Je suis d'accord que l'Association du personnel ne s'oppose pas à la proposition de la Direction
- Je ne suis PAS d'accord que l'Association du personnel ne s'oppose pas à la proposition de la Direction

The browser's address bar shows the URL: <https://ap-vote.web.cern.ch/content/vote-conseil-du-personnel#overlay-context=content/vote-conseil-du-personnel&overlay=node/add>. The browser's user interface includes a search bar with the text "search this site" and a "Log out" button next to the user name "Catherine Regelbrugge".

Create the Webform

cern.ch https://ap-vote.web.cern.ch/content/vote-conseil-du-personnel#overlay-context=content/vote-conseil-du-personnel&overlay=node/add/webform

Dashboard Content Structure Appearance People Modules Configuration Reports Help Hello Catherine Regelbrugge Log out

Add content Find content Edit shortcuts

Title *

Body (Edit summary)

Source

Format

Text format Filtered HTML

Web page addresses turn into links automatically.

Full HTML

Allowed HTML tags: <cite> <blockquote> <code> <dl> <dt> <dd>

Plain text

Lines and paragraphs are separated by blank lines.

PHP code

More information about text formats ?

Create the Webform

The screenshot shows a web browser window with the URL `https://ap-vote.web.cern.ch/content/vote-conseil-du-personnel#overlay-context=content/vote-conseil-du-personnel&overlay=node/add/webform`. The page is a configuration form for a webform. The top navigation bar includes links for Dashboard, Content, Structure, Appearance, People, Modules, Configuration, Reports, and Help. The user is identified as Catherine Regelbrugge. The main content area is titled 'Add content' and 'Find content'. The configuration form has several sections:

- Menu settings:** 'Not in menu' and a checkbox for 'Provide a menu link'.
- Revision information:** 'No revision'.
- URL path settings:** 'Automatic alias'.
- Custom Breadcrumbs:** (empty)
- Comment settings:** 'Closed'.
- Authoring information:** 'By cregelbr'.
- Publishing options:** 'Published, Promoted to front page'.

At the bottom of the form are 'Save' and 'Preview' buttons.

Webform components

The screenshot shows a Drupal webform configuration page for the 'Home' page. The page is titled 'Home' and has a search bar. The main navigation includes 'Dashboard', 'Content', 'Structure', 'Appearance', 'People', 'Modules', 'Configuration', 'Reports', and 'Help'. The user is logged in as 'Catherine Regelbrugge'. The page has 'Add content' and 'Find content' buttons. The main content area shows the 'Home' page configuration with a search bar and a 'VIEW' button. The 'WEBFORM' tab is active, showing the configuration for the 'Home' webform. The configuration includes a table of components and a 'Form components' section with a 'New component name' field and a 'Save' button. A dropdown menu is open, showing various component types.

Home

Form components | E-mails | Form settings | Form validation

Show row weights

Label	Type	Value	Mandatory	Operations
+ Vote_CP	markup	<p><a href="https://indico.cer...		Edit Clone Delete
+ Choix	select	-	<input checked="" type="checkbox"/>	Edit Clone Delete
+ New component name	Textfield		<input type="checkbox"/>	Add

Save

- Date
- E-mail
- Fieldset
- File
- Grid
- Hidden
- Markup
- Page break
- Select options
- Textarea
- Textfield
- Time

Webform settings

The screenshot shows a web browser window with the URL `https://ap-vote.web.cern.ch/content/vote-conseil-du-personnel#overlay-context=content/vote-conseil-du-personnel&overlay=node/222/webform/configure`. The page is titled "Webform settings" and is part of a Drupal site. The navigation menu includes "Dashboard", "Content", "Structure", "Appearance", "People", "Modules", "Configuration", "Reports", and "Help". The user is logged in as "Catherine Regelbrugge".

The main content area shows the "Form settings" tab selected. Under "Submission settings", the "Confirmation message" section is visible. It contains a rich text editor with the following text: "Nous vous remercions d'avoir pris part au vote." The editor has a toolbar with various formatting options like bold, italic, underline, and lists.

Below the text editor, there is a "Text format" dropdown menu set to "Filtered HTML" and a link for "More information about text formats". At the bottom, there is a note: "Web page addresses and e-mail addresses turn into links automatically." and a list of supported HTML tags: `<a>`, ``, ``, `<cite>`, `<blockquote>`, `<code>`, ``, ``, ``, `<dl>`, `<dt>`, `<dd>`.

Webform settings

The screenshot shows the Drupal administration interface for configuring a webform. The browser address bar shows the URL: `https://ap-vote.web.cern.ch/content/vote-conseil-du-personnel#overlay-context=content/vote-conseil-du-personnel&overlay=node/222/webform/configure`. The top navigation bar includes links for Dashboard, Content, Structure, Appearance, People, Modules, Configuration, Reports, and Help. The user is logged in as Catherine Regelbrugge. The main content area is titled 'Webform configuration' and contains the following sections:

- Allowed HTML tags:** `<a> <cite> <blockquote> <code> <u> `. A note states: "Lines and paragraphs break automatically."
- Message to be shown upon successful submission.** A text area contains the message: "Message to be shown upon successful submission. If the redirection location is set to *Confirmation page* it will be shown on its own page, otherwise this displays as a message."
- Redirection location:** Radio buttons for "Confirmation page", "Custom URL:" (with an empty text input field), and "No redirect (reload current page)". A note states: "Choose where to redirect the user upon successful submission. The *Custom URL* option supports Webform token replacements." Below this is a collapsed section for "Token values".
- Submission limit:** Radio buttons for "Unlimited" and "Limit to" (with a text input field containing "1" and a dropdown menu set to "ever"). A note states: "Limit the number of submissions *per user*. A user is identified by their user login if logged-in, or by their IP Address and Cookie if anonymous. Use of cookies may be modified in the global [Webform settings](#)."
- Status of this form:** Radio buttons for "Open" and "Closed". A note states: "Closing a form prevents any further submissions by any users."

Webform settings

The screenshot shows the Drupal administration interface for configuring a webform. The browser address bar shows the URL: `https://ap-vote.web.cern.ch/content/vote-conseil-du-personnel#overlay-context=content/vote-conseil-du-personnel&overlay=node/222/webform/configure`. The top navigation menu includes: Dashboard, Content, Structure, Appearance, People, Modules, Configuration, Reports, Help. The user is logged in as Catherine Regelbrugge. The main content area is titled 'Add content Find content' and 'Edit shortcuts'. The configuration options are:

- Limit to** submission(s) (dropdown)
- Limit the number of submissions *per user*. A user is identified by their user login if logged-in, or by their IP Address and Cookie if anonymous. Use of cookies may be modified in the global [Webform settings](#).
- Status of this form**
 - Open
 - Closed
- Closing a form prevents any further submissions by any users.
- Submission access**
 - These permissions affect which roles can submit this webform. It does not prevent access to the webform page. If needing to prevent access to the webform page entirely, use a content access module such as [Taxonomy Access](#) or [Node Privacy by Role](#).*
 - Roles that can submit this webform**
 - anonymous user
 - authenticated user
 - administrator
 - Conseil du personnel
 - staff all
 - Fellows

How to create a role

The screenshot shows a web browser window displaying a Drupal administration page for role management. The browser's address bar shows the URL: `https://ap-vote.web.cern.ch/content/vote-conseil-du-personnel#overlay-context=content/vote-conseil-du-personnel&overlay=admin/people/permissions/roles`. The page header includes navigation links: Dashboard, Content, Structure, Appearance, People (selected), Modules, Configuration, Reports, and Help. The user is identified as Catherine Regelbrugge, with a Log out link. Below the header, there are links for 'Add content' and 'Find content', and an 'Edit shortcuts' link. The main content area is titled 'Home' and has two tabs: 'LIST' and 'PERMISSIONS' (selected). Under the 'PERMISSIONS' tab, there are sub-tabs for 'Permissions' and 'Roles' (selected). A 'Show row weights' link is visible on the right. The main content is a table with the following data:

Name	Operations
+ anonymous user (<i>locked</i>)	edit permissions
+ authenticated user (<i>locked</i>)	edit permissions
+ administrator	edit role edit permissions
+ Conseil du personnel	edit role edit permissions
+ staff all	edit role edit permissions
+ Fellows	edit role edit permissions
+ college O1 be	edit role edit permissions
+ college O1 en	edit role edit permissions
+ college O1 te	edit role edit permissions
+ college O2 be	edit role edit permissions
+ college O2 en	edit role edit permissions
+ college O2 te	edit role edit permissions
+ college O3 dg	edit role edit permissions
+ college O3 dgs	edit role edit permissions
+ college O3 fp	edit role edit permissions
+ college O3 gs	edit role edit permissions

How to create a new role

Dashboard Content Structure Appearance People Modules Configuration Reports Help Hello Catherine Regelbrugge Log out

Add content Find content Edit shortcuts

Home Staff Association GENERAL SETTINGS SHIBBOLETH GROUP RULES ADVANCED SETTINGS

Home

#	Attribute	RegExp	Roles	Sticky	Actions
0	ADFS_GROUP	^drupal-admins\$	administrator	Yes	Clone Edit Delete
1	ADFS_GROUP	^drupal-admins-ap-vote\$	administrator	Yes	Clone Edit Delete
2	ADFS_GROUP	^staff-all\$	staff all	Yes	Clone Edit Delete
3	ADFS_GROUP	^cern-fellows\$	Fellows	Yes	Clone Edit Delete
4	ADFS_GROUP	^ap-conseil\$	Conseil du personnel	Yes	Clone Edit Delete
5	ADFS_GROUP	^ap-college-O1-be\$	college O1 be	No	Clone Edit Delete
6	ADFS_GROUP	^ap-college-O1-en\$	college O1 en	No	Clone Edit Delete
7	ADFS_GROUP	^ap-college-O1-te\$	college O1 te	No	Clone Edit Delete
8	ADFS_GROUP	^ap-college-O2-be\$	college O2 be	No	Clone Edit Delete
9	ADFS_GROUP	^ap-college-O2-en\$	college O2 en	No	Clone Edit Delete
10	ADFS_GROUP	^ap-college-O2-te\$	college O2 te	No	Clone Edit Delete
11	ADFS_GROUP	^ap-college-O3-dg\$	college O3 dg	No	Clone Edit Delete
12	ADFS_GROUP	^ap-college-O3-dgs\$	college O3 dgs	No	Clone Edit Delete
13	ADFS_GROUP	^ap-college-O3-fp\$	college O3 fp	No	Clone Edit Delete
14	ADFS_GROUP	^ap-college-O3-gs\$	college O3 gs	No	Clone Edit Delete
15	ADFS_GROUP	^ap-college-O3-hr\$	college O3 hr	No	Clone Edit Delete
16	ADFS_GROUP	^ap-college-O3-pf\$	college O3 pf	No	Clone Edit Delete
17	ADFS_GROUP	^ap-college-O4-dg\$	college O4 dg	No	Clone Edit Delete
18	ADFS_GROUP	^ap-college-O4-dgs\$	college O4 dgs	No	Clone Edit Delete

How to create a new role

The screenshot shows a web browser window with the URL `https://ap-vote.web.cern.ch/content/vote-conseil-du-personnel#overlay-context=content/vote-conseil-du-personnel&overlay=admin/config/people/shib_auth/edit/6`. The browser's address bar also shows a Yahoo search engine icon. The page's navigation menu includes 'Dashboard', 'Content', 'Structure', 'Appearance', 'People', 'Modules', 'Configuration', 'Reports', and 'Help'. The user is logged in as 'Catherine Regelbrugge'. The main content area is titled 'Edit rule' and contains the following text:

Home

Following Shibboleth attributes are mapped with CERN Single Sign-On (example values in []):

- ADFS_LOGIN [cernlogin]
- ADFS_FIRSTNAME [Firstname]
- ADFS_LASTNAME [Lastname]
- ADFS_EMAIL [Firstname.Surname@cern.ch]
- ADFS_FULLNAME [Firstname Surname]
- ADFS_GROUP [a-cern-e-group]
- ADFS_PHONENUMBER [+4122767XXXX]
- ADFS_FAXNUMBER [+4122766XXXX]
- ADFS_MOBILENUMBER [+4176XXXXXXXX]
- ADFS_BUILDING [31 1-005]
- ADFS_DEPARTMENT [IT/OIS]
- ADFS_HOMEINSTITUTE [CERN - IT/OIS]
- ADFS_HOMEDIR [some_directory_path]
- ADFS_PERSONID [123456]

Shibboleth attribute name

More properly: \$ _SERVER field name; enable DEBUG mode to list available fields.
Note that it might differ from your users' fields.

Note: ALWAYS enclose regexp in '^\$' to limit possible matches ! (example: '^some-e-group-at-cern\$')

Value (regexp)

Roles

Results

Home Staff Association

VIEW EDIT WEBFORM RESULTS

Home

Submissions Analysis Table Download Clear

Q	responses	
1	Choix	
	Je suis d'accord que l'Association du personnel ne s'oppose pas à la proposition de la Direction	30
	Je ne suis PAS d'accord que l'Association du personnel ne s'oppose pas à la proposition de la Direction	6
	Je m'abstiens	3

Dans la déclaration, dont le projet est [ici](#), vous verrez que l'AP dit privilégier le statu quo, et qu'en tous cas, dans les études actuarielles futures, l'effet des nouvelles tables de longévité (et tout autre évolution de paramètres) doit être prise en compte pour toute la population de la Caisse pour déterminer le niveau juste de toutes les parties concernées. Si vous le désirez, vous pouvez faire des suggestions d'amélioration de texte (à michel.goossens@cern.ch).

Choix *

- Je suis d'accord que l'Association du personnel ne s'oppose pas à la proposition de la Direction
- Je ne suis PAS d'accord que l'Association du personnel ne s'oppose pas à la proposition de la Direction
- Je m'abstiens

Submit

Elections to Staff Council 2009

Dashboard Content Structure Appearance People Modules Configuration Reports Help Hello **Sonia Casenove** Log out

Add content Find content Edit shortcuts

• where type is Webform

and where status language

Refine Undo Reset

Update options


Publish selected content

<input type="checkbox"/>	Title ^	Type	Author	Status	Updated	Language	Operations
<input type="checkbox"/>	Collège électoral O.1 - Electoral college O.1	Webform	Sonia Casenove	not published	08/03/2012 - 14:57	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.1 / BE - Electoral college O.1 / BE	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	English	edit delete
<input type="checkbox"/>	Collège électoral O.1 / EN - Electoral college O.1 / EN	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.1 / TE - Electoral college O.1 / TE	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.2 - Electoral college O.2	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.2 / BE - Electoral college O.2 / BE	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.2 / EN - Electoral college O.2 / EN	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.2 / TE - Electoral college O.2 / TE	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.3 - Electoral college O.3	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.3 / DG/DGS - Electoral college O.3 / DG/DGS	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.3 / FP - Electoral college O.3 / FP	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.3 / GS - Electoral college O.3 / GS	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.3 / HR/PF - Electoral college O.3 / HR/PF	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.4 - Electoral college O.4	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.4 / DG/DGS - Electoral college O.4 / DG/DGS	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.4 / FP - Electoral college O.4 / FP	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.4 / GS - Electoral college O.4 / GS	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.4 / HR/PF - Electoral college O.4 / HR/PF	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.5 - Electoral college O.5	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.5 / IT - Electoral college O.5 / IT	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.5 / PH - Electoral college O.5 / PH	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.6 - Electoral college O.6	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.6 / IT - Electoral college O.6 / IT	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete
<input type="checkbox"/>	Collège électoral O.6 / PH - Electoral college O.6 / PH	Webform	Sonia Casenove	not published	11/01/2012 - 16:42	Language neutral	edit delete

Elections to Staff Council 2009

Dashboard Content Structure Appearance People Modules Configuration Reports Help Hello **Sonia Casenove** Log out

Add content Find content Edit shortcuts



Staff Association

Home Introduction Bodies Location Relations Socio-cultural Publications Membership Vote Conseil du Personnel My account Log out

Collège électoral O.3 - Electoral college O.3

View Edit Webform Results

Submitted by [Sonia Casenove](#) on Wed, 12/10/2011 - 16:43

Vous êtes dans la page de vote sectoriel. 4 sièges sont à pourvoir.
You are in the sectorial vote page. 4 seats are to be filled.

Ce vote est totalement indépendant du vote départemental , c'est-à-dire qu'il est possible de voter pour le(s) même(s) candidat(s) que dans le vote précédent.
This vote is totally independant of the departmental vote, i.e. it is possible to vote for the same candidate(s) as in the preceding vote.

Liste des candidats / List of candidates

- [AYMON Marcel \(formulaire de candidature/candidate form\)](#)
- [BASCIANO Alexandre \(formulaire de candidature/candidate form\)](#)
- [CUENCA PEREZ Antonio \(formulaire de candidature/candidate form\)](#)
- [FICHET Jacques-Hervé \(formulaire de candidature/candidate form\)](#)
- [LAVERRIERE Catherine \(formulaire de candidature/candidate form\)](#)
- [PARCHET Daniel \(formulaire de candidature/candidate form\)](#)
- [SOLERO Almudena \(formulaire de candidature/candidate form\)](#)
- [WIAND Stéphane \(formulaire de candidature/candidate form\)](#)

Vous pouvez choisir 4 candidats au maximum.
You can choose a maximum of 4 candidates.

Powered by [Drupal](#)

Webform validation

Home

VIEW EDIT WEBFORM RESULTS

Home

Form components | E-mails | Form settings | Form validation

Rule name	Validator	Components	Operations	
Choix O.3	Maximum number of selections allowed	Liste des candidats / List of candidates	Edit	Delete

Add a validation rule

Numeric values
Verifies that user-entered values are numeric, with the option to specify min and / or max values. (textfield, hidden)

Minimum length
Verifies that a user-entered value contains at least the specified number of characters (textfield, textarea, email, hidden)

Maximum length
Verifies that a user-entered value contains at most the specified number of characters (textfield, textarea, email, hidden)

Minimum number of words
Verifies that a user-entered value contains at least the specified number of words (textfield, textarea, hidden)

Maximum number of words
Verifies that a user-entered value contains at most the specified number of words (textfield, textarea, hidden)

Equal values
Verifies that all specified components contain equal values (textfield, email, select, hidden)

Unique values
Verifies that all specified components contain unique values (textfield, email, select, hidden)

Specific value(s)
Verifies that the specified component contains a defined value (select, textfield, textarea, email, hidden)

Require at least one of two fields
Forces the user to specify / select at least one of two selected webform components (textfield, textarea, email, select)

Require at least one of several fields

Webform validation

The screenshot shows a web browser window displaying a Drupal administration page for editing a validation rule. The browser's address bar shows the URL: `https://ap-vote.web.cern.ch/content/vote-conseil-du-personnel#overlay-context=content/vote-conseil-du-personnel&overlay=node/207/webform/validation/edit/select_max/16%3Fdestination%3Dnode/207/webform/validation`. The page title is "Edit rule" and the breadcrumb trail includes "Home".

The main content area is titled "Edit rule" and contains the following fields and options:

- Rule name ***: A text input field containing "Choix O.3".
- Components**: A section with a checked checkbox labeled "Liste des candidats / List of candidates". Below this, it says "Select the components to be validated by this validation rule".
- Maximum number of selections ***: A text input field containing the number "4". Below this, it says "Specify the maximum number of options a user can select."

At the bottom of the form is a button labeled "Edit rule".

Conclusion

- Each webform had to be created from scratch
- One problem remained unsolved: the confirmation of the vote
- Where to find information and solutions:
 - <http://www.drupalfacile.org/>
 - <http://drupalfr.org/forum>
 - <http://drupal.org/support>

Questions?
