CERN-EDMS-428037 V1.7a Page 1 of 5



# **Joint Security Policy Group**

# Grid Security Traceability and Logging Policy

Date:	2 February 2008	
EDMS	https://edms.cern.ch/document/428037	

CERN-EDMS-428037 V1.7a Page 2 of 5

Reference:	
Internal	v1.7a
Version:	
Status:	Draft
Author:	Joint Security Policy Group

CERN-EDMS-428037 V1.7a Page 3 of 5

Document Log				
Issu e	Date	Author	Comment	
1.0	11 June 2003	lan Neilson	Draft for Comment	
1.1	18 June 2003	lan Neilson	Some more details and add recommendations to GDB section	
1.2	19 June 2003	lan Neilson	Clarification of process accounting data volume	
1.3	15 February 2006	Romain Wartel	Policy simplified and made more generic	
1.4	12 March 2007	Romain Wartel	Focusing on Resource Providers	
1.5	15 March 2007	Romain Wartel	Integrated comments from JSPG	
1.6	1 Nov 2007	JSPG	Changes agreed at the JSPG meeting of 29/30 Oct 2007. Includes the addition of draft section on "Motivation" still to be finalised. Title of the document also changed.	
1.7	29 Jan 2008	JSPG	Changes agreed at the JSPG meeting today. Ready for wider distribution.	
1.7 a	2 Feb 2008	JSPG	Changes to section 4 to include the need for security logs to be put in a secure repository.	

CERN-EDMS-428037 V1.7a Page 4 of 5

#### 1 Introduction

This policy defines the minimum requirements for traceability of actions on Grid Resources and Services as well as the production and retention of security related logging in the Grid.

#### 2 Notation

This document occasionally uses terms that appear in capital letters. When the terms "MUST", "SHOULD", "MUST NOT", "SHOULD NOT", and "MAY" appear capitalized, they are being used to indicate particular requirements of this specification. A discussion of the meanings of these terms appears in RFC 2119.

# 3 Requirements for Traceability and Logging

The management of risk is fundamental to the operation of any Grid. Identifying the cause of incidents is essential to prevent them from reoccurring. In addition, it is a goal to contain the impact of an incident while keeping services operational. For response to incidents to be acceptable this needs to be commensurate with the scale of the problem.

The minimum level of traceability for Grid usage is to be able to identify the source of all actions (executables, file transfers, pilot jobs, portal jobs, etc) and the individual who initiated them. In addition, sufficiently fine-grained controls, such as blocking the originating user and monitoring to detect abnormal behaviour, are necessary for keeping services operational. It is essential to be able to understand the cause and to fix any problems before re-enabling access for the user.

The aim is to answer the basic questions who, what, where, and when by retaining all relevant information, including timestamps and the digital identity of the user, sufficient to identify, for each service instance, and for every security event including at least the following: connect, authenticate, authorize (including identity changes) and disconnect.

CERN-EDMS-428037 V1.7a Page 5 of 5

## 4 Production and Retention of Logging Data

In order to satisfy the traceability requirements, software deployed in the Grid MUST produce sufficient and relevant logging. The software SHOULD follow the Grid security guidelines on logging but MUST include the ability for a Site to collect logs centrally.

The level of the logging MUST be configured to produce the required information which MUST be retained for a minimum of 90 days. Grid Security Operations MAY define longer periods of retention for specific services and/or operational requirements. The logs MUST be put into a safe repository.

## 5 Implementation

The security architecture and software used in the Grid is under constant change. Grid Security Operations provides detailed information on the implementation of this policy. This policy requires all participants to abide by the detailed implementation.