



Enabling Grids for
E-science in Europe

www.eu-egee.org

JRA1 all-hands-meeting, Padova 15.11.2004

Configuring & Managing Web Services for



Joachim Flammer
Integration Team



EGEE is a project funded by the European Union under contract IST-2003-508833

Contents

- Management for web services
- Configuration
 - ... the Tomcat approach
 - ... the JMX approach
- JMX in a nutshell
- JMX for gLite
- gLiteService and gLiteManager
- gLiteService in action (Demo)
- Summary



Managing Web Services

- To be done: General introduction

Requirements for Web Services

- Web services have several functionalities that are common to all of them
 - start/stop
 - handling of configuration
 - pinging a service to test if it is alive
 -
- Several common functionalities are provided by container (e.g. tomcat)
 - Some of the functionality are nice to use
 - e.g. starting/stopping a web service via the tomcat manager
 - Some of the functionality is not enough for us
 - configuration is only static
 - Some functionalities might not be provided at all

Configuration – the Tomcat approach


- For Tomcat configuration is done
 - via the context of each web service
 - application can get information via JNDI
- The pros and cons are
 - standard approach 😊
 - pre-configuration is done by tomcat 😊
 - Tomcat JNDI is read only (Tomcat emulates JNDI) 😞
 - No dynamic configuration 😞
 - You cannot get the configuration information from service 😞
 - You cannot get the configuration information from central places 😞

Configuration – the JMX approach

- JMX – Java Management extensions
 - Standard designed for enabling resource management of/with Java applications
 - Extension of Java following standard specification
 - Specification within the Java Community Process (JCP) as a Java Submission Request (JSR3, JSR77, JSR xx Remote)
 - First implementations from 1998
 - Several active implementations – commercial and open source
 - Sun JDMK
 - MX4J
 - ...
 - Each implementation follows the standard and gives some extras
 - Integrated in SUN Java 1.5
 - Accepted standard in industry - used in several commercial products
 - HP openview
 - IBM Websphere
 -
 - Enables you to do dynamic configuration
 - Enables you to retrieve configuration information remotely
 - Enables you to read configuration from different places
 - much more like monitoring etc. ...

... and also TOMCAT uses it for its internal configuration ...

JMX in a nutshell: Overview



The instrumentation layer: MBeans

```
class Service implements ServiceMBean {  
  
    [...]  
  
    protected String name;  
  
    public String getName(){  
        return Name;  
    }  
  
    public void setName(String name){  
        this.name = name;  
    }  
  
    public bool updateService(){  
        // do something  
        return true  
    }  
  
    [...]  
}
```

```
public interface ServiceMBean{  
  
    String getName();  
    void setName(String name);  
    bool updateService();  
  
}
```

ce

ore to MBeans:

eir interface at runtime)

C.

The agent layer: MBeanServer

- **MBeanServer**

// creating the MBeanServer

```
MBeanServer mbs = MBeanServerFactory.createMBeanServer("glite");
```

// querying for an existing MBeanServer in the JVM

```
List srvList = MBeanServerFactory.findMBeanServer(null);  
MBeanServer mbs2 = (MBeanServer) srvList.get(0);
```

// registering your MBean

```
Service myService = new Service()  
ObjectName myServiceON = new ObjectName("glite:type=service,port=8080");  
mbs.registerMBean(myService, myServiceON);  
mbs.registerMBean(new Service(), new ObjectName("glite:type=service,port=8090");
```

// manipulating MBeans in a server

```
String name = mbs.getAttribute(myServiceON,"name");  
Attribute attribute = new Attribute("name", new String("gliteService"));  
mbs.setAttribute(myServiceON, attribute);  
mbs.invoke(myServiceON, "updateService", null, null);
```

- Monitor MBeans


The distributed layer: Adaptors & Connectors

- All MBeanServer methods are nice – but how do you connect from outside the JVM?
 - Adaptors & Connectors
- **Adaptors**
 - Adaptor is an MBean that listens on a particular port and speaks a particular protocol
 - Example: HTTP adaptor (see Demo later on)
- **Connectors**
 - Connector is an MBean that can co-operate with a peer on a client machine
 - Example: RMI connector (see Demo later on)
- You can register the adaptors/connectors you need/want to support
- All adaptors/connectors are MBeans and can be manipulated like other MBeans

Stay informed: notifications

- You can be informed when MBeans are changed
- MBean can be a source for notifications
 - listen to changes on MBeans by subscribing to notification
 - you can apply filters to notifications
- Information stored in each notification
 - Type (a String) used for filtering
 - SequenceNumber (integer)
 - TimeStamp
 - UserData and Message
 - Source (to identify the generating MBean)

JMX for gLite



Implementation - gLiteService and gLiteManager

- We propose:
 - **gLiteService**
 - Implements the common aspects we want to have for each web service
 - Generic WSDL interface for
 - Version number
 - Ping interface
 -
 - Common handling of configuration
 - Each gLite web service will extend this base gLiteService class to implement its functionality
 - gLiteService can reuse/extend functionalities provided by container
 - **gLiteManager**
 - one (lightweight) instance per web server to handle generic stuff
 - contains MBeanServer

Implementation - Some practical details

- What do you have to do to implement it?
 1. Your service extends abstract gLiteService
 - Implement the abstract functions
 - String getServiceName()
 - void reconfigureDynamically()
(if notifications are included – this will probably go away)
 - ...
 - Other methods depend on which common functionalities we want to see
 - **Interface needs to be finalized !!!**
 2. Implement retrieval of configuration values to configure your values
 - see next slide
 3. Implement Reconfiguration
 - dynamic reconfiguration via gLiteService method or via notification
 - static reconfiguration via gLiteManager (nothing to be done for you)
 - **Put as much as possible to dynamic reconfiguration**
 4. Add management to your classes (if you want ...)
 - if you want to have more control over your applications: add your own MBeans
 - void registerMBean(Object object, String name);
 - see next slide

Example - Configuring a service

// get the "basic" DataSource from JNDI

```
try {
    Context initCtx = new InitialContext();
    Context envCtx = (Context) initCtx.lookup("glite");
    m_dataSource = (DataSource) envCtx.lookup(m_db_pool_name);
} catch (NamingException e) {
    m_log.error("Got naming error trying to fetch pool: " + pool, e);
    throw new DBException();
}
```

// configure the DataSource with JMX

```
try{
    List srvList = MBeanServerFactory.findMBeanServer(null);
    for (int i=0; i<srvList.size(); i++){
        if (((MBeanServer) srvList.get(i)).getDefaultDomain().compareTo("glite") == 0) {
            mbeanServer = (MBeanServer) srvList.get(i);
            break;
        }
    }
} catch (Exception e) {
    m_log.error("Error in querying for MBeanServer: ", e);
}

try{
    ObjectName configMBeanName = new ObjectName("myService:type:Configuration");
    ((BasicDataSource) m_dataSource).setPassword((String) mbeanServer.getAttribute(configMBeanName,
        "password"));
    [...]
} catch (Exception e) {
    m_log.error("Error while configuring DataSource: " , e);
}
```

Example - put manageability to your classes

```
class DbConnection implements DbConnectionMBean{  
    .... // see MBean slide  
}
```

```
class MyService extends gLiteService{  
    [...]  
    DbConnection dbConnection= new DbConnection;  
    registerMBean(dbConnection, "DatabaseConnection");  
    [...]  
}
```


gLite Configuration in action

- A little demo
 - data-catalog-service-meta web service
- Demo contains
 - Reading configuration values from configuration files
 - Configuring the database connection
 - Dynamic reconfiguration
 - Static reconfiguration
 - Accessing the configuration from outside via different connectors
 - Monitoring
- Demo contains simplified version
 - everything in one service
 - no notification included yet

Next steps

- Agree on implementation details
 - where to put the MBeanServer
 - general methods for each web service
- Choose adaptors, connectors ...
 - How do we want to connect to the MBeanServer from outside
 - HTTP
 - RMI
 - SOAP
 -
- Security
 - How to make sure that only WE change the settings...
 - There exists security implementations for the different adaptors, connectors
 - Discussion with JRA3
- Discussion needs
 - Extending the gLiteService prevents Singleton use
 - ↳ Application scope needs to be used for axis
 - ↳ **is that acceptable (otherwise we need to find a solution ...)**
- Prepare a detailed description with interfaces etc.

Summary

- Management and configuration are very important aspects for web services
- Tomcat offers way to manage/configure service
 - We can (re)use part of the functionality
 - not enough functionality (dynamic, central reconfiguration,)
- Java Management Extensions (JMX) is the Java standard for management/configuration/control
- JMX offers
 - easy way to control our applications
 - the developers an easy way to understand what is going on in their application
- Next steps:
 - Agreement
 - Implementation details

Links




- JMX@sun <http://java.sun.com/products/JavaManagement/>
- Open source JMX implementation
MX4J <http://mx4j.sourceforge.net/>

mx4j

- JMX books

- JMX in action
<http://www.manning.com/sullins>
- JMX: Managing J2EE with Java Management extensions
<http://www.sampublishing.com/title/0672322889>
- Java Management Extensions
<http://www.oreilly.com/catalog/javamngext/>
- Java and JMX – Building manageable applications
<http://www.awprofessional.com/title/0672324083>



JMX extras

Management
Console

