MEETING MINUTES

Location: Zoom

 Date:
 20 Jan 2021

 Time:
 11am EDT

Indico event: https://indico.cern.ch/category/8972/

Attendees: Eric, Leonardo, Jean, Jamie, Paolo, Zenghai, Manuele, Suba

Minute taker: Suba Reviewed: N/A

SCOPE OF THE MEETING

Weekly HL-LHC RFD HOM couplers follow-up meetings.

NEXT MEETING

10 Feb 2021.

DISCUSSION POINTS

- Measurements of connecting two adapters together
- Measurement of 3 HOM couplers on the Test Box
- Eric presented slides
- HHOM Coupler 1 and 3 (HHOMC001 & HHOMC003) will be installed in the 2 RFD cavities – based on the notch frequency
- HHOM Coupler 2 (HHOMC002) will be the backup and will be used to adjust the notch by tweaking probe and feedthrough
- · Action items:
 - → Upload slides to indico
 - → Mechanical design of the AUP adapter Requires connector design from Eric

ACTION ITEMS

	Action	Responsible	Status	Update
0	Upload slides to Indico	All	Applies always	
1	Share metrology of PU and VHOM with AUP	Eric	Pending (Dec. 1, 2020)	
2	Share CERN MIP for VHOM and PU with Naeem	Eric	Pending (Nov. 23, 2020)	
3	Provide sacrificial feedthroughs for transport evaluation.	Eric	Pending (Oct. 16, 2019)	Eric will provide 2-3 sacrificial feedthroughs by beginning of next year to FNAL. On-going. Currently qualifying thickness of inner tube (Feb. 18, 2020).
4	Add accelerometer in the shock tests.	Eric	Pending (Oct. 16, 2019)	Eric inquired about accelerometer type/brand for shock test.

5	Which g force do the RF ancillaries need to survive in the shock test?	Kurt, Ofelia, Mikael	Pending (Oct. 22, 2019)	Parallel effort at FNAL (structural analysis – prelim shows 5g is ok) and tests with feedthroughs from CERN
6	Share procedure for HOM qual in test box	Eric	Pending (Jan 6, 2021)	
7	Share plans for gaskets	Eric, Nuria	Pending (Jan 20, 2021)	
8	Share connector design with AUP	Eric	Pending (Feb 3, 2021)	
9	Develop mechanical design of AUP adapter	AUP	Pending (Feb 3, 2021)	
	Send ceramics to Naeem	Eric	Closed	Arrived.
	Check NA configuration to measure directly at 25 Ohm, incl. calibration requirements for 25 Ohm option.	Eric, Jamie	Closed	Email Nov. 12 2019. See also meeting on Oct. 20, 2020.
	Share tooling drawings with Naeem	Eric	Closed	
	Send 3D mech design of RF ancillaries to Suba, Naeem, others and upload in EDMS	Eric	Closed	
	Upload STP of 3D vacuum model in EDMS 2366191 v2. Ensure that parameterization for RFD RF ancillaries is in the same EDMS doc.	Jamie	Closed	Files in DocDB now also in EDMS 2366191 v2 Zenghai provided links to 3D vacuum model STP file, step-by-step procedure for building up vacuum model, and impedance table by email on April 21, 2020.
	Share with Jean the brazing procedure for feedthroughs with titanium flange	Eric	Closed	
	Calculate conversion of 10W power leakage from fundamental mode through HOM filters to the unit (dB) which is more useful in	Zenghai	Closed	

warm qualificati	on		
of HOM filters.			
Confirm brazing materials to Naeem and veri materials list.		Closed	
Assembly procedures should include control step to verify 0.1 mm ga between port flange and feedthrough flange	Eric ap	Closed	See meeting Sep. 1, 2020.
Add EDMS No. HOM drawings EDMS 2363558 (summary of models and studies reference	to B	Closed	Drawings listed in the ICD.
Generate summary drawii with RF ancillar dimensions		Pending (Apr. 07, 2020)	Not needed anymore.
Provide markup with corrected numbers	Naeem	Closed	On June 2, 2020, Naeem showed different dimensions for HHOM wall thickness between CERN and AUP drawings.
Confirm materia used for flanges of each RFD RF ancillary	3	Closed	Now in the drawings. Check in the drawings.
Review dimensi difference for HHOM wall thickness between CERN and AUP drawings		Closed	
Upload heat load breakdown for R ancillaries and tolerance study t EDMS. Add reference to summary of engineering and multi-physics studies (EDMS 2363558)	F o	Closed, see FDR	
Upload materials to past meetings the Indico websit	in	Closed (May 01, 2020)	

https://indico			
Send LARP box model to	test Suba	Closed (Apr. 21, 2020)	https://indico.cern.ch/event/8913
Send EDMS No. to Eric v summary of	with	Closed (Apr. 21, 2020)	https://edms.cern.ch/document/2363558/0.2
engineering studies for t	he		72303330/0.2
Share link to tuning proce for RFD.	trim Alex	Closed (Oct. 23, 2019)	Email Oct. 23, 2019
Check RFD ancillaries drawings	/Paolo/Naee m	(Nov. 26, 2019)	Propagating new design modifications from Zenghai
Provide ther simulations to VHOM and temperature	for	Closed (Jan. 28, 2020)	Uploaded in Indico 7 Jan. 2020: https://indico.cern.ch/event/891345/
distribution a the flange connection.			
Ask accelera model numb		Closed (Oct. 22, 2019)	Email Oct. 22, 2019
Check calcu for transport HOM couple	of	Closed (Nov. 12, 2019)	Plastic deformation from transport of RFD HHOM coupler is negligible.
Confirm that HHOM heliu jacket gets sufficient cout through sing (in the past through sinlet and for active couthCACFHO)	m oling le inlet there d outlet oling): 169	Closed (Nov. 26, 2019)	Discussion during meeting at CERN (week of Nov. 20).
Add guiding flange in LHCACFH0	164	Closed (Nov. 12 2019)	No good for cleaning room
Create Indic event for the meetings	ese	Closed (18 Feb 2020)	https://indico.cern.ch/category/8972
Inform Suba drawings that corrected on 3, 2020.	at were	Closed (email, Feb. 20, 2020)	https://edms.cern.ch/ui/#!master/navi gator/document?D:100502025:1005 02025:subDocs
Share FDR agenda with CERN	Leonardo	Closed (Mar. 31, 2020)	https://indico.fnal.gov/event/23353/ (link for the dry-run agenda, which mirrors the actual agenda for the FDR – note that the dates are for the dry- run)