



Contribution ID: 287

Type: Poster

## E6: x-dependence of twist-3 GPDs from lattice QCD

*Wednesday 28 July 2021 15:45 (15 minutes)*

“Calculating the x-dependence of PDFs and GPDs from lattice QCD has become feasible in the last years due to novel approaches. In this work, we employ the quasi-distributions method, which relies on matrix elements of non-local operators, matched to the light-cone distributions using Large Momentum Effective Theory (LaMET). In this presentation, we focus on results for the first-ever lattice QCD calculation of twist-3 GPDs. The calculation is performed using one ensemble of two degenerate light, a strange and a charm quark ( $N_f = 2 + 1 + 1$ ) of maximally twisted mass fermions with a clover term, reproducing a pion mass of 260 MeV.”

**Authors:** DODSON, Jack (Temple University); Ms BHATTACHARYA, Shohini (Temple University); Dr CI-CHY, Krzysztof (Adam Mickiewicz University); Dr CONSTANTINOU, Martha (Temple University); Dr METZ, Andreas (Temple University); Dr SCAPELLATO, Aurora (Temple University); Dr STEFFENS, Fernanda (University of Bonn)

**Presenter:** DODSON, Jack (Temple University)

**Session Classification:** Poster

**Track Classification:** Hadron Structure