



Contribution ID: 13

Type: **Talk**

## **【602】 Influence of the tungsten surface chemical state on the ammonia formation using low-pressure N<sub>2</sub>-H<sub>2</sub> plasmas**

*Thursday 2 September 2021 17:30 (15 minutes)*

In this contribution, we discuss the catalytic formation of NH<sub>3</sub> using radiofrequency (RF) N<sub>2</sub>-H<sub>2</sub> plasmas and a tungsten (W) foil. A parametric study was done at various RF powers (30–300 W), discharge pressures (2–5 Pa), gas compositions (10–90% N<sub>2</sub>) and discharge temperatures (< 673 K). NH<sub>3</sub> generally increased with the electron density and/or electron temperature, whereas the discharge temperature had a minor effect. We observed no impact on NH<sub>3</sub> after contaminating the W surface with H<sub>2</sub>, N<sub>2</sub> and O<sub>2</sub>. Instead, coating the W foil with a nm-thick boron layer led to a reduction of ammonia by half, possibly due to the formation of B-H bonds.

**Primary authors:** Dr ANTUNES, Rodrigo (University of Basel); Mr STEINER, Roland (University of Basel); Mr SONI, Kunal (University of Basel); Dr MAROT, Laurent (University of Basel); Dr ROMERO-MUÑOZ, Carlos (Universidad Pablo de Olavide); Prof. MEYER, Ernst (University of Basel)

**Presenter:** Dr ANTUNES, Rodrigo (University of Basel)

**Session Classification:** Applied Physics and Plasma Physics

**Track Classification:** Applied Physics and Plasma Physics