



Contribution ID: 208

Type: Talk

【112】 Optical injection locking enables coherent dual-comb spectroscopy

Tuesday, 31 August 2021 16:45 (15 minutes)

Mid-infrared dual-comb spectroscopy is emerging as a powerful tool for broadband and high-speed molecular spectroscopy. Chip-scale frequency combs based on quantum cascade lasers (QCLs) have become an invaluable technology, because they are electrically pumped, have a small footprint and offer an unrivalled power per mode. However, the mutual drift of both combs over time limits the averaging time and thus the sensitivity. Here, we show that two QCL frequency combs can be fully synchronized by optical injection locking. A passive optical filter enables an optical link between the combs, which locks their offset frequencies and establishes phase-coherence. Hence, the achieved signal-to-noise ratio is enhanced by more than an order of magnitude.

Primary author: HILLBRAND, Johannes (ETH Zürich)

Co-authors: BERTRAND, Mathieu (Institute for Quantum Electronics, ETH Zurich); WITTWER, Valentin (Laboratoire Temps-Fréquence, Institut de Physique, Université de Neuchâtel, Avenue de Bellevaux 51, 2000 Neuchâtel, Switzerland); OPACAK, Nikola (Technical University of Vienna); KAPSALIDIS, Filippas (ETH Zürich); SCHWARZ, Benedikt (Institute of Solid State Electronics, TU Wien); SÜDMEYER, Thomas (Laboratoire Temps-Fréquence, Institut de Physique, Université de Neuchâtel, Avenue de Bellevaux 51, 2000 Neuchâtel, Switzerland); BECK, Mattias (ETH Zurich); FAIST, Jérôme (ETH Zurich)

Presenter: HILLBRAND, Johannes (ETH Zürich)

Session Classification: Condensed Matter Physics

Track Classification: Condensed Matter Physics (KOND)