



Contribution ID: 275

Type: **Talk**

【218】 Bulk-terminated SrTiO₃(001) studied at the atomic scale with nc-AFM

Tuesday, August 31, 2021 6:15 PM (15 minutes)

SrTiO₃(001), a prototypical perovskite oxide surface, is a promising candidate for all-oxide electronics. Atomic configuration of a bare surface is commonly assumed to be bulk-terminated (1×1), which is far from warranted –noncontact atomic force microscopy (nc-AFM) reveals that only through ferroelectricity-assisted cleaving in ultrahigh vacuum [1], a (1×1) SrTiO₃(001) closest to the pristine can be obtained [2]. Both surface terminations appear as two domains of opposite polarization. This provides dichotomous selectivity for applications, as these domains behave differently under UV illumination: while metallic TiO₂ surface is unaffected, SrO termination traps excess positive charge.

[1] I. Sokolović et al. PRM 3,034407(2019)

[2] I. Sokolović et al. PRB, in print(2021)

Primary author: SOKOLOVIĆ, Igor (Institute of Applied Physics, TU Wien)

Co-authors: FRANCESCHI, Giada (Institute of Applied Physics, TU Wien); WANG, Zhichang (Institute of Applied Physics, TU Wien); XU, Jian (Institute of Applied Physics, TU Wien); PAVELEC, Jiri (Institute of Applied Physics, TU Wien); RIVA, Michele (Institute of Applied Physics, TU Wien); SCHMID, Michael (Institute of Applied Physics, TU Wien); DIEBOLD, Ulrike (Institute of Applied Physics, TU Wien); SETVIN, Martin (Institute of Applied Physics, TU Wien)

Presenter: SOKOLOVIĆ, Igor (Institute of Applied Physics, TU Wien)

Session Classification: Surfaces, Interfaces and Thin Films

Track Classification: Surfaces, Interfaces and Thin Films