



Contribution ID: 176

Type: YSF talks

# Search for non-resonant di-Higgs production in the $b\bar{b}\gamma\gamma$ final state at 13 TeV with the ATLAS experiment

*Wednesday 20 October 2021 12:30 (10 minutes)*

The  $b\bar{b}\gamma\gamma$  channel is one of the most sensitive HH final states for measuring the Higgs self-coupling and di-Higgs production cross-section. This analysis capitalizes on the clean signature of the two photons in the final state combined with the high branching ratio of  $H \rightarrow b\bar{b}$ . This talk will present the latest non-resonant ATLAS  $HH \rightarrow b\bar{b}\gamma\gamma$  results with the full Run 2 dataset of 139/fb at 13 TeV. The analysis uses a multivariate approach to target high and low HH mass regions to maximize the sensitivity to modifications of the Higgs self-coupling. This result sets the observed (expected) upper limits on the non-resonant HH production cross-section at a 95% confidence level at 130 fb (180 fb), which corresponds to 4.1x (5.5x) the Standard Model value. The analysis provides the strongest observed (expected) limits on the self-coupling of -1.5 to 6.7 (-2.4 to 7.7) to date.

## speaker known

**Authors:** ATLAS COLLABORATION; RIU, Imma (IFAE Barcelona (ES))

**Presenter:** PEARKES, Jannicke (SLAC National Accelerator Laboratory (US))

**Session Classification:** Plenary

**Track Classification:** YSF Plenary Track