



Contribution ID: 157

Type: **Parallel Sessions**

# Directly Probing the Higgs-top Coupling at High Scales

*Wednesday 20 October 2021 09:20 (10 minutes)*

The top-quark Yukawa coupling  $y_t$  is the strongest interaction of the Higgs boson in the Standard Model (SM) with  $y_t \sim 1$ . Due to its magnitude, it plays a central role in Higgs phenomenology in the SM and would be most sensitive to physics beyond the Standard Model. The top Yukawa can be directly measured at the LHC via top pair production in association with a Higgs boson  $t\bar{t}h$ . We study new physics effects for the Higgs-top coupling at high scales, using jet substructure techniques. We present the high-luminosity LHC sensitivity to new physics parametrized in the EFT framework and through a general Higgs-top form factor.

**Authors:** MAMMEN ABRAHAM, Roshan (Oklahoma State University); Dr GONCALVES, Dorival (OSU, Stillwater); QIN, Han (University of Pittsburgh); LEUNG, Sze Ching Iris (University of Pittsburgh); Dr HAN, Tao (University of Pittsburgh)

**Presenter:** MAMMEN ABRAHAM, Roshan (Oklahoma State University)

**Session Classification:** Parallel: Precision and Properties

**Track Classification:** Higgs-boson precision physics