

Development of a System for Beam Abort and Luminosity Determination at the HL-LHC based on polycrystalline CVD diamond

Wednesday 14 July 2021 16:45 (15 minutes)

The High Luminosity upgrade of Large Hadron Collider (HL-LHC) will increase the LHC Luminosity by an order of magnitude increasing with it the density of particles on the detector by an order of magnitude. For protecting the inner detectors of experiments and for monitoring the delivered luminosity, a radiation hard beam monitor is being developed. For ATLAS we are developing a set of detectors based on poly-crystalline Chemical Vapor Deposition (pCVD) diamonds and a dedicated rad-hard ASIC. Due to the large range of particle flux through the detector, flexibility is very important. To satisfy the constraints imposed by the HL-LHC, our solution is based on segmenting each single diamond sensor into multiple devices of varying size and reading them out with a new multichannel readout chip. In this talk we describe the proposed system design including detectors, electronics, mechanics and services and present preliminary results from the prototype ASIC and first devices fabricated using the ASIC.

Are you are a member of the APS Division of Particles and Fields?

No

Authors: OH, Alexander (University of Manchester (GB)); PORTER, Alice Laura (University of Manchester (GB)); GORISEK, Andrej (Jozef Stefan Institute (SI)); MACEK, Bostjan (Jozef Stefan Institute (SI)); SMITH, Dale Shane (Ohio State University (US)); KAGAN, Harris (Ohio State University (US)); MIKUZ, Marko (Jozef Stefan Institute (SI)); ABUSAREYA, Moamen (Ohio State University); TRISCHUK, William (University of Toronto (CA))

Presenter: PORTER, Alice Laura (University of Manchester (GB))

Session Classification: Particle Detectors

Track Classification: Particle Detectors