Contribution ID: 26

Type: Talk

Equilibrium and Dynamical Properties of Hot and Dense Quark-Gluon matter from Holographic Black Holes

Tuesday 14 June 2022 09:20 (20 minutes)

By using gravity/gauge correspondence, we employ an Einstein-Maxwell-Dilaton model to compute the equilibrium and out-of-equilibrium properties of a hot and baryon rich strongly coupled quark-gluon plasma. The family of 5-dimensional holographic black holes, which are constrained to mimic the lattice QCD equation of state at zero density, is used to investigate the temperature and baryon chemical potential dependence of the equation of state [1]. We also obtained the baryon charge transport coefficients, the bulk and shear viscosities as well as the drag force and langevin diffusion coefficients associated with heavy quark jet propagation and the jet quenching parameter of light quarks in the baryon dense plasma, with a particular focus on the behavior of these observables on top of the critical end point and the line of first order phase transition predicted by the model [2].

[1] Grefa, J., Noronha, J., Noronha-Hostler, J., Portillo, I., Ratti, C., Rougemont, R. 10.1103/PhysRevD.104.034002
[2] Grefa, J., Hippert, M., Noronha, J., Noronha-Hostler, J., Portillo, I., Ratti, C., Rougemont, R. arXiv:2203.00139
[nucl-th]

Present via

Offline

Primary authors: RATTI, Claudia; PORTILLO, Israel (University of Houston); NORONHA-HOSTLER, Jacquelyn (University of Illinois Urbana Champaign); GREFA, Joaquin; NORONHA, Jorge (University of Illinois at Urbana-Champaign); HIPPERT TEIXEIRA, Mauricio (University of Illinois at Urbana-Champaign); ROUGEMONT, Romulo

Presenter: GREFA, Joaquin

Session Classification: PA-Bulk matter phenomena, QCD phase diagram, and Critical point

Track Classification: Bulk matter phenomena, QCD phase diagram, and Critical point