

# Long shutdown 2 activities aiming at Run 3

## Outline

Computing operations and data processing

Physics analyses and publications

Phase 2 progress

# Long shutdown 2 progress towards Run 3

# CMS operations during the pandemic

- Shift Leader and Technical Shifter in the control room fulfilling safety rules
- DAQ, Trigger, and DQM shifter operating remotely
- Subdetector experts in PT5 only if nedeed




 Waiting for second elevator replacement before restarting public underground visits on Oct 4 2021 at the earliest

2/28



Pixel refurbishment completed: New Layer 1, DCDC converters, module exchange







Lowering BPix onto installation platform and insertion




exchange


converters module





3/28





# Beam Radiation Instrumentation & Luminosity (BRIL)

Many Run 2 systems upgraded with new components

- Trigger μ-scouting luminosity (L1 muons)

New: Phase-2 BRIL firmware

- REMUS, LHC RadMon

New: more radiation monitors

- BCML2 beam loss


New: sapphire & pCVD diamond sensors

- Beam Halo Monitor

New: XDAQ software

- BPTX (~175 m) Timing/trigger

New: oscilloscope upgrade



# Beam Radiation Instrumentation & Luminosity (BRIL)

Many Run 2 systems upgraded with new components

- **Trigger µ-scouting luminosity** (L1 muons) New: Phase-2 BRIL firmware

- REMUS, LHC RadMon

New: more radiation monitors

BCML2 beam loss
 New: sapphire & pCVD diamond sensors


- **Beam Halo Monitor** New: XDAQ software

- BPTX (~175 m) Timing/trigger

New: oscilloscope upgrade

#### Completely rebuilt and optimised for Run 3

- BCM1F luminosity, beam-induced background
- BCML1 beam loss
- Pixel Luminosity Telescope luminosity



### Beam Radiation Instrumentation & Luminosity (BRIL)

Many Run 2 systems upgraded with new components

- Trigger µ-scouting luminosity (L1 muons)

New: Phase-2 BRIL firmware

- REMUS, LHC RadMon

New: more radiation monitors

- BCML2 beam loss

New: sapphire & pCVD diamond sensors

- Beam Halo Monitor


New: XDAQ software

- BPTX (~175 m) Timing/trigger

New: oscilloscope upgrade

Completely rebuilt and optimised for Run 3

- BCM1F luminosity, beam-induced background
- BCML1 beam loss
- Pixel Luminosity Telescope luminosity



• All BRIL systems installed, being commissioned to be ready for the October LHC beam test!

### Latest from Point 5



Start CMS closing operations

8/31

Magnet starts cooling down

8/23

New magnet diffusion vacuum pumps commissioned

8/17

Ready for data taking by beginning of Oct.

### Summer 2021 data taking

Extensive cosmic data taking performed during summer:

Cosmic Run at Zero Tesla (CRUZET) and Cosmic Ray data at Four Tesla (CRAFT)

Crucial for CMS commissioning and used to analyse, calibrate, and align detectors

Month	June	July	Aug	Sept-)ct	Oct	Nov	Dec	Jan	Fev	Apr
Activity	MWGR	CRUZET	CRUZET	CRAFT	Beam Test	MWGR	MWGR	CRAFT		Ramp-up (coll.)
When?	June 9-11	Jul12	Aug14	Mid of Sept. to the Beam test.	Week 42- 43	Mid. of Nov	Mid. of Dec.	~from mid of Jan to the first beams		Physics data
Data taking	Yes (~3 days)	Yes (24/7)	Yes (24/7)	Yes (24/7)	Yes (during the BT)	Yes (~3 days)	Yes (~3 days)	Yes (24/7)	Yes (24/7)	Yes (24/7)

- CRUZET started on July 12th: many centrally organized and local activities
- CRAFT to begin in early October, after magnet commissioning
- All subsystems running without major problems. Several tests ongoing to improve stability of the system.



## CRUZET: Detector highlights

#### Calorimeters

- ECAL: new features being tested extensively
  - Upgrade control and safety system
  - Improved algos for spikes rejections at L1

- Corrosion issue found in preshower cooling system. Refurbishment

campaign underway

#### Muon Systems

- GEM: collect stats and commissioning
  - Replacement of 2 GE chambers in one endcap
     (VTRx baked to monitor RSSI drifts)
  - Continuous monitoring of chambers "not configuring" / "in error during run"
  - Good progress in the **GEM-Encap Muon Track Finder** L1 integration and commissioning



## CRUZET: Detector highlights

#### Calorimeters

- ECAL: new features being tested extensively
  - Upgrade control and safety system
  - Improved algos for spikes rejections at L1

- Corrosion issue found in preshower cooling system. Refurbishment


campaign underway

#### Muon Systems

• GEM: collect stats and commissioning


Replacement of 2 GE chambers in one endcap
 (VTRx baked to monitor RSSI drifts)


- Continuous monitoring of chambers "not configuring" / "in error during run"
- Good progress in the **GEM-Encap Muon Track Finder** L1 integration and commissioning



## CRUZET: Pixel alignment


- Pixel working nicely after re-installation
- BPix and FPix participated in global cosmic ray data-taking, collecting
   3.5 M events
- Performed initial track-based alignment






## CRUZET: Pixel alignment

- Pixel working nicely after re-installation
- BPix and FPix participated in global cosmic ray data-taking, collecting
   3.5 M events
- Performed initial track-based alignment






## GPU deployment @HLT

- Previously CMS has demonstrated ECAL, HCAL and pixel local reco offloaded to GPUs (~25-30% of the menu)
- Now integrated necessary code to run GPU algorithms in standard release
- Completed the upgrade of infrastructure to deploy GPU based menus at PT5


- currently two out of
   153 nodes are
   equipped with an
   NVIDIA T4 GPU
- ability to run same config on CPU only and CPU+GPU nodes



System commissioned and GPU enabled menus run routinely at PT5

# Computing operations and data processing


# Release and production plan until mid 2022



CMSSW 12\_0\_0 is the first Python 3 only release


CMS Status Report - Sept. 1st, 2021

## Simulation and Re-Processing




- Simulation production:
  - >50B unique Run II MC events produced in past year

## Simulation and Re-Processing




- Analysis Run II data re-processing: data nearly complete, MC 85%, B-parking recently submitted
- Physics Object Group Run III samples starting now

## High Performance Computing



- Using full CPU capacity at disposal, boosted
   by High Performance Computers
- Legacy Monte Carlo generation dominating the job mixture

- Excellent usage of HPC, steadily increasing
- HCP Average capacity tripled in the first 7 months of 2021 relative to 2020



# Physics analyses and publications

### Major 2021 summer conferences

6/6



52 talks (plenary and parallel) - 25 posters - 15 New Results

26/7

#### EPS-HEP Conference 2021

European Physical Society conference on high energy physics 2021

53 talks (plenary and parallel) - 35 posters - 26 New Results

23/8



The XXVIII International Conference on Supersymmetry and Unification of Fundamental Interactions (SUSY 2021)

25 talks (plenary and parallel) - 4 New Results

#### Physics communications


Many physics briefings were presented since last LHCC, for the LHCP, EPS, and SUSY conferences: link here



#### A NEW WINDOW INTO THE SHADOW WORLD: EXOTIC PARTICLE DECAYS IN THE MUON DETECTORS

A new window into the shadow world: exotic particle decays in the muon detectors As physicists seek the elusive particles that may reveal a new understanding of the universe's inner workings, one intriguing possibility is the conceivable existence.

READ MORE




#### LIVE LONG AND PROSPER: SEARCHING FOR THE LONG-LIVED RELATIVES OF THE HIGGS BOSON

16 AUG 2021

Live long and prosper: Searching for the longlived relatives of the Higgs boson A recent result from CMS searches for long-lived particles through the so-called "Higgs portal" in ways never done before. For about a decade now the CMS


READ MORE



#### ANY MORE HIGGSES WE SHOULD KNOW ABOUT?

04 AUG 2021

This year marked the ninth anniversary of the discovery of the Higgs boson; the Standard Model particle linked to the mystery of creating the mass of all the other fundamental particles through the so-called Higgs mechanism. While a single Higgs.




#### SEARCHING FOR THE DARK SIDE OF THE UNIVERSE

02 AUG 2021

Could you imagine what the dark part of the universe is like? The Standard Model of Particle Physics explains matter at the subatomic level and the related phenomena such as interactions and forces between the subatomic particles. Still, we already.

READ MORE




#### THE FOUR BEAUTIES IN THE TALE OF TWO HIGGSES

30 JUL 2021

The interaction of the Higgs boson with its own field leads to its mass generation. Since the Higgs boson mass has already been measured, the study of the Higgs pair production at the LHC reveals directly the strength of the Higgs self coupling λΗΗΗ..


READ MORE



#### JETS-OF-ALL-TRADES: CONSTRAINING STANDARD MODEL AND BEYOND

For the first time, CMS physicists extract the fundamental parameters of QCD together with constraints on the New Physics. Any tiny failure of the Standard Model to explain data behaviour is a possible window for the New Physics. An example


READ MORE



#### A TALE OF TWO COLLIDERS AND THE UNRIVALLED PRECISION ON THE Z INVISIBLE WIDTH

The most powerful particle collider in the world. the Large Hadron Collider (LHC), was built in the 27 km tunnel originally excavated for the highest energy electron-positron collider ever built, LEP. As an extraordinarily sensitive machine, LEP was...


READ MORE



#### USING THE GOLDEN DECAY CHANNEL TO UNDERSTAND THE PRODUCTION OF THE HIGGS BOSON

Using the golden decay channel to understand the production of the Higgs boson The standard model of particle physics is currently the best way to describe interactions of fundamental particles that make up our Universe. It has been tested over many.

READ MORE




#### WHAT DOES THE DECAY OF A BOTTOM QUARK LOOK LIKE?

09 JUN 2021

What does the decay of a bottom quark look like? Fragmentation, also known as hadronization, is other particles via the strong interaction. The fragmentation process cannot be exactly calculated...

READ MORE




#### A SHOT IN THE DARK: CAN JETS RECOIL AGAINST DARK MATTER?

07 JUN 2021

A shot in the dark: Can jets recoil against Dark Matter? In their 2020 hit single 'A Shot in the Dark' when particles that contain quarks or gluons create the rock band AC/DC got it right in many ways: "A shot in the dark Make you feel alright A shot in the dark All through the whole night" The...


READ MORE



#### USING MACHINE LEARNING TO IMPROVE THE DETECTION OF NEW PHYSICS IN THE INTERACTIONS OF THE TOP QUARK

Using machine learning to improve the detection of new physics in the interactions of the top quark Although our theory describing the interactions between fundamental particles is exceptionally successful, it has weaknesses. You may have heard,...

READ MORE



#### EXPLORING THE PHYSICS PROCESSES INSIDE THE HOTTEST MATTER IN THE UNIVERSE

Quarks are elementary particles in the Standard Model and the building blocks of the protons and neutrons in atoms. The dominant force between quarks is the strong interaction. Gluons are the force carriers of the strong interaction, and one thing...

READ MORE

## Summer 2021 publication activity

IOP
-----

1020	<u>TOP-19-009</u>	Measurement of the top quark mass using events with a single reconstructed top quark in pp collisions at $\sqrt{s}=$ 13 TeV	Submitted to JHEP	24 August 2021
1019	<u>TOP-20-001</u>	Measurement of differential $t\bar{t}$ production cross sections in the full kinematic range using lepton+jets events from proton-proton collisions at $\sqrt{s}=$ 13 TeV	Submitted to PRD	5 August 2021
1018	TOP-21-001	Probing effective field theory operators in the associated production of top quarks with a Z boson in multilepton final states at $\sqrt{s}=$ 13 TeV	Submitted to JHEP	29 July 2021
1012	TOP-18-010	Measurement of the inclusive and differential $t\bar{t}\gamma$ cross sections in the single-lepton channel and EFT interpretation at $\sqrt{s}=$ 13 TeV	Submitted to JHEP	3 July 2021



1015	HIG-20-015	Measurement of the inclusive and differential Higgs boson production cross sections in the decay mode to a pair of $ au$ leptons in pp collisions at $\sqrt{s}=$ 13 TeV	Submitted to PRL	23 July 2021
1005	HIG-20-014	Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the $ au au bb$ final state at 13 TeV	Submitted to JHEP	18 June 2021



1007	SMP-20-016	Measurement of the electroweak production of Z $\gamma$ and two jets in proton-proton collisions at $\sqrt{s}=$ 13 TeV and constraints on anomalous quartic gauge couplings	Submitted to PRD	21 June 2021
1010	SMP-20-012	Measurements of the electroweak diboson production cross sections in proton-proton collisions at $\sqrt{s}=$ 5.02 TeV using leptonic decays	Submitted to PRL	2 July 2021



1011 BPH-18-003 Measurement of prompt open-charm production cross sections in proton-proton collisions at  $\sqrt{s} = 13 \text{ TeV}$  Submitted to JHEP 3 July 2021

## Summer 2021 publication activity

EXO
-----

1017	EXO-20-004	Search for new particles in events with energetic jets and large missing transverse momentum in proton-proton collisions at $\sqrt{s}=$ 13 TeV	Submitted to JHEP	27 July 2021
1013	EXO-20-015	Search for long-lived particles decaying in the CMS endcap muon detectors in proton-proton collisions at $\sqrt{s}=$ 13 TeV	Submitted to PRL	10 July 2021
1006	EXO-20-001	Search for $W\gamma$ resonances in proton-proton collisions at $\sqrt{s}=$ 13 TeV using hadronic decays of Lorentz-boosted W bosons	Submitted to PLB	19 June 2021



1016	SUS-20-003	Search for chargino-neutralino production in events with Higgs and W bosons using 137 fb $^{-1}$ of proton-proton collisions at $\sqrt{s}=$ 13 TeV	Submitted to JHEP	26 July 2021
1014	SUS-20-002	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at $\sqrt{s}=$ 13 TeV	Submitted to EPJC	22 July 2021
1009	SUS-19-012	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s}=$ 13 TeV	Submitted to JHEP	27 June 2021




1008 HIN-19-007 Fragmentation of jets containing a prompt J/ $\psi$  meson in PbPb and pp collisions at  $\sqrt{s_{_{\rm NN}}} = 5.02$  TeV Submitted to PLB 23 June 2021

#### Measurement of the Z invisible width

Invisible width extracted from ratio of measured cross sections of Z(vv)
 +jets to Z(II)+jets:

$$\Gamma(Z \to \nu \bar{\nu}) = \frac{\sigma(Z + \text{jets})\mathcal{B}(Z \to \nu \bar{\nu})}{\sigma(Z + \text{jets})\mathcal{B}(Z \to \ell \ell)} \Gamma(Z \to \ell \ell)$$



- $\Gamma_{inv} = 523 \pm 3 \text{ (stat)} \pm 16 \text{ (syst)} \text{ MeV}$
- Single most precise direct measurement of the Z invisible width
- Similar to combined LEP result

#### **CMS-PAS-SMP-18-014**


CMS Status Report - Sept. 1st, 2021

#### CP violation in semileptonic top pair events

 Measure asymmetry of 4 T-odd observables which if CPT is conserved are also odd under CP transformation

$$A_{CP}(O_i) = \frac{N_{\text{events}}(O_i > 0) - N_{\text{events}}(O_i < 0)}{N_{\text{events}}(O_i > 0) + N_{\text{events}}(O_i < 0)}, i = 3, 6, 12, 14$$


- Lepton + jets final states
- Top candidates reconstructed  $w/a \chi^2$  sorting algorithm



- All measures asymmetries consistent with 0 indicating no CPV
- Factor 3 reduced uncertainties w.r.t.
  8 TeV result

#### **CMS-PAS-TOP-20-005**


CMS Status Report - Sept. 1st, 2021




17/28


#### Observation of triple J/w production


Golden channel for double (DPS) and triple parton scattering (TPS)



Select  $6\mu$  events consistent with  $3 \text{ J/}\psi$  decays








 $\sigma_{\text{eff.DPS}}$  [mb]

#### CMS-PAS-BPH-21-004

CMS Status Report - Sept. 1st, 2021

#### Heavy resonance X → HH

- X → HH → 4b one pair boosted and other boosted or resolved
- $X \rightarrow HH \rightarrow bbWW$  and  $X \rightarrow HH \rightarrow bb\tau\tau$  with one b-pair boosted
  - Deep neural network used to **tag boosted Higgs decays** and categorize events
  - Signal extracted from a **2D fit to Higgs and X** reconstructed masses




CMS-PAS-B2G-20-004

CMS Status Report - Sept. 1st, 2021

#### Heavy resonance X → HH

- X → HH → 4b one pair boosted and other boosted or resolved
- $X \rightarrow HH \rightarrow bbWW$  and  $X \rightarrow HH \rightarrow bb\tau\tau$  with one b-pair boosted



• Sensitivity improved about 6-14 times w.r.t. 2016 only analysis

#### Three W bosons resonances


 $W_{KK}$ 

 $W_{KK}$ 

 New resonances decay via a scalar radion R: W<sub>KK</sub>→WR→WWW

Resolved & Merged fully hadronic

decays



CMS-PAS-B2G-21-002

CMS-PAS-B2G-20-001


CMS Status Report - Sept. 1st, 2021


### Three W bosons resonances

 New resonances decay via a scalar radion R: W<sub>KK</sub>→WR→WWW


Resolved & Merged fully hadronic decays







Hadronic+Leptonic




CMS-PAS-B2G-21-002

CMS-PAS-B2G-20-001

CMS Status Report - Sept. 1st, 2021

## Non conventional physics




mass scale [TeV]

Selection of observed exclusion limits at 95% C.L. (theory uncertainties are not included).


Moriond 2021


### Long lived Heavy Neutral Leptons

- HNL mix with SM neutrinos
- Small masses + small mixing → long-lived HNL
- Trigger on prompt I to enable sensitivity to lowmomentum displaced I



Constrain HNL neutrino mixing parameter values as a function of HNL mass






#### **CMS-PAS-EXO-20-009**

CMS Status Report - Sept. 1st, 2021

## Phase 2 Activities

### CMS Upgrade overview **CMS**



#### **Barrel Calorimeters**


- ECAL readout at 40 MHz w/ precise timing at 30 GeV
- ECAL/HCAL new back-end boards

#### L1-Trigger

- Tracks in L1-Trigger at 40 MHz
- PFlow selection 750 kHz L1


#### Muon systems

- DT/CSC new FE/BE readout
- RPC back-end electronics
- New GEM/RPC  $1.6 < \eta < 2.4$
- Extended to  $\eta \approx 3$




#### **Endcap Calorimeter**

- 3D showers + precise timing
- Si, Scint+SiPM in Pb/W-SS




#### Tracker

- Si-Strip/Pixels increased granularity
- Tracking in L1-Trigger
- Extended coverage to  $\eta \approx 3.8$






### Latest Upgrade TDRs



#### HLT/DAQ

HLT output 7.5 kHz



#### Beam Radiation Instr. and Luminosity

 Bunch-by-bunch luminosity measurement: 1% offline, 2% online

# Latest Upgrade TDRs



#### HLT/DAQ

HLT output 7.5 kHz


### Beam Radiation Instr. and Luminosity

 Bunch-by-bunch luminosity measurement: 1% offline, 2% online


 Bunch by bunch luminosity

<1% offline


<2% real-time




- Bunch by bunch luminosity
  - <1% offline
  - <2% real-time
- Online Monitoring of:
- radiation environment




- Bunch by bunch luminosity
  - <1% offline
  - <2% real-time
- Online Monitoring of:
- radiation environment
- beam induced background




- Bunch by bunch luminosity
  - <1% offline
  - <2% real-time
- Online Monitoring of:
- radiation environment
- beam induced background
- Beam abort trigger
- Timing



### Phase-2 DAQ baseline



### Phase-2 DAQ Parameters



### Phase-2 HLT Realistic Menu


- Implemented in CMSSW
- Operation with very similar thresholds as in Phase-1

_	Throshold		Phase-2				
	Threshold		Threshold		Rate at Rate at		
	[GeV]	% rate	L1 seed	[GeV]	$\langle PU \rangle = 140  [Hz]$	$\langle PU \rangle = 200  [Hz]$	
Single $\mu$	50	3%	TkMu_22	50	$155 \pm 6$	$213 \pm 8$	
Single $\mu$ (isol.)	24	14%	TkMu_22	24	$943 \pm 32$	$1111 \pm 29$	
Double μ	37, 27	1%	TkMu_15_7	37, 27	$27 \pm 1$	$40 \pm 1$	
Double $\mu$ (isol.)	17, 8	2%	TkMu_15_7	17, 8	$113 \pm 11$	$143 \pm 13$	
Triple $\mu$	5, 3, 3	0.5%	TkMu_5_3_3	10, 5, 5	$39 \pm 8$	$48 \pm 8$	
			StaEG_51 OR				
Single e (isol.)	28	13%	TkEle_36 OR	32 (WP1)	$609 \pm 27$	$1005 \pm 33$	
			TkIsoEle_28	26 (WP2)	$664 \pm 47$	$1012 \pm 33$	
Double e	25, 25	1%	TkEle_25_12 OR	25, 25	$46 \pm 4$	$82 \pm 6$	
			StaEG_37_24				
Double e (isol.)	23, 12	1%	TkEle_25_12 OR	23, 12	$52 \pm 5$	$104 \pm 9$	
			StaEG_37_24 OR				
			TkIsoEle_22_StaEG_12				
Single $\gamma$	200	1%	StaEG_51	187	$32 \pm 1$	$56 \pm 6$	
Single $\gamma$ (isol.)	110, EB only	1%	StaEG_51 OR	108, EB only	$35 \pm 9$	$52 \pm 7$	
			TkIsoPho_36				
Double $\gamma$	30, 18	2%	StaEG_37_24 OR	30, 23	$123\pm12$	$179\pm14$	
			TkIsoPho_22_12				
Double $ au$	35, 35	3%	HPSPFTau_21_21	22, 22	$106\pm18^{+}$	$159 \pm 27$	
Single jet	500	1%	PuppiJet_230	520	$53 \pm 1$	$76\pm1$	
$H_{T}$	1050	1%	PuppiHT_450	1 070	$53 \pm 1$	$74\pm1$	
Missing $p_{\mathrm{T}}$	120	3%	PuppiMET_220	140	$79 \pm 7$	$228\pm20$	
Multijets	$H_{\rm T} = 330$	1%	PuppiJet_70_55_	$H_{\rm T} = 330$	$32 \pm 4$	$48 \pm 5$	
with b-tagging	jets = 75, 60,		40_40_PuppiHT_328	jets = 75, 60,			
	45, 40			45, 40			
l							
Total rate		49%			$\textbf{2525} \pm \textbf{57}$	$3621\pm62$	

### Phase-2 HLT Realistic Menu

- Implemented in CMSSW
- Operation with very similar thresholds as in Phase-1

Trigger type	Phase-	1	Phase-2				
	Threshold			Threshold	Rate at	Rate at	
	[GeV]	% rate	L1 seed	[GeV]	$\langle PU \rangle = 140  [Hz]$	$\langle PU \rangle = 200  [Hz]$	
Single $\mu$	50	3%	TkMu_22	50	$155 \pm 6$	$213 \pm 8$	
Single $\mu$ (isol.)	24	14%	TkMu_22	24	$943 \pm 32$	$1111 \pm 29$	
Double $\mu$	37, 27	1%	TkMu_15_7	37, 27	$27 \pm 1$	$40 \pm 1$	
Double $\mu$ (isol.)	17, 8	2%	TkMu_15_7	17, 8	$113\pm11$	$143\pm13$	
Triple $\mu$	5, 3, 3	0.5%	TkMu_5_3_3	10, 5, 5	$39 \pm 8$	$48 \pm 8$	
			StaEG_51 OR				
Single e (isol.)	28	13%	TkEle_36 OR	32 (WP1)	$609 \pm 27$	$1005 \pm 33$	
			TkIsoEle_28	26 (WP2)	$664 \pm 47$	$1012\pm33$	
Double e	25, 25	1%	TkEle_25_12 OR	25, 25	$46 \pm 4$	$82 \pm 6$	
			StaEG_37_24				
Double e (isol.)	23, 12	1%	TkEle_25_12 OR	23, 12	$52 \pm 5$	$104 \pm 9$	
			StaEG_37_24 OR				
			TkIsoEle_22_StaEG_12				
Single $\gamma$	200	1%	StaEG_51	187	$32 \pm 1$	$56 \pm 6$	
Single $\gamma$ (isol.)	110, EB only	1%	StaEG_51 OR	108, EB only	$35 \pm 9$	$52 \pm 7$	
			TkIsoPho_36				
Double $\gamma$	30, 18	2%	StaEG_37_24 OR	30, 23	$123\pm12$	$179\pm14$	



 Workable systems in Run4 and Run5 within interim TDR budget, using GPUs and a 1.6-4x code improvement in the next 10 years

Scenario	Year	Cost		CHF/HS06	Capacity	Est. need	Missing
			(MCHF)	W/ GPU	(MHS06)	(MHS06)	factor
Run-4	2028	20%/y	11.4	0.70	16.3	26.1	1.6×
		15%/y	11.4	0.99	11.6	26.1	$2.3 \times$
Run-5	2032	20%/y	4.6	0.22	37.1 (16.3 + 20.8)	93.6	$2.5 \times$
		15%/y	4.6	0.37	24.1 (11.6 + 12.5)	93.6	$3.9 \times$

### Conclusions

- Long Shutdown 2 on schedule:
  - Succesfull **pixel** installation
  - Magnet cooling down smoothly
- Successful summer data taking at PT5:
  - Pixel alignment
  - GPU integration @ HLT
- 45 New physics results (LHCP, EPS, SUSY)
  - From Electroweak measurements to BSM searches
- Two new upgrade TDRs:
  - BRIL TDR: possibility of < 1% uncertainty on integrated luminosity
  - DAQ/HLT TDR: preserves same trigger thresholds throughout running

We are excited to re-start data taking beginning of 2022!