

Oracle Cloud: Taking advantage of Hybrid Cloud

Antonio Nappi Openlab Technical workshop 21/03/2022

Recap: Oracle Cloud Infrastructure and CERN cloud

• Network connectivity from January 2020

- OCI as extension of CERN Cloud
- 20Gb/s (in two ports) connection
- Disaster Recovery on OCI
 - Applications (during 2020)
 - PoC demonstrated that Application Server based on K8s could run in the cloud as it is on premises
 - Database (early 2021)
 - Standby deployment
 - 20 Databases
 - ~800GB of RAM
 - >50 CPU cores
 - >100TB of storage



What happened in 2021

- Verrazzano
 - General-purpose container platform to deploy Kubernetes workloads in multi cloud environments
 - Provided feedback and use cases to Oracle
 - WLS Summit(May 2021)
 - Github issues
 - Oracle Developer Live (August 2021)
 - Dedicated sessions with developers
- Running physics jobs on OCI
 - 128 Batch nodes
 - 2048 cpus
 - 16GB memory per cpu
 - Configured via Puppet (thanks to network setup)



What happened in 2021

• Exadata cloud at customer

- Integration in CERN datacenter (2021 the control plane in OCI)
- Want to consolidate and improve performance of production DBs (to be validated in 2022)
- Challenges
 - Encryption
 - Testing switch over

ARM machines available for whole CERN

- Gitlab runners to build Docker ARM base image
- Linux software building tools to facilitate software packages for ARM VMs / Docker images
- Lxplus interactive logon service across all of CERN






anappi :~\$ host lxplus8-arm lxplus8-arm.cern.ch is an alias for oci-lxplus-arm-001.cern.ch. oci-lxplus-arm-001.cern.ch has address

• Lxplus:

• Interactive logon service to Linux for all CERN users.





21/03/2022

Service mesh: Problem

• IT infrastructure is moving towards Service Mesh

- Independent services, each of them implements a particular process
- Based on network communication
- Increase reliability, scalability, code reusability
- Different teams working on different microservices

• Challenges

- Distributed system (multi-cloud, hybrid cloud)
- Upgrade on a component may affect other (that we don't know)
- How to make sure that a new component or new version of a component doesn't break the others ?



Service mesh: Proposal

Service Mesh Checker

- Tool to apply strong typing to service mesh to facilitate static analysis of service dependencies
- Use of Go Programming language and CUE (Codify Unify Execute) tool.
- Integrate with declarative Infrastructure as code such as Terraform, Open Application Model (e.g. Kubevela), Crossplan etc.
- Easy to integrate with GitOps approach

• Not only microservices

- Not only micro services talk with each other. Any distributed system could profit (even if components are monolithic).
- Versioning of SQL schemas to manage automatically via Git



Conclusion

- Hybrid Cloud and Multi Cloud has been proven beneficial
 - Good integration allows easier access to hardware/software that otherwise would more complicated (e.g. ARM machines)
 - Reduce
 - Workload due to configuration and setup
 - Provisioning time
 - Usage of standard technologies and tools enables multi cloud



Acknowledgement

CERN: Luca Canali, Riccardo Castellotti, Ignacio Coterillo Coz, Eva Dafonte Perez, Lukas Gedvilas, Eric Grancher, Jakub Granieczny, Alina Grigore, Arash Khodabandeh, Viktor Kozlovszky, Manuel Martin Marquez, Sebastien Masson, Antonio Nappi, Nemanja Nedic, Ioannis Panagiotidis, Luis Rodriguez Fernandez, Aimilios Tsouvelekakis, Artur Wiecek

Oracle: Cemil Alper, Giuseppe Calabrese, Michael Connaughton, Dmitrij Dolgušin, David Ebert, Brent Eyler, Maciej Gruszka, Sevgi Guzzella, Gavin Larson, Vincent Leocorbo, Will Lyons, Pauline Mahrer, Marc Meignier, Çetin Özbütün, Oguz Pastirmaci, Cristobal Pedregal-Martin, Arun Ramakrishnan, Alexandre Reigada, Monica Riccelli, Patrice Scattolin, Engin Senel, Garret Swart, Peter Szegedi, Thomas Teske, Reiner Zimmermann

External collaborator: Elliot Swart



Thank you! antonio.nappi@cern.ch



21/03/2022

Antonio Nappi



home.cern



• Gitlab runners

• Build Docker ARM base image

| Pipeline Needs Jobs 30 Tests 0 | | | | |
|--------------------------------|--|---|------------------------------|----------|
| Status | Name | Job ID | | Coverage |
| ⊘ Build | | | | |
| ⊘ passed | build_jdk_devel_adoptopenjdk_11_11.0.13_8_el7_x86_64 | #18214867 | ♂ 00:02:01 旹 3 months ago | C |
| ⊘ passed | build_jdk_devel_adoptopenjdk_11_11.0.13_8_el8s_aarch64 | #18214873 db-runner-docker-arm aarch64 | ♂ 00:03:52 旹 3 months ago | С |
| ⊘ passed | build_jdk_devel_adoptopenjdk_11_11.0.13_8_el8s_x86_64 | #18214870 | ♂ 00:01:43 尚 3 months ago | C |
| ⊘ passed | build_jdk_devel_adoptopenjdk_11_11.0.6_10_el7_x86_64 | #18214865 | ♂ 00:01:57 台 3 months ago | C |
| ⊘ passed | build_jdk_devel_adoptopenjdk_11_11.0.9_11_el7_x86_64 | #18214866 | ♂ 00:01:53 尚 3 months ago | C |
| ⊘ passed | build_jdk_devel_adoptopenjdk_17_17.0.1_12_el7_x86_64 | #18214868 | ♂ 00:01:57 台 3 months ago | C |
| ⊘ passed | build_jdk_devel_adoptopenjdk_17_17.0.1_12_el8s_aarch64 | #18214874 db-runner-docker-arm aarch64 | ở 00:03:57 럼 3 months ago | C |



21/03/2022

Antonio Nappi

ARM

• Linux software building

• Software that needs to be installed on ARM VMs/Docker Images

```
build (jeedy8s, cerndb-adoptopenjdk-11-11.0.13 8-1.el8s.src.rpm)
Task
Extra
       {'source': {'original url': 'cerndb-adoptopenjdk-11-11.0.13 8-1.el8s.src.rpm'}}
Tags
        ieedv8s-ga
        ieedv8s-stable
        jeedy8s-testing
RPMs
             src
                cerndb-adoptopenjdk-11-11.0.13_8-1.el8s.src.rpm (info) (download)
        aarch64
                cerndb-adoptopenjdk-11-11.0.13 8-11.0.13 8-1.el8s.aarch64.rpm (info) (download)
                cerndb-adoptopenjdk-11-generic-11.0.13_8-1.el8s.aarch64.rpm (info) (download)
        x86 64
                cerndb-adoptopenjdk-11-11.0.13 8-11.0.13 8-1.el8s.x86 64.rpm (info) (download)
                cerndb-adoptopenjdk-11-generic-11.0.13_8-1.el8s.x86_64.rpm (info) (download)
```

