

perfSONAR MONITORING SERVICE UPDATE

Szymon Trocha, GN3 (PIONIER)
LHCOPN Meeting, Lyon, 10-11 Feb 2011

The research leading to these results has received funding from the European Community's Seventh Framework Programme (FP7/2007-2013) under grant agreement no 238875 (GÉANT)

Agenda



- Service update
- Service audit
- Service monitoring
- perfSONAR MDM 3.3



Service update (Oct-Dec) (1/2)



- GPS
 - US-T1-BNL and US-FNAL-CMS not using GPS
 - *Both sites configured to use Stratum 1 NTP servers*
 - FR-CCIN2P3 outage due to construction works to be fixed soon
- HADES outage (6 Dec 2010, 23 hours)
 - Downtime of database server, which affected all HADES MAs
 - Process of HADES hung
 - Lessons learnt
 - *Improvements of handling outages by HADES processes to automatically recover after outage or process hanging*
 - *Enhancements to HADES data (NTP synch)*
 - *Improvements to Service Support*



perfSONAR

Service update (Oct-Dec) (2/2)



- Outstanding issues communicated quarterly to LHCOPN operation group
- New E2EMon MP instances
 - NORUnet
 - ESNET
- New E2EMon MP instances at end points can be placed on the server that is managed by Service Desk for the other MP
 - The „glue” software still provided and maintained by individual domains



- 2nd audit of perfSONAR MDM for LHCOPN
 - Scope similar to previous audit
 - Analyse the current status of perfSONAR MDM service for LHCOPN to verify issues were resolved and to improve the service quality
 - Audit results document distributed to the monitoring WG
 - Issues resulted from the 1st audit were fixed correctly
 - *Minor issues for utilization for non T0-T1*
 - *E2EMon MP deployment in progress*

perfSONAR MDM for LHCOPN Service Monitoring




- Service is constantly monitored by Service Desk
 - Nagios
 - *Service checks (ICMP, HTTP, perfSONAR Echo, NTP, etc)*
 - Cacti
 - *Server checks (ICMP, CPU, RAM, HDD, etc)*
- Measured from the monitoring station in Amsterdam
- Cacti made available for LHCOPN partners
 - <http://monitoring.perfsonar.eu/cacti/>



perfSONAR

perfSONAR MDM LHCOPN availability (ICMP)




MDM server; Threshold: RTT>5000ms or 100% PL



perfSONAR

connect • communicate • collaborate

perfSONAR MDM LHCOPN availability (Tomcat request)




MDM server; HTTP request; Threshold: >10000ms



perfSONAR

connect • communicate • collaborate

perfSONAR MDM LHCOPN HADES availability (BWCTL MP Echo)



HADES server; Echo request; Threshold: service delay >5000ms



perfSONAR

connect • communicate • collaborate

perfSONAR MDM release 3.3



- RRD MA, SQL MA, BWCTL MP, E2EMon MP, SSH/Telnet MP, Lookup Service, AuthN&AuthZ Service
- perfsonarUI update
- DEB, RPM installation packages
- ISO DVD (Debian, CentOS)
- Changes
 - Most internal to products - aimed at manageability and performance
 - *Usage of new improved internal library*
 - *New WebAdmin interface (simplified, easier and faster start-up)*
 - *Unified URL naming, without GEANT numbering (services remain backward compatible with old URL)*
- <http://perfsonar.forge.geant.net/>



perfSONAR