

Analysis user experience & declarative languages

Parallel session at <https://indico.cern.ch/e/aew2>

Analysis user experience

- Do we understand “average” analyzer experience?
 - Do we only know from a particular group / are biased
 - Work towards a survey? Other ways of gathering feedback?
- Are analyzers using new approaches we may recommend?
 - What can we do to help with adoption?
 - Is there anything missing in the workflows we are envisioning?
- Are there specific requirements from small / new experiments?

New programming languages and ADLs

- What is the future of [Julia](#) in HEP?
 - Other languages to keep track of?
 - Lessons to be learnt from interest in Julia?
- [Analysis description languages \(ADLs\)](#)
 - How does the future of ADLs look like?
 - What are potential [barriers to adoption](#)?

```
# OBJECTS
object goodMuons
take muon
select pT(muon) > 20
select abs(eta(muon)) < 2.4

object goodEles
take ele
select pT(ele) > 20
select abs(eta(ele)) < 2.5

object goodLeps
take union(goodEles, goodMuons)

object goodJets
take jet
select pT(jet) > 30
select abs(eta(jet)) < 2.4
reject dR(jet, goodLeps) < 0.4
```

[Sezen Sekmen's talk](#)

```
# EVENT VARIABLES
define HT = sum(pT(goodJets))
define MTI = Sqrt( 2*pT(goodLeps[0]) * MET*(1-cos(phi(METLV[0]) - phi(goodLeps[0])) ))

# EVENT SELECTION
region baseline
select size(jets) >= 2
select HT > 200
select MET / HT <= 1

region signalregion
baseline
select Size(goodLeps) == 0
select dphi(METLV[0], jets[0]) > 0.5
histo hMET, "met (GeV)", 40, 200, 1200, MET

region controlregion
baseline
select size(goodLeps) == 1
select MTI < 120
```

- Organized structuring of the analysis helps easy overview.
- ADL implementations of numerous public LHC analyses exist and more implementations ongoing.

Documentation, examples, benchmarking, performance

- **Documentation, examples** -> next slide
 - State of documentation / what and how to improve?
 - **Incentives**: funding, dedicated positions, ...
 - UX of analyzers going from **simple tutorials to full-scale analyses?**

[Nick Smith](#)

Solutions must be:

- **Benchmarking & performance**
 - Time to write code vs time to run code

Easy to use

[Nick Manganeli](#)

Scalable

- Benchmarking the code and coming out fastest is fantastic
- Factor 3x* is small compared to the O(1000)-O(10000) improvement RDF/cofea have against TTree::Draw-based frameworks (I know of several)

Fast

TUTORIALS

LEARNING-ORIENTED

Most useful when we're studying

UNDERSTANDING-ORIENTED

EXPLANATION

Practical steps

Theoretical knowledge

HOW-TO GUIDES

PROBLEM-ORIENTED

Most useful when we're working

INFORMATION-ORIENTED

REFERENCE

Interoperability

- Interoperability (e.g. ROOT <-> Python HEP data science world) is crucial
 - Where do we stand?
 - Which [improvements](#) are [needed](#)?
- Status of interoperability with [other ecosystems](#)?

Slides from yesterday's plenary

- [Summary of the ROOT workshop](#) with highlight on status and plans
Axel Naumann
- [Analysis user experience with the Python HEP ecosystem](#)
Jim Pivarski
- [Declarative languages overview](#)
Sezen Sekmen

Other slides from yesterday relevant for UX / ADL

Easy to use

- Subjective, but there are patterns
- Example: people want **objects**

```
import uproot
import hist
import awkward as ak

tree = uproot.open("events.root")["Events"]

events = ak.zip(
    {
        "MET": ak.zip({"pt": tree["MET_pt"].array()}),
        "Electron": ak.zip(
            {
                "pt": tree["Electron_pt"].array(),
                "eta": tree["Electron_eta"].array(),
            }
        ),
    }
)

etas = events.Electron.eta[
    (events.MET.pt < 100.0) & (events.Electron.pt > 30.0)
]
h = (
    hist.Hist.new.Reg(30, -2.5, 2.5)
    .Double()
    .fill(ak.flatten(etas))
)
```

Nick Smith's talk emphasizing "ease of use" - NanoEvents

[NanoEvents debut](#)

```
from coffea.nanoevents import NanoEventsFactory
import awkward as ak
import hist

def process(filename: str) -> hist.Hist:
    events = NanoEventsFactory.from_root(filename).events()
    etas = events.Electron.eta[
        (events.MET.pt < 100.0)
        & (events.Electron.pt > 30.0)
    ]
    return (
        hist.Hist.new.Reg(30, -2.5, 2.5)
        .Double()
        .fill(ak.flatten(etas))
    )
```

Easy to use

- Subjective, but there are patterns
- Example: people want **objects**

Nick Smith's talk emphasizing “ease of use” - Objects in bamboo

[S. Wertz](#)

Using C++ lambdas:

```
using ROOT::Math::VectorUtil::InvariantMass;
using LorentzVector = ROOT::Math::LorentzVector<ROOT::Math::PtEtaPhiM4D<float>>;
df.Define("Dimuon_mass",
[] (const auto& pt, const auto& eta, const auto& phi, const auto& m) {
    return InvariantMass(LorentzVector(pt[0], eta[0], phi[0], m[0]),
        LorentzVector(pt[1], eta[1], phi[1], m[1]));
}, {"Muon_pt", "Muon_eta", "Muon_phi", "Muon_mass"}
).Histo1D(..., "Dimuon_mass", ...);
```

In bamboo, this reduces to:

```
from bamboo import treefunctions as op
from bamboo.plots import Plot

Plot.make1D(..., op.invariant_mass(tree.Muon[0].p4, tree.Muon[1].p4), ...)
```

- ▶ Idea: decorate tree → provide a view of the event content as a set of (collections of) physics objects in the form of “proxies” (python objects)
- ▶ User builds expressions (cuts, variables, ...) from these proxies
- ▶ When done: Bamboo converts expressions to appropriate (C++) strings, builds RDataFrame, runs event loop

Stephan Hageböck's talk on systematics

Core Software to the Rescue? – The Future

```
ROOT::RDataFrame df("Events", "root://eospublic.cern.ch/eos/opendata/cms/derived-data/A0D2NanoA0D0OutreachTool/Run2012BC_DoubleMuParked_Muons.root");

MuonCalibrationTool calibrationTool{};
auto df_calib = df.Redefine("Muon_pt",
  [&](RVecF const & pts, RVecF const & etas) {
    return calibrationTool.calibratePTs(pts, etas, Sys::Nominal);
  }, {"Muon_pt", "Muon_eta"});

df_calib = df_calib.Vary("Muon_pt",
  [&](RVecF const & pts, RVecF const & etas) {
    RVecF down = calibrationTool.calibratePTs(pts, etas, Sys::MomentumScaleDo);
    RVecF up = calibrationTool.calibratePTs(pts, etas, Sys::MomentumScaleUp);
    return RVec{down, up};
  }, {"Muon_pt", "Muon_eta"},
  {"Do", "Up"},
  "MuonMomentumScale"
);

// Start analysis selection
auto df_2mu = df_calib.Filter("nMuon == 2", "Events with exactly two muons");
auto df_os = df_2mu.Filter("Muon_charge[0] != Muon_charge[1]", "Muons with opposite charge");
```

← Apply calibration

← Apply systematic

[RDF Talk - CMS Analysis Tools Task Force](#)