



Contribution ID: 718

Type: **Poster**

Simulating power cable damage through monitoring temperature of multimode optical fibres with a state-of-the-art distributed sensing instrument

Tuesday 13 December 2022 18:00 (15 minutes)

Detection of simulated failures in underground power cables using Multimode fibers. Failure in underground power cable causes overheating (hot-spot), and locating the problem is difficult. Detection is achieved through Distributed Temperature Sensors that use RAMAN-based measurements for high-precision temperature detection.

Authors: IOANNOU, Andreas (Cyprus University of Technology); Mr KOUZOUPOU, Charalampos (Cyprus University of Technology)

Co-authors: Mr LANDOS, Adam (Cyprus University of Technology); Mr METAXAS, Andreas (Cyprus University of Technology); Mr DIONYSIOU, Andreas (Resoloupe LTD); Mr ZADOK, Avi (Bar Ilan University); Mr STAVRAKIS, Efstathios (Algolysis LTD); Prof. KALLI, Kyriacos (Cyprus University of Technology); Dr ARGYROU, Maria (Cyprus University of Technology); Mr AGATHOCLEOUS, Michalis (Resoloupe LTD); Mr NICOLAOU, Nicolas (Algolysis LTD); Dr CHATZIS, Sotirios (Cyprus University of Technology)

Presenter: IOANNOU, Andreas (Cyprus University of Technology)

Session Classification: Poster session

Track Classification: WSOF: WSOF: Fibre sensors