



Contribution ID: 695

Type: Poster

## Observation of $\pi^+\pi^-\pi^+\pi^-$ photoproduction in ultraperipheral heavy-ion collisions at $\sqrt{s_{NN}} = 200$ GeV at the STAR detector

Tuesday 5 September 2023 17:30 (2h 10m)

One of the most pressing questions in both hot and cold QCD communities is what the physics mechanism responsible for modified parton densities in heavy nuclei is. One promising channel to address this question is the photoproduction of vector mesons, which is considered a clean probe to the nuclear parton structures. We present a measurement of  $\pi^+\pi^-\pi^+\pi^-$  photonuclear production in ultraperipheral Au+Au collisions at  $\sqrt{s_{NN}} = 200$  GeV. The data were collected in 2014 by the STAR experiment. The  $\pi^+\pi^-\pi^+\pi^-$  final states, accompanied by mutual excitation of projectile and target, are observed to be greatly enhanced at low transverse momentum, which is consistent with coherent photoproduction. The  $\pi^+\pi^-\pi^+\pi^-$  invariant mass spectrum in coherent events exhibits a two-resonance structure around  $\sim 1370$  and  $\sim 1610$  MeV/ $c^2$  with widths of 200 and 330 MeV/ $c^2$ , likely corresponding to  $\rho(1450)$  and  $\rho(1700)$ . Furthermore, a peak corresponding to  $\rho(2150)$  is observed. We also observe corresponding peaks to  $\rho(1450)$  and  $\rho(1700)$  in the  $\pi^+\pi^-$  final state and report the ratio of the branching fractions of the  $\rho(1450)$ ,  $\rho(1700)$  to  $\pi^+\pi^-$  and  $\pi^+\pi^-\pi^+\pi^-$ . We further present the ratios of  $\rho(1450)$ ,  $\rho(1700)$ , and  $\rho(2150)$  to  $\rho_0(770)$  coherent production cross sections.

### Category

Experiment

### Collaboration (if applicable)

STAR Collaboration

**Primary author:** Dr TLUSTY, David (Creighton University)

**Presenter:** Dr TLUSTY, David (Creighton University)

**Session Classification:** Poster Session

**Track Classification:** UPC Physics