

SPS user schedule for 2022



schedule issue date: 18-Mar-2022

Version: 0.4

LHC Exp.
 PS/SPS Exp.
 Other Exp.
 INT Exp.

		Mar			Apr			Mai				Jun				Jul				Aug				Sep			Oct			Nov			Dec																						
Week		11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50														
Machine																								TS1 RP																										TS2 Coldex RP					
North Area	T2 - H2			SPS & TT20 Setup 7	NA Setup 14	NA61 SHINE 16		CMS HGAL 7	NA61 SHINE 7		EP FTS 7	Calice (SiW ECAL) 14	NA61 SHINE 35				STORMKLEVER 7		CMS PIXELS 7	CMS OT 7	CMS HF 7	FASER pre shower 7	Place-holder 14	HERD 7	NA65 7	CMS HGAL 7	LHCf 7	LHCb ECAL 14	ALICE FOCAL 7	SND 5	NA61 setup 150 AGeV/c 7	NA61 150 AGeV/c 14	NA61 13 AGeV/c 7																						
	T2 - H4			SPS & TT20 Setup 7	NA Setup 14	GIF 9		NUCLEON 7	RD51 7	GIF RD51 7	GIF 7	NA63 14	LHCb ECAL 7	CMS BRIL 7	ATLAS ZDC 7	GIF RD51 14	NA64e 70					Place-holder 14			GIF RD51 14	CMS ECAL 12	Medipix 7	HERD 7	PAN 5	PAN 7																									
	H6 parallel			SPS & TT20 Setup 7	NA Setup 14	CMS PIXELS 9	ATLAS AFP 14		EP PIXEL ATLAS MALTA 7			CERF 7	ALICE ITS 14	ATLAS MALTA EP PIXEL 7				CMS PIXELS 7	EP PIXEL ATLAS MALTA 7					ALICE FOCAL 7	RD42 7	ATLAS AFP 14		MONO LITH EP-PIXEL MALTA 7	NA62 14	PICSEL 7	MALTA EP-PIXEL MONO LITH 5																								
	H6 parallel					RD42 9	ATLAS BCM 7						EP hybrid 7	ATLAS ITK PIXEL 14				CMS OT 7						EP hybrid 7	ATLAS BCM 7	RD50 7		EP hybrid 7	CMS PIXELS 7																										
	H6 ACONITE parallel					ATLAS ITK PIXEL 9	ATLAS HGTD 14			ATLAS ITK PIXEL 14		ATLAS ITK PIXEL 7	CMS PIXELS 7		ATLAS ITK STRIP 7	ATLAS HGTD 14	ATLAS ITK PIXEL 14		ATLAS ITK PIXEL 14	ATLAS HGTD 14		ATLAS ITK PIXEL 7	ATLAS ITK PIXEL 14		CMS PIXELS 7	ATLAS ITK PIXEL 14		ATLAS HGTD 14	ATLAS ITK PIXEL 7																										
	T4 - H8			SPS & TT20 Setup 7	NA Setup 14	LHCb 16	TOTEM 7					CMS MTD 14	ATLAS Tilecal 14	IDEA CC 7	LHCb 7	LHCb (TOTEM) 7	TOTEM / Q-fib 7	Medipix / Q-fib 7	ATLAS FCAL PULSE 7	IDEA DRC 7	TOTEM 7	ALICE PHOS 7	EIC dRICH 7	RADICAL 7	UA9 14	LHCb / SELDOM 14	Place-holder 14	ATLAS Tilecal 12		NUCLEON 7	NA60+ 7	NA60+ 7																							
	H8 parallel or DUMP																								TOTEM 7	NA60+ 7	CMS MTD 14																												
	T4 - K12			SPS & TT20 Setup 7	NA Setup 14																																																		
T6 - M2			SPS & TT20 Setup 7	NA Setup 14	COMPASS / NA64mu 23																																																		
TT41																																																							
TT66																																																							

For further information contact the PS/SPS-Coordinator. Email: Sps.Coordinator@cern.ch, Tel: +41 75 411 5275.

The latest version of the schedule are available here: <http://cern.ch/ps-sps-coordination>

This schedule is synchronized with injector schedule v1.0.

No beam to the North Area during Technical Stops (TS), Coldex and Machine Developments (MD).

For TS a RP cool down time is needed and will be announced in the days preceding the stop.

Submit your ISIEC at least 2 weeks before your allocated beam time using <https://ep-th-safety.web.cern.ch/form/isiec-form-v2>

