Recent Progress in Radio Searches for Dark Matter

PASCOS Heidelberg 25-29 July 2022

Jamie McDonald

UCLouvain

Based on **Phys.Rev.D 102 (2020) 2, 023504** and **JHEP 09 (2021) 105** and **Phys.Rev.D 105 (2022) 2, L021305**

Collaborators: R. A. Battye, S. Srinivasan, F. Pace and B. Stappers, P. Weltevrede, M. Keith (U. Manchester) B. Garbrecht,(TU Munich), J. Darling (Colorado), S. Witte (GRAPPA), J. Tjemsland (NTNU)

Resonant Axion DM Conversion Around Neutron Stars



$$P_{\mathrm{a}\to\gamma} \sim \frac{g_{a\gamma\gamma}^2 B^2}{\frac{d}{dz}(\omega_{\mathrm{p}}(x_{\mathrm{res}}))}$$

A. Hook, Y. Kahn B. Safdi, Z. Sun Phys. Rev. Lett. 121 (2018) 24, 241102

F. P. Huang, K. Kadota, T. Sekiguchi, H. Tashiro Phys.Rev.D 97 (2018) 12, 123001

M.S. Pshirkov, S.B. Popov J. Exp. Theor. Phys. 108 (2009) 384-388 (Original Proposal!)

Observations

Green Bank (US)

Foster et al.
Phys.Rev.Lett. 125 (2020) 17, 171301

J. Darling
Phys.Rev.Lett. 125 (2020) 12, 121103
& Astrophys.J.Lett. 900 (2020) 2, L28

Karl J Jansky VLA

Effelsberg (Ger)





Theory: Signal Modelling

M. Leroy, M. Chianese, T. Edwards, C. Weniger Phys. Rev. D 101, 123003 (2020)

S. Witte , D. Noordhuis, T. Edwards, and C. Weniger Phys. Rev. D 104, 103030 (2022)

R. Battye, B. Garbrecht, **J. I. McDonald**, S. Srinivasan JHEP 09 (2021) 105



Much progress made in plasma ray tracing

image courtesy S. Witte

straight Lines (2020)   plasma refraction (2021)



(Battye, Garbrecht, JIM, Srinivasan (2021))

Dark matter radio emission from the star strongly refracted!

Time dependence of signal can now be characterised

Pulse Profiles



Line Shape Can Now be Characterised

Plasma Broadening - time-dependent effects

$$\frac{d\omega(x(t),t)}{dt} = \frac{1}{2\omega}\underbrace{\partial_t \omega_{\mathrm{p}}^2(t,\mathbf{x}(t))}_{\mathrm{t-dep\,plasma}}$$





$$\delta\omega \simeq \frac{1}{2\omega}\int dt' \partial_t \omega_{\mathrm{p}}^2(t',\mathbf{x}(t'))$$

Line Shape Can Now be Characterised



← frequency →

Theory + Observation

Ray-Tracing applied to galactic centre magnetar PSR J1745-2900

Battye, Darling, **McDonald**, Srinivasan (2021) Phys.Rev.D 105 (2022) 2, L021305



main uncertainties:

- DM density near galactic centre
- possibly magnetosphere structure?
- observing angle of neutron star

See also...

Breakthrough Listen Data: Population Search



Foster, Witte et al [2202.08274 [astro-ph.CO]]

In PROGRESS!

Sam Witte (GRAPPA)

Jonas Tjemsland (NTNU)



Comparative study



$p_{a\to\gamma} \simeq 1$

Challenges and Opportunities

- NSs offer the possibility to probe wide ranges of masses $10^{-7}\mu\text{eV} \lesssim m_a \lesssim 10^{-4}\mu\text{eV}$ complementary to experiments.
- Sensitivity of $g_{a\gamma\gamma}$ constraints to magnetosphere structure ? **Vital** question, but not yet studied
- More radio data always good (either archival or new)
- Accurate measurement of DM density near NSs of interest.

Advertisement!

Abstracts welcome!

`https://conference.ippp.dur.ac.uk/event/1101/`

Advertisement!

Abstracts welcome!

`https://conference.ippp.dur.ac.uk/event/1101/`

Thanks for listening!