



Contribution ID: 38

Type: Invited (online)

## Cadmium doping in vanadium oxides and Cadmium vanadates investigated by hyperfine interactions at $^{111m}\text{Cd}$ probe nuclei

Wednesday 30 November 2022 16:00 (25 minutes)

Vanadium oxides and vanadates are nowadays the best candidates for the next generation of battery cathode for energy storage,[1,2] particularly for the aqueous zinc-ion batteries (AZIB) due the low cost and good diffusion of Zn [3]. Hydrated vanadium pentoxide ( $\text{V}_2\text{O}_5 \cdot n\text{H}_2\text{O}$ ) has a bilayer structure and structural water molecules work as pillars to expand the layer spacing, and the shielding effect from water hinders the electrostatic interaction between cations accelerating the Zn ion diffusion. The doping with impurity cations (such as Mn, Al, and Zn) into the interlayers can improve the (de)intercalation of Zn ions by enlarging the spacing and obtaining a faster ion diffusion. Cd ion is 24% larger than Zn and, therefore, can help form a more efficient cathode.

In the work here reported, electric quadrupole interaction on  $^{111m}\text{Cd}$  nuclei implanted in divanadium pentoxide doped with different concentrations of Cd were measured with time-differential perturbed angular correlations (TDPAC). Pure  $\text{V}_2\text{O}_5$  as well as doped with 1%, 5%, and 10% of Cd were measured at different temperatures. Samples of the vanadates  $\text{CdV}_2\text{O}_6$  and  $\text{Cd}_2\text{V}_2\text{O}_7$  were also investigated. The intention is to provide a comprehensive description of the doping effects on the local crystal structure and the electronic structure around the impurity and the consequences on the properties of the host oxides. Results show that the probability of formation of cadmium vanadates is low but the temperature and atmosphere of measurements have an important effect at the local scale. Moreover, the temperature behavior of the hyperfine parameters of pure and Cd-doped  $\text{V}_2\text{O}_5$  are similar to but distinguishable from the cadmium vanadates.

### References

- [1] P. Liu, K. Zhu, Y. Gao, H. Luo, and L. Lu, Recent Progress in the Applications of Vanadium-Based Oxides on Energy Storage: from Low-Dimensional Nanomaterials Synthesis to 3D Micro/Nano-Structures and Free-Standing Electrodes Fabrication. *Adv. Energy Mater.* 7, 1700547 (2017), doi: 10.1002/aenm.201700547.
- [2] H. Chen, S. Cheng, D. Chen, et al., Vanadate-based electrodes for rechargeable batteries. *Mater. Chem. Frontiers* 5, 1585-1609 (2021).
- [3] G. Fang, J. Zhou, A. Pan, S. Liang, Recent Advances in Aqueous Zinc-Ion Batteries. *ACS Energy Lett.* 3 2480-2501 (2018).

**Primary authors:** MOKHLES GERAMI, Adeleh (Institute for Research in Fundamental Sciences (IR)); BURIMOVA, Anastasia; CARBONARI, Artur Wilson (Instituto de Pesquisas Energeticas e Nucleares (BR)); Dr BOSCH-SANTOS, Brianna (IPEN); Dr COSTA, Cleidilane (Universidade Federal do Para); Dr ZYABKIN, Dmitry (Technische Universitaet Ilmenau (DE)); Dr CORREA, Eduardo (IPEN); Dr RIBEIRO JR., Ibero (IPEN); RODER, Jens (University of Aveiro (PT)); MARTINS CORREIA, Joao (Universidade de Lisboa (PT)); SCHELL, Juliana (Institut Fur Materialwissenschaft Universität Duisburg-Essen (DE)); STIPHOUT, Koen van (Georg-August-Universität Göttingen, Friedrich-Hund-Platz 1, 37077 Göttingen, Germany); Dr DIAS PEREIRA, Luciano (IPEN); Dr COSTA, Messias

(Universidade Federal do Para); Mr LEITE NETO, Osmar (IPEN); Dr SALES, Tatiane (IPEN); DANG, Thanh Thien (Institut Fur Materialwissenschaft Universität Duisburg-Essen (DE))

**Presenter:** CARBONARI, Artur Wilson (Instituto de Pesquisas Energeticas e Nucleares (BR))

**Session Classification:** Solid State Physics