


ACTS Developers Workshop 2022

GSF overview & status update



26.09.2022




Benjamin Huth
Universität Regensburg

Overview

- Track Fitter suitable for handling non-gaussian errors
 - Fit multiple gaussian components in parallel with Kalman algorithm
 - Useful for electron (re)fitting
 - bremsstrahlung energy loss highly non gaussian

Probability distribution E_f / E_i
energy loss for $x=10\text{mm}$



GSF update step

- When finding a measurement:
 - Kalman update for every surface as with KF
 - Reweight components based on compatibility with the measurement
- When finding material on a surface:
 - Model bremsstrahlung for each component
 - Combine close components to keep # of components fix
 - Handle multiple scattering as in KF

Implementation strategy

- Need special Stepper to handle multiple components (`Acts::MultiEigenStepperLoop`)
 - Internally propagate multiple components
 - Interface as one “average state” to Navigator
 - Minimize navigation overhead
- As much shared code between KF and GSF as possible

- Interface similar the `Acts::KalmanFitter`
 - Returns a `Acts::KalmanFitterResult`

```
template<typename propagator_t,  
        typename traj_t,  
        typename bethe_heitler_approx_t>  
struct GaussianSumFitter {  
  
    template<typename source_link_it_t, typename start_parameters_t>  
    auto fit(source_link_it_t begin,  
            source_link_it_t end,  
            const start_parameters_t &sParameters,  
            const GsfOptions<traj_t> &options,  
            std::shared_ptr<traj_t> trajectory  
            ) const -> Acts::Result<Acts::KalmanFitterResult<traj_t>>  
  
};
```

Configuration

- Various options (but there will come more...)

```
template <typename traj_t>
struct GsfOptions {
    std::reference_wrapper<const GeometryContext> geoContext;
    std::reference_wrapper<const MagneticFieldContext> magFieldContext;
    std::reference_wrapper<const CalibrationContext> calibrationContext;

    GsfExtensions<traj_t> extensions;
    LoggerWrapper logger;
    PropagatorPlainOptions propagatorPlainOptions;
    const Surface* referenceSurface = nullptr;
    std::size_t maxComponents = 4;
    bool abortOnError = true;
    bool disableAllMaterialHandling = false;
};
```

ACTS integration

- Available in the ACTS python bindings (see documentation)
- Stability check in CI
 - For runtime errors in generic detector and ODD
 - No physics performance monitored yet

Status & Future

- First version merged early 2022
 - Not yet production ready
 - Still ongoing bugfixing
- Plans for validation and improvement:
 - Validation with Full simulation in OpenDataDetector
 - Cooperation with LDMX