

# Searching for the fundamental nature of dark matter in the cosmic large-scale structure

*Thursday, 30 March 2023 11:30 (15 minutes)*

The fundamental nature of dark matter so far eludes direct detection experiments, but it has left its imprint in the large-scale structure (LSS) of the Universe. Extracting this information requires accurate modelling of structure formation and careful handling of astrophysical uncertainties. I will present new bounds using the LSS on two compelling dark matter scenarios that are otherwise beyond the reach of direct detection. Ultra-light axion dark matter, particles with very low mass and astrophysically-sized wavelengths, is produced in high-energy models like string theory ("axiverse"). I will rule out axions that are proposed to resolve the so-called cold dark matter "small-scale crisis" (mass  $\sim 10^{-22}$  eV) using the Lyman-alpha forest, but demonstrate how a mixed axion dark matter model could resolve the  $S_8$  tension (mass  $\sim 10^{-25}$  eV) using Planck, ACT and SPT cosmic microwave background data and the BOSS galaxy survey. Further, I will set the strongest limits to-date on the dark matter —proton cross section for dark matter particles lighter than a proton (mass  $< \text{GeV}$ ). The LSS model involves one-loop perturbation theory, a non-cold dark matter halo model and, to capture the smallest scales, a machine learning model called an "emulator", trained using hydrodynamical simulations and an active learning technique called Bayesian optimisation.

**Primary author:** ROGERS, Keir

**Presenter:** ROGERS, Keir

**Session Classification:** SESSION 6: Astrophysics and Cosmology-2 (CHAIR: Tommaso Treu- UCLA)

**Track Classification:** Dark matter and structure in the Universe