Contribution ID: 19

Type: not specified

Probing the flavor of new physics in semileptonic transitions at high-pT

Thursday 15 December 2022 11:00 (15 minutes)

High- p_T tail observables at the LHC offer a complementary probe to low-energy experiments for studying the flavor structure of the Standard Model and beyond. We discuss the high- p_T tails of neutral- and chargedcurrent Drell-Yan processes to probe New Physics (NP) effects in semileptonic transitions. For this purpose, we describe the relevant cross-sections in terms of general form-factors, which are matched to the Standard Model Effective Field Theory (SMEFT), or to new resolved bosonic mediators arising in ultraviolet models. Using the latest run-2 datasets from LHC on the relevant mono-lepton and di-lepton production channels, we derive constraints on the SMEFT Wilson coefficients and the NP coupling constants. We also present the Mathematica package HighPT, which provides a simple way to compute the relevant high- p_T tail observables and to extract the complete LHC likelihood for Drell-Yan with general flavor structure. To illustrate the relevance of these results, we revisit the leptoquark explanations of the charged-current *B*-meson anomalies, by exploring the complementarity of our high- p_T constraints with the relevant low-energy observables.

Author: WILSCH, Felix (University of Zurich)Presenter: WILSCH, Felix (University of Zurich)Session Classification: Reinterpretation studies