



(日) (四) (돈) (돈) [

Laboratoire d'Informatique de Paris 6 (LIP6) Laboratoire de Physique Nucléaire et de Hautes Énergies (LPNHE)

Fotis.Giasemis@lip6.fr

ESR5: RTA on heterogeneous architectures for LHC and self-driving cars

November 18, 2022

Fotis Giasemis

We acknowledge funding from the European Union Horizon 2020 research and innovation programme, call H2020-MSCA-ITN-2020, under Grant Agreement n. 956086.









3

・ロト ・ 日 ト ・ 日 ト ・ 日 ト

Me



▲□▶ ▲圖▶ ▲厘▶ ▲厘▶ 三厘

୬ବଙ

• Name: Fotis



3

・ロト ・ 日 ト ・ 日 ト ・ 日 ト

• Name: Fotis – 2 syllables



• • • • • • • •

э

• Name: Fotis - 2 syllables - still: "say that again"



Image: A matrix

- Name: Fotis 2 syllables still: "say that again"
- Also confusing



< A

- Name: Fotis 2 syllables still: "say that again"
- Also confusing: Fotios



- ∢ 🗗 ▶

- Name: Fotis 2 syllables still: "say that again"
- Also confusing: Fotios more formal



- (日)

- Name: Fotis 2 syllables still: "say that again"
- Also confusing: Fotios more formal
- Comes from: φώς

- Name: Fotis 2 syllables still: "say that again"
- Also confusing: Fotios more formal
- Comes from: φώς (Φώτης)

- Name: Fotis 2 syllables still: "say that again"
- Also confusing: Fotios more formal
- Comes from: φώς (Φώτης)
- MMathPhys Mathematical and Theoretical Physics

- Name: Fotis 2 syllables still: "say that again"
- Also confusing: Fotios more formal
- Comes from: φώς (Φώτης)
- MMathPhys Mathematical and Theoretical Physics University of Oxford – 4 years

- Name: Fotis 2 syllables still: "say that again"
- Also confusing: Fotios more formal
- Comes from: φώς (Φώτης)
- MMathPhys Mathematical and Theoretical Physics University of Oxford – 4 years
- MSc Applied Mechanics

- Name: Fotis 2 syllables still: "say that again"
- Also confusing: Fotios more formal
- Comes from: φώς (Φώτης)
- MMathPhys Mathematical and Theoretical Physics University of Oxford – 4 years
- MSc Applied Mechanics National Technical University of Athens – 2 years

- Name: Fotis 2 syllables still: "say that again"
- Also confusing: Fotios more formal
- Comes from: φώς (Φώτης)
- MMathPhys Mathematical and Theoretical Physics University of Oxford – 4 years
- MSc Applied Mechanics

National Technical University of Athens – 2 years Thesis: Quantum Chaos

- Name: Fotis 2 syllables still: "say that again"
- Also confusing: Fotios more formal
- Comes from: φώς (Φώτης)
- MMathPhys Mathematical and Theoretical Physics University of Oxford – 4 years
- MSc Applied Mechanics National Technical University of Athens – 2 years Thesis: Quantum Chaos
- ESR5

- Name: Fotis 2 syllables still: "say that again"
- Also confusing: Fotios more formal
- Comes from: φώς (Φώτης)
- MMathPhys Mathematical and Theoretical Physics University of Oxford – 4 years
- MSc Applied Mechanics National Technical University of Athens – 2 years Thesis: Quantum Chaos
- ESR5: physics + programming/technologies

- Name: Fotis 2 syllables still: "say that again"
- Also confusing: Fotios more formal
- Comes from: φώς (Φώτης)
- MMathPhys Mathematical and Theoretical Physics University of Oxford – 4 years
- MSc Applied Mechanics National Technical University of Athens – 2 years Thesis: Quantum Chaos
- ESR5: physics + programming/technologies
- Home institution: LIP6 and LPNHE

- Name: Fotis 2 syllables still: "say that again"
- Also confusing: Fotios more formal
- Comes from: φώς (Φώτης)
- MMathPhys Mathematical and Theoretical Physics University of Oxford – 4 years
- MSc Applied Mechanics National Technical University of Athens – 2 years Thesis: Quantum Chaos
- ESR5: physics + programming/technologies
- Home institution: LIP6 and LPNHE
- Paris





3

・ロト ・ 日 ト ・ 日 ト ・ 日 ト



• RTA on heterogeneous architectures for LHC and self-driving cars



Image: Image:



- RTA on heterogeneous architectures for LHC and self-driving cars
- Supervisors: Vladimir Gligorov (LPNHE), Bertrand Granado (LIP6)



- RTA on heterogeneous architectures for LHC and self-driving cars
- Supervisors: Vladimir Gligorov (LPNHE), Bertrand Granado (LIP6)
- Training in programming for heterogeneous computing architectures



- RTA on heterogeneous architectures for LHC and self-driving cars
- Supervisors: Vladimir Gligorov (LPNHE), Bertrand Granado (LIP6)
- Training in programming for heterogeneous computing architecturesCPUs, GPUs, FPGAs, and hybrids



- RTA on heterogeneous architectures for LHC and self-driving cars
- Supervisors: Vladimir Gligorov (LPNHE), Bertrand Granado (LIP6)
- Training in programming for heterogeneous computing architectures
- CPUs, GPUs, FPGAs, and hybrids
- Design and deploy novel ML method for optimization



- RTA on heterogeneous architectures for LHC and self-driving cars
- Supervisors: Vladimir Gligorov (LPNHE), Bertrand Granado (LIP6)
- Training in programming for heterogeneous computing architectures
- CPUs, GPUs, FPGAs, and hybrids
- Design and deploy novel ML method for optimization (real-time)



- RTA on heterogeneous architectures for LHC and self-driving cars
- Supervisors: Vladimir Gligorov (LPNHE), Bertrand Granado (LIP6)
- Training in programming for heterogeneous computing architectures
- CPUs, GPUs, FPGAs, and hybrids
- Design and deploy novel ML method for optimization (real-time)
- Then apply this method to the LHCb trigger

- RTA on heterogeneous architectures for LHC and self-driving cars
- Supervisors: Vladimir Gligorov (LPNHE), Bertrand Granado (LIP6)
- Training in programming for heterogeneous computing architectures
- CPUs, GPUs, FPGAs, and hybrids
- Design and deploy novel ML method for optimization (real-time)
- Then apply this method to the LHCb trigger
- Implement new deep learning models for self-driving cars

- RTA on heterogeneous architectures for LHC and self-driving cars
- Supervisors: Vladimir Gligorov (LPNHE), Bertrand Granado (LIP6)
- Training in programming for heterogeneous computing architectures
- CPUs, GPUs, FPGAs, and hybrids
- Design and deploy novel ML method for optimization (real-time)
- Then apply this method to the LHCb trigger
- Implement new deep learning models for self-driving cars CERN collaboration with self-driving car companies

- RTA on heterogeneous architectures for LHC and self-driving cars
- Supervisors: Vladimir Gligorov (LPNHE), Bertrand Granado (LIP6)
- Training in programming for heterogeneous computing architectures
- CPUs, GPUs, FPGAs, and hybrids
- Design and deploy novel ML method for optimization (real-time)
- Then apply this method to the LHCb trigger
- Implement new deep learning models for self-driving cars CERN collaboration with self-driving car companies
- Internship: Ximantis

- RTA on heterogeneous architectures for LHC and self-driving cars
- Supervisors: Vladimir Gligorov (LPNHE), Bertrand Granado (LIP6)
- Training in programming for heterogeneous computing architectures
- CPUs, GPUs, FPGAs, and hybrids
- Design and deploy novel ML method for optimization (real-time)
- Then apply this method to the LHCb trigger
- Implement new deep learning models for self-driving cars CERN collaboration with self-driving car companies
- Internship: Ximantis use attention networks, to improve traffic prediction algorithms

Hobbies



3

・ロト ・ 日 ト ・ 日 ト ・ 日 ト

• Swimming



メロト メポト メモト メモト

æ

- Swimming
- Boxing



• • • • • • • •

æ

- Swimming
- Boxing

• Want to start:



э

- Swimming
- Boxing

• Want to start: Indoor climbing

< A[™]

э

- Swimming
- Boxing

 Want to start: Indoor climbing Maybe later

< 行

- Swimming
- Boxing

 Want to start: Indoor climbing Maybe later: Trad climbing

- Swimming
- Boxing

 Want to start: Indoor climbing Maybe later: Trad climbing If this PhD is too hard

- Swimming
- Boxing

 Want to start: Indoor climbing Maybe later: Trad climbing If this PhD is too hard: Free solo climbing

Thank you!



Image: A matched by the second sec

æ