

(1) Istituto Nazionale di Fisica Nucleare (INFN), Perugia, Italy

FAST 2023



(2) Istituto Officina dei Materiali (IOM) CNR, Perugia, Italy



A.D. 1308
unipg
UNIVERSITÀ DEGLI STUDI
DI PERUGIA



TCAD simulations of DC-RSD LGAD devices

A. Fondacci^{1,3}, R. Arcidiacono^{6,4}, P. Asenov^{2,1}, N. Cartiglia⁴, T. Croci¹,
M. Ferrero^{6,4}, A. Morozzi¹, F. Moscatelli^{2,1}, D. Passeri^{3,1}, V. Sola^{5,4}



Istituto Nazionale di Fisica Nucleare



(4) Istituto Nazionale di Fisica Nucleare (INFN), Torino, Italy



May 28 - June 1st 2023 | Elba Island

An impossible challenge?

An impossible challenge?

Spatial resolution
 $\sim 5 \mu m$

An impossible challenge?

Spatial resolution
 $\sim 5 \mu m$

Temporal resolution
 $\sim 10 ps$

An impossible challenge?

Spatial resolution
 $\sim 5 \mu m$

Temporal resolution
 $\sim 10 ps$

Very low material
budget

An impossible challenge?

Spatial resolution
 $\sim 5 \mu m$

Temporal resolution
 $\sim 10 ps$


Very low material
budget

Very low power
consumption

An impossible challenge?

Spatial resolution
 $\sim 5 \mu\text{m}$

Temporal resolution
 $\sim 10 \text{ ps}$




Very low material budget

Very low power consumption

An impossible challenge?

Spatial resolution
 $\sim 5 \mu\text{m}$




Temporal resolution
 $\sim 10 \text{ ps}$

Each pixel requires
a lot of power


Very low material
budget

Very low power
consumption


An impossible challenge?




An impossible challenge?




An impossible challenge?



An impossible challenge?




An impossible challenge?



An impossible challenge?

Spatial resolution
 $\sim 5 \mu\text{m}$



Temporal resolution
 $\sim 10 \text{ ps}$

Is there a way to
fulfil the four
specifications
simultaneously?

Each pixel requires
a lot of power

The signal in thin
sensors is very small

Bulky cooling
infrastructure



Plenty of power

Very low material
budget



Very low power
consumption

An intriguing candidate for future colliders



Standard silicon detector




Resistive Silicon Detector



An intriguing candidate for future colliders




Experimental Results: FBK RSD2 performance summary




RSD LGAD: AC or DC coupled electrodes?

AC-RSD LGAD




1. Long-tail bipolar signals
2. Baseline fluctuation
3. Uncontrolled signal spreading
4. Not easily scalable to large-area sensors

DC-RSD LGAD




1. Unipolar signals
2. Absence of baseline fluctuation
3. Controlled charge sharing
4. Large sensitive areas ($\sim\text{cm}$)


Proof of concept: Spice (circuit-level) simulations




Proof of concept: Spice (circuit-level) simulations




Spice results comparison: TCAD (device-level) simulations




Seeking to limit charge sharing: Cross-shaped pads




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Distribution of collected charge between pads as a function of their size




$$L_{\text{arm}} = 2 \mu\text{m}$$




Distribution of collected charge between pads as a function of their size




$$L_{\text{arm}} = 4 \mu\text{m}$$




Distribution of collected charge between pads as a function of their size




$$L_{\text{arm}} = 8 \mu\text{m}$$




Distribution of collected charge between pads as a function of their size




$L_{\text{arm}} = 12 \mu\text{m}$




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Distribution of collected charge between pads as a function of their size




$$L_{\text{arm}} = 2 \mu\text{m}$$




Distribution of collected charge between pads as a function of their size




$$L_{\text{arm}} = 4 \mu\text{m}$$




Distribution of collected charge between pads as a function of their size




$$L_{\text{arm}} = 8 \mu\text{m}$$




Distribution of collected charge between pads as a function of their size




$L_{\text{arm}} = 12 \mu\text{m}$




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Distribution of collected charge between pads as a function of their size




$$L_{\text{arm}} = 2 \mu\text{m}$$




Distribution of collected charge between pads as a function of their size




$$L_{\text{arm}} = 4 \mu\text{m}$$




Distribution of collected charge between pads as a function of their size




$$L_{\text{arm}} = 8 \mu\text{m}$$




Distribution of collected charge between pads as a function of their size



$L_{\text{arm}} = 12 \mu\text{m}$



Seeking to limit charge sharing: Bar-shaped pads



Structure with many pixels to study signal confinement




For computationally acceptable 3D simulations each pixel must be small




Footprint of $100 \times 100 \mu m^2$


Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Temporal evolution of current density maps




Distribution of collected charge between pads as a function of their size




So cross or bar pads?




So cross or bar pads?




So cross or bar pads?




So cross or bar pads?




So cross or bar pads?




So cross or bar pads?



So cross or bar pads?



So cross or bar pads?




Conclusions



- RSD LGAD, a new silicon sensor based on internal multiplication and built-in charge sharing;
- A promising solution to simultaneously meet all the specifications required for the next generation of colliders;
- DC coupling of electrodes (DC-RSD LGAD) for better control of charge sharing;
- TCAD simulations of multi-pixel structures to analyse different layout alternatives to limit charge sharing;
- The use of resistive strips between the electrodes is currently the best solution;
- Alternatives being studied, again using TCAD tools;
- A new batch of TCAD simulations taking into account the radiation damage effects.

BACKUP

Charge centroid ~ Cross-shaped pads



X-coordinate

- $Q_{x_{-3}} = Q_1 + Q_7 + Q_{13} + Q_{19} + Q_{25} + Q_{31}$
- $Q_{x_{-2}} = Q_2 + Q_8 + Q_{14} + Q_{20} + Q_{26} + Q_{32}$
- $Q_{x_{-1}} = Q_3 + Q_9 + Q_{15} + Q_{21} + Q_{27} + Q_{33}$
- $Q_{x_1} = Q_4 + Q_{10} + Q_{16} + Q_{22} + Q_{28} + Q_{34}$
- $Q_{x_2} = Q_5 + Q_{11} + Q_{17} + Q_{23} + Q_{29} + Q_{35}$
- $Q_{x_3} = Q_6 + Q_{12} + Q_{18} + Q_{24} + Q_{30} + Q_{36}$

$$X_R = \frac{\sum_{i=-3}^3 Q_{x_i} \cdot x_i}{\sum_{i=1}^{36} Q_i}$$


Z-coordinate

- $Q_{z_{-3}} = Q_{31} + Q_{32} + Q_{33} + Q_{34} + Q_{35} + Q_{36}$
- $Q_{z_{-2}} = Q_{25} + Q_{26} + Q_{27} + Q_{28} + Q_{29} + Q_{30}$
- $Q_{z_{-1}} = Q_{19} + Q_{20} + Q_{21} + Q_{22} + Q_{23} + Q_{24}$
- $Q_{z_1} = Q_{13} + Q_{14} + Q_{15} + Q_{16} + Q_{17} + Q_{18}$
- $Q_{z_2} = Q_7 + Q_8 + Q_9 + Q_{10} + Q_{11} + Q_{12}$
- $Q_{z_3} = Q_1 + Q_2 + Q_3 + Q_4 + Q_5 + Q_6$


$$Z_R = \frac{\sum_{i=-3}^3 Q_{z_i} \cdot z_i}{\sum_{i=1}^{36} Q_i}$$

Position reconstruction using charge imbalance


Cross-shaped pads



- Simulation phases:
 - I. polarization of the substrate contact at -200 V;
 - II. crossing of the device by a MIP (Heavy Ion model).
- Temperature: 300 K;
- Avalanche model: Massey;
- New (non-irradiated) devices.



Charge centroid \sim Bar-shaped pads



X-coordinate

$$\begin{aligned}
 Q_{x_{-5}} &= Q_6 + Q_{17} + Q_{28} + Q_{39} + Q_{50} \\
 Q_{x_{-4}} &= Q_1 + Q_{12} + Q_{23} + Q_{34} + Q_{45} + Q_{56} \\
 Q_{x_{-3}} &= Q_7 + Q_{18} + Q_{29} + Q_{40} + Q_{51} \\
 Q_{x_{-2}} &= Q_2 + Q_{13} + Q_{24} + Q_{35} + Q_{46} + Q_{57} \\
 Q_{x_{-1}} &= Q_8 + Q_{19} + Q_{30} + Q_{41} + Q_{52} \\
 Q_{x_1} &= Q_9 + Q_{20} + Q_{31} + Q_{42} + Q_{53} \\
 Q_{x_2} &= Q_4 + Q_{15} + Q_{26} + Q_{37} + Q_{48} + Q_{59} \\
 Q_{x_3} &= Q_{10} + Q_{21} + Q_{32} + Q_{43} + Q_{54} \\
 Q_{x_4} &= Q_5 + Q_{16} + Q_{27} + Q_{38} + Q_{49} + Q_{60} \\
 Q_{x_5} &= Q_{11} + Q_{22} + Q_{33} + Q_{44} + Q_{55}
 \end{aligned}$$

Z-coordinate


$$\begin{aligned}
 Q_{z_{-5}} &= Q_{56} + Q_{57} + Q_{58} + Q_{59} + Q_{60} \\
 Q_{z_{-4}} &= Q_{50} + Q_{51} + Q_{52} + Q_{53} + Q_{54} + Q_{55} \\
 Q_{z_{-3}} &= Q_{45} + Q_{46} + Q_{47} + Q_{48} + Q_{49} \\
 Q_{z_{-2}} &= Q_{39} + Q_{40} + Q_{41} + Q_{42} + Q_{43} + Q_{44} \\
 Q_{z_{-1}} &= Q_{34} + Q_{35} + Q_{36} + Q_{37} + Q_{38} \\
 Q_{z_1} &= Q_{23} + Q_{24} + Q_{25} + Q_{26} + Q_{27} \\
 Q_{z_2} &= Q_{17} + Q_{18} + Q_{19} + Q_{20} + Q_{21} + Q_{22} \\
 Q_{z_3} &= Q_{12} + Q_{13} + Q_{14} + Q_{15} + Q_{16} \\
 Q_{z_4} &= Q_6 + Q_7 + Q_8 + Q_9 + Q_{10} + Q_{11} \\
 Q_{z_5} &= Q_1 + Q_2 + Q_3 + Q_4 + Q_5
 \end{aligned}$$

$$X_R = \frac{\sum_{i=-5}^5 Q_{x_i} \cdot x_i}{\sum_{i=1}^{60} Q_i}$$


$$Z_R = \frac{\sum_{i=-5}^5 Q_{z_i} \cdot z_i}{\sum_{i=1}^{60} Q_i}$$

Position reconstruction using charge imbalance


Bar-shaped pads




- Simulation phases:
 - I. polarization of the substrate contact at -200 V;
 - II. crossing of the device by a MIP (Heavy Ion model).
- Temperature: 300 K;
- Avalanche model: Massey;
- New (non-irradiated) devices.




Distribution of collected charge between pads as a function of their size



Distribution of collected charge between pads as a function of their size



Heavy Ion Model



- A MIP can be modelled through the Heavy Ion Model, whose generation rate is given by the following expression:

$$G(l, w, t) = \begin{cases} G_{LET}(l)R(w, l)T(t) & \text{if } l < l_{max} \\ 0 & \text{if } l \geq l_{max} \end{cases}$$
- $T(t)$ is a function describing the temporal variation of the generation rate;
 - In particular, it's a Gaussian function whose mean value represents the moment of the heavy ion penetration.
- $R(w, l)$ is a function describing the spatial variation of the generation rate;
 - It too is a Gaussian and $w(l)$ represents its standard deviation.
- $G_{LET}(l)$ represents the linear energy transfer generation density, expressed in e/h pairs per cm³ by default .

How many e/h pairs are generated by the MIP for each μm crossed?

- Energy Loss [eV/ μm]
3.68 eV
- $Energy\ Loss[\text{keV}/\mu\text{m}] = 0.027 \ln(depth) + 0.126$

S. Meroli et al., Energy loss measurement for charged particles in very thin silicon layers, Journal of Instrumentation, vol. 06, P06013, Jun. 2011