

Workshop de Matemática Aplicada

11, 12 y 13 de Enero de 2023, Chillán, Chile

Levels of Chaoticity on Action groups and its applications of Turing Machines

Mauricio Díaz Raby*

Departmento de University of Bío Bío, Chile

Abstract

I all introduce this context to some levels of chaoticity in group actions, at the local level, seeking to verify that some classic properties are fulfilled for a given group. Afterward, it is proposed to study the relationship between notions of Chaos (in a distributional and Li-Yorke sense) with the property of undecidability. Finally, some examples of this will be given.

1,

References

- [1] T. CECCHERINI-SILBERSTEIN, M. COORNAERT: Sensitivity and Devaney's chaos in uniform spaces, arXiv preprint arXiv, 1109–2029, 2011.
- [2] E. Akin, S. Kolyada: Li-Yorke sensitivity and other concepts of chaos, Nonlinearity 16, 4, 1421 ,2003.
- [3] L. Wang, L., G. Huang, S. Huan: *Distributional chaos in a sequence* Nonlinear Analysis: Theory, Methods & Applications, 67,7, 2131–2136,2007.
- [4] E. Akin, J. Auslander, A. Nagar: Variations on the concept of topological transitivity arXiv preprint arXiv, 1601.05614, 2016.
- [5] G. Cattaneo, M. Luciano: Topological definitions of chaos applied to cellular automata dynamics International Symposium on Mathematical Foundations of Computer Science, Springer, Berlin, Heidelberg, 1998.

^{*}Partially supported by , e-mail: mauricio.diazraby@gmail.com

 $^{^{1}\}mathrm{e}\text{-mail}$: