



Contribution ID: 244

Type: **not specified**

Repurposing Precision SM Measurements to Constraint New Physics

Monday, 8 May 2023 15:45 (15 minutes)

We show how precision SM measurements can be repurposed to constraint certain types of new physics (NP) without invoking SMEFT. Motivated by highly precise measurement of W mass by the CDF collaboration, we demonstrate our proposal for the specific case of W mass data. W boson gives lepton + MET final state, which makes it special because it cannot be reconstructed completely. Any NP, which can give the same final state, can pollute W mass data. W mass is measured by fitting p_T^l , M_T and p_T^{miss} spectra, using templates calculated using SM. Any new contribution to the spectra can change the shapes. Hence, any deviations in the observed spectra from the expectation could give us a hint of NP. On the flip side, agreement between the measured shapes and the SM expectation can give constraints on NP. We consider multiple BSM scenarios that can creep into W data, find expected constraints and measure them against best existing bounds on the models we analyze.

Primary authors: SATHYAN, Deepak; KIM, Doojin; AGASHE, Kaustubh; RICCI, Lorenzo; FRANCESCHINI, Roberto (Rome 3 U.); AIREN, Sagar

Presenter: AIREN, Sagar

Session Classification: BSM III

Track Classification: BSM