

Dark Sectors and MiniBooNE Low Energy Excess

Wednesday 31 May 2023 16:29 (5 minutes)

The aim of this presentation is to introduce a dark extension of the SM that communicates to it through three portals: neutrino, vector and scalar mixing, by which it could be possible to explain the Low Energy Excess (LEE) at MiniBooNE. In the model, Heavy Neutral leptons are produced by upscattering via a dark photon, with masses around 10 MeV – 2 GeV, and subsequently decay into an electron-positron pair and neutrinos. If sufficiently collimated or asymmetric in energy, these events can be detected as a single shower and explain the MiniBooNE LEE. We show how the model can well reconstruct the energy spectrum. We consider two cases: $3 \nu + 1 \text{ HNL}$ and $3 \nu + 2 \text{ HNLs}$.

Would you be interested in presenting a poster? (this will not impact the decision on your talk)

yes

Authors: ABDULLAHI, Asli; Mr MASSARO, Daniele (Alma Mater Studiorum - Università di Bologna / Université Catholique de Louvain); HOEFKEN ZINK, Jaime; HOSTERT, Matheus (University of Minnesota / Perimeter Institute); PASCOLI, Silvia (Università e INFN, Bologna (IT))

Presenter: HOEFKEN ZINK, Jaime

Session Classification: Particle Astrophysics