

# RNTWG: Packet Marking and Pacing Update

Shawn McKee / University of Michigan, Marian Babik / CERN #50 LHCOPN/LHCONE Meeting, Prague, Czech Republic

https://indico.cern.ch/event/1234127/

April 19, 2023

## **Presentation Overview**



For High-Energy Physics (HEP), we have identified a need to better understand and optimize our network traffic to ensure we are using the network as effectively (for our science) as possible.

We want to update you on the technical working group, which is focused on addressing some specific areas of interest to HEP that are relevant for the broader R&E community globally.

# **Research Networking Technical WG**



This working group is focused on some specific, practical network efforts:

- 1. Network visibility via Packet Marking / Flow Labeling
- 2. Network usage optimization via Packet Pacing / Traffic Shaping
- Network management via <u>Network Orchestration</u> / <u>GNA-G DIS</u> / <u>SENSE</u> / <u>NOTED</u>

Charter for the main group is at

https://zenodo.org/record/6470973#.YmamPNrMJD8

Are meetings are available in Indico: <a href="https://indico.cern.ch/category/10031/">https://indico.cern.ch/category/10031/</a>

To undertake the above efforts we have created three subgroups looking into each of the areas above.

# **Network Visibility and Scitags**



Scientific Network Tags (scitags) is an initiative promoting identification of the science domains and their high-level activities at the network level.
























- Enable tracking and correlation of our transfers with Research and Education Network Providers (R&Es) network flow monitoring
- **Experiments** can better understand how their network flows perform along the path
  - Improve visibility into how network flows perform (per activity) within R&E segments
  - Get insights into how experiment is using the networks, get additional data from R&Es on behaviour of our transfers (traffic, paths, etc.)
- Sites can get visibility into how different network flows perform
  - Network monitoring per flow (with experiment/activity information)
    - E.g. RTT, retransmits, segment size, congestion window, etc. all per flow

# How scitags work





# Registry



We have standardized the "experiment" and "activity" fields we use for both flow labeling and packet marking.

The scitags.org domain provides an API that can be consulted to get the standard values:

https://api.scitags.org or https://www.scitags.org/api.json


The underlying source of truth is a set of <u>Google sheets</u> that are maintained and writeable by a few stewards.

**Note**: the API provides the defined values **but** how the values are used in packet marking are specified in our <u>Google sheets</u> (bit location in IPv6 flow label)

```
experiments:
        expName: "default".
        expId: 1,
      - activities: [
                activityName: "default",
                activityId: 1
        expName: "atlas",
        expId: 2,
      - activities:
                activityName: "perfsonar",
                activityId: 2
                activityName: "cache",
                activityId: 3
                activityName: "datachallenge",
                activityId: 4
                activityName: "default",
                activityId: 8
                activityName: "analysis download",
                activityId: 9
```

# Finding More Information: <a href="https://scitags.org">https://scitags.org</a>





Hosted on GitHub Pages - Theme by orderedlist

Scientific network tags (scitags) is an initiative promoting identification of the science domains and their high-level activities at the network level.

It provides an open system using open source technologies that helps Research and Education (R&E) providers in understanding how their networks are being utilised while at the same time providing feedback to the scientific community on what network flows and patterns are critical for their

Our approach is based on a network tagging mechanism that marks network packets and/or network flows using the science domain and activity fields. These tags can then be captured by the R&E providers and correlated with their existing netflow data to better understand existing network patterns, estimate network usage and track activities.

The initiative offers an open collaboration on the research and development of the packet and flow marking prototypes and works in close collaboration with the scientific storage and transfer providers to enable the marking capability. The project is currently in the prototyping phase and is open for participation from any science domain that require or anticipate to require high throughput computing as well as any interested R&E providers.

#### **Participants**









#### **Upcoming and Past Events**

- March 2022: LHCOPN/LHCONE workshop
- November 2021: GridPP Technical Seminar (slides)
- November 2021: ATLAS ADC Technical Coordination Board
- October 2021: LHCOPN/LHCONE workshop (slides)
- · September 2021: 2nd Global Research Platform Workshop (slides)

#### **Presentations**

## **Technical Spec for Packet Marking/Flow Labeling**




The detailed technical specifications are maintained on a **Google doc** 

- The spec covers both Flow Labeling via UDP Fireflies and Packet Marking via the use of the IPv6 Flow Label.
  - Fireflies are UDP packets in Syslog format with a defined, versioned JSON schema.
    - Packets are intended to be sent to the same destination (port 10514) as the flow they are labeling and these packets are intended to be world readable.
    - Packets can also be sent to specific regional or global collectors.
    - Use of syslog format makes it easy to send to Logstash or similar receivers.
  - Packet marking is intended to use the 20 bit flow label field in IPv6 packets.
    - To meet the spirit of RFC6437, we use 5 of the bits for entropy, 6 for activity and 9 for owner/experiment.
- The document also covers methods for communicating owner/activity and other services and frameworks that may be needed for implementation.

## Flowd Service



Flow and Packet Marking service developed in Python



- Plugins provide different ways get connections to mark (or interact with storage)
  - New plugins were added to support netlink readout and UDP firefly consumer
- Backends are used to implement flow and/or packet marking
  - New backends were added to mark packets (via eBPF-TC) and expose monitored connection to Prometheus

## FTS & XRootD



FTS and XRootD are key to reaching full potential in programmable networks

#### XRootD already provides <a>SciTags implementation</a> (from 5.0+)

- Enables using SciTags by R&E networks analytics (ESnet6 High-Touch)
- Currently looking for sites that would configure/test this in production

#### FTS/gfal2 needed to propagate SciTags to storages

Extensions proposed for XRoot and HTTP-TPC

#### FTS as a transfer broker is key component for NOTED

- Understanding where/when on-demand network provisioning is needed
- Combined with analytics to determine duration, capacity, etc.

Programmable networks can be beneficial for FTS and XRootD to get better network performance, flexibility and monitoring

# Flowd: Packet Marking via eBPF-TC Backend



- eBPF is a general-purpose RISC instruction set that runs on an in-kernel VM;
   programs can be written in restricted C and compiled into bytecode that is injected into the kernel (after verification)
- Can sometimes replace kernel modules

eBPF-TC programs run whenever the kernel receives (ingress) or sends (egress) a packet

Egress path:



- The flowd backend maintains a hash table of flows to mark. The plugin sends the backend (src address, dst address, src port, dst port); this is used as the key in the hash, and the flow label to put on the packets is the value
- Each packet is inspected, and if the attributes match an entry in the hash, the corresponding flow label is put on the packet

## **Status**



- Flow Marking (UDP firefly) implementations
  - Xrootd 5.4+ supports UDP fireflies
    - https://xrootd.slac.stanford.edu/doc/dev54/xrd\_config.htm#\_pmark
    - map2exp can be used to map particular path to an experiment
    - map2act can be used to map particular user/role to an activity
  - Flowd prototype service
    - Issue fireflies from netstat for a given experiment (only for dedicated storages)

#### Collectors

- Initial prototype was developed by ESnet (available on <u>scitags github</u>)
- ESnet and Jisc/Janet\*


#### Registry

- Provides list of experiments and activities supported
- Exposed via JSON at <u>api.scitags.org</u>
- Simplified deployment was tested during DC21
  - Flowd + ESnet collector + Registry
  - AGLT2, BNL, KIT, UNL and Caltech participated
  - Brunel, Glasgow and QMUL interested to help with further testing
- New flowd version will be ready to be deployed shortly (building packages)



# SC22 Packet and Flow Marking Demos








# SC22 Packet and Flow Marking Demos



During Supercomputing 22 in Dallas, we demonstrated a number of aspects of our packet and flow marking work.

- We showed packet marking at 200 Gbps rates using flowd with both xrootd and iperf3.
- Scinet and ESnet set up packet collectors <u>via</u>
   <u>sflow</u> and demonstrated real-time monitoring of packets by experiment and activity.
- Demos were also run on LHCONE using equipment in the SC22 booth, KIT, UVic and CERN where packet marking for all transfers was monitored using a P4 programmable switch.



# Pacing/Shaping WAN data flows



A challenge for HEP storage endpoints is to utilize the network <u>efficiently</u> and <u>fully</u>.

- An area of interest for the experiments is traffic pacing.
  - Without traffic pacing, network packets are emitted by the network interface in bursts, corresponding to the wire speed of the interface.
    - Problem: microbursts of packets can cause buffer overflows
    - The impact on TCP throughput, especially for high-bandwidth transfers on long network paths can be significant.
- Instead, pacing flows to match expectations [min(SRC,DEST,NET)] smooths flows and significantly reduces the microburst problem.
  - An important extra benefit is that these smooth flows are much friendlier to other users of the network by not bursting and causing buffer overflows.
  - Broad implementation of pacing could make it feasible to run networks at much higher occupancy before requiring additional bandwidth

This work has yet to have much effort; we plan to begin work during this summer!

# Scitag (Packet/Flow) Plans



We have a number of activities planned to get us from where we are to where we want to be for the Second WLCG Network Data Challenge (Feb/Mar 2024?):

- RNTWG plans (<a href="https://indico.cern.ch/event/1244448/">https://indico.cern.ch/event/1244448/</a>)
  - Storages engage more storage technologies to adopt Scitags
    - dCache implementation target SC for production demo
    - Engage with EOS, Echo, StoRM to understand their plans and challenges
    - Flowd in production on multiple XRootd, dCache systems
  - Propagation of the flow identifier in WLCG DDM
    - FTS and Rucio implementations
    - Engage with DIRAC and Alice O2
  - Collectors/Receivers
    - Establish production level network of receivers (ESnet, Jisc, GEANT?)
  - R&D
    - Routing and forwarding using flow label in P4 testbed (MultiONE)
- USATLAS DC24 <u>Draft plan for networking objectives and milestones</u>

# **NOTE: SciTag Firefly Implications**



One quick heads-up for sites and network providers: we are beginning to send **UDP fireflies** from some of our sites.

UDP fireflies (by default) are sent to the same destination as the data transfer flow. This means UDP packets arriving at storage servers on port 10514.

A site can choose to ignore, block or capture these packets

We are working on an informational RFC (target to publish Fall 2023)

One implication: if packets hit iptables, it may generate noise in the logging that may be a concern (fill /var/log?)

**Recommendation** is to open port 10514 for incoming UDP packets or explicitly 'drop' them.

# Summary



The RNTWG has made significant progress in the identified network priority focus areas for the WLCG community. The current focus is on the network traffic visibility through the work on flow labeling and packet marking for DC24.

 There remains a significant amount of work to do, especially regarding enabling packet marking on our storage infrastructure and in the area of collecting, aggregating and making visible the marked traffic.

We have additional near-term work to pursue in traffic pacing:

- While network orchestration has significant activity underway, we need to find new effort interested in developing, prototyping and evaluating traffic pacing for science data flows.
- See Eli's upcoming talk later in this session...

# **Acknowledgements**



We would like to thank the **WLCG**, **HEPiX**, **perfSONAR** and **OSG** organizations for their work on the topics presented.

In addition we want to explicitly acknowledge the support of the **National Science Foundation** which supported this work via:

- OSG: NSF MPS-1148698
- IRIS-HEP: NSF OAC-1836650

# **Questions?**



# **Questions, Comments, Suggestions?**

### Useful URLs



**RNTWG Google Folder** 

**RNTWG Wiki** 

RNTWG mailing list signup

HEPiX NFV Final Report WG Report

RNTWG Meetings and Notes: <a href="https://indico.cern.ch/category/10031/">https://indico.cern.ch/category/10031/</a>

The scitags web page: <a href="https://scitags.github.io">https://scitags.github.io</a>

Code at <a href="https://github.com/scitags/scitags.github.io">https://github.com/scitags/scitags.github.io</a>



# Backup slides

# Reminder: WLCG Network Requirements



- Many WLCG facilities need network equipment refresh
  - Routers in many sites are End-Of-Life and moving out of warranty
  - Local area networking often has 10+ year old switches which are no longer suitable
- WLCG planning is including networking to a much greater degree than before
  - HL-LHC computing review: DOMA, dedicated networking section
  - HL-LHC Computing Conceptual Design Reports, highlight needs
  - Snowmass CompF4 has dedicated networking section
  - All include input from HEPiX, LHCONE/LHCOPN and WLCG working groups

#### Requirements Summary

- Capacity: Run-3 moving to multiple 100G links for big sites, Run-4 targeting Tbps links
- Capability: WLCG needs to understand the impact of new features in networking (SDN/NFV) by testing, prototyping and evaluating impact. They will need to evolve their applications, facilities and computing models to meet the HL-LHC challenges; it will take time.
- Visibility: As the ESnet Blueprinting meetings have shown, our ability to understand our WAN
  network flows is too limited. We need new methods to mark and monitor our network use
- **Testing**: We need to be able to develop, prototype and test network features at suitable scale

# **History**



- HEPiX Network Functions Virtualisation Working Group
  - Working Group Report was published at the end of 2019 with three chapters
    - Cloud Native DC Networking
    - Programmable Wide Area Networks
    - Proposed Areas of Future Work
- <u>LHCOPN/LHCONE workshop</u> (January 2020)
  - Requirements on networks from the WLCG experiments
- Research Networking Technical Working Group
  - Formed after the workshop in response to the requirements discussion
  - 98 members from ~ 50 organisations have joined
  - Three main areas of work:
    - Network traffic visibility
    - Network traffic pacing
    - Network traffic orchestration

# **Network orchestration**



- As we have seen this week, OpenStack and Kubernetes are being leveraged to create very dynamic infrastructures to meet a range of needs.
  - Critical for these technologies is a level of automation for the required networking using both software defined networking and network function virtualization.
  - For HL-LHC, important to find tools, technologies and improved workflows that may help bridge the anticipated gap between the resources we can afford and what will actually be required
- The ways we organize our computing / storage resources will need to evolve.
- This area is being led by the GNA-G (Global Network Advancement Group; https://www.gna-g.net/) and is exploring many options for traffic engineering, resource management and network-application interfaces.
  - The SENSE project is serving as a reference implementation
- The <u>NOTED project</u> is also an example of a practical way to effectively utilize available paths to better distribute network load.