# **Extending MINERvA Data Preservation for fuzz study**

NuPhys 2023


### Akeem L Hart On behalf of the MINERvA collaboration







A neutrino detector @ Fermilab in NuMI beam to explore neutrino nucleus interactions. Designed around 6 different target materials  $\rightarrow$  explore how the nuclear environment affects what we can see.










### What is "muon fuzz"

Muon fuzz =  $\Delta$  rays and Bremsstrahlung  $\gamma$  produced by a transiting muon.

Used for neutrino energy reconstruction & MC validation.

Existing methods miss fuzz on/near muon track.








### **Extracting more fuzz info**

MINERvA has a software framework to produce data for analysers.

Extended the cluster-level data processed  $\rightarrow$  we can infer the presence and amount of muon fuzz on/near track via multiple techniques.

More fuzz info lets us do more MC validation








FERMILAB-POSTER-23-276-V

### MINERvA Data Preservation: Enabling Muon Fuzz Analysis

Akeem Leonardo Hart (On behalf of the MINERvA collaboration), Queen Mary University of London


### What is MINERvA?

- A neutrino detector at Fermilab designed to explore neutrinonucleus interactions along the NuMI neutrino beam.
- Captured interactions on different materials (Fe, Pb, C, He, Water, Plastic) with ≈ 30 × 10<sup>20</sup> POT from 2010-19 for LE &
- ME neutrinos and antineutrinos [1][2].
- Focus is now on data preservation and analysis.



### Schematic of the MINERvA detector. Left: The view from the front, looking along the NuMI beam Right: The view from the side, looking perpendicularly at the NuMI beam [1]


- MINERvA is composed of planes made of scintillating strips, containing wavelength shifting fibres connected to PMTs.
   The planes have 3 orientations, offset by 60°, allowing for 3D
- track reconstruction. Planes of different orientations are grouped together into modules. • MINOS near detector is downstream and is utilized for tagging
- MINOS near detector is downstream and is utilized for tagging and calorimetry of muons exiting MINERvA.



### What is muon fuzz?

- Muon fuzz is bremsstrahlung photons or scattered electrons produced as muons transit the detector [3].
- This is called the muon fuzz because it comes off the muon track like strands of fuzz.
- Identifying the fuzz is important for neutrino energy reconstruction to prevent fuzz energy deposition being misattributed.






### Motivations & Implementation

- Previous investigations show that current Monte Carlo simulated fuzz poorly for MINERvA [3].
- These investigations didn't include the fuzz that lies along the track. One analysis has been proposed to do this.
  To do this, we need to be able to extract the fuzz component of
- I modified the existing MINERvA software framework to output
- Initial the existing with every solitivate transmission for clusters on and around the track, then we can estimate the muon fuzz component.
   For simulated events, I also save key properties of the true

### fuzz particles.



Two views of the NINERVA event display, Left – the hits identified as along the muon track highlighted in black, Right – the hits identified as muon tracz highlighted in black. Detailed information about the clasters constaining the Elevinted hits is now corputing, from this outputted information we can assess how well out MC models minute muon trazz.

### References

 Alaga, L et al. (MINERvA Collaboration), Design, calibration, and performance of the MINERvA detector, Nucl. Instrum. Methods Phys. Res., Sect. A 743, 130 (2014).

[2] Lu, XG et al. (MINERvA Collaboration), Exploring neutrino-nucleus Interactions in the GeV regime using MINERvA. Eur. Phys. J. Spec. Top. 250, 4243–4257 (2021). https://doi.org/10.1140/epj8s/11734-021-00296-6 [3] Ren, L. Measurement of Neutrino and Antineutrino Total Chargedcurrent Cross Sections on Carbon with MINERVA. Doctral Dissertation,

University of Pittsburgh. (2017) [4] Roy, N. Measurement of antineutrino elastic scattering on free protons in the MINERvA experiment. Presentation. Canadaian Assosciation of Physicists. (2023)

### Fermi National Accelerator Laboratory

### Tris manuscript has been authored by Fermi Research Alliance, LLC under Contract No. DE-AC02-07CH11359 with the U.S. Department of Energy, Office of Science, Office of High Energy Physics.

## Please come see my poster!

EX-31 At the back against the windows in experimental room

