
# HEAVY ION PHYSICS, STATUS & OUTLOOK

# IN-KWON YOO (PUSAN NAT'L V


#### Time Evolution of Heavy-ion Collisions:




Variables: E<sub>CM</sub>, System size (pp, pa, pA, aa, AA)

 Observables: d<sup>2</sup>N/dp<sub>T</sub>dy, dN/dy, dN/dp<sub>T</sub>, dN/dφ ; HBT, E-by-E fluctuation ; Leption vs. Hadrons, LF vs. HF etc.


- Statistical Fit
  - Temperature (T), Chemical potentials ( $\mu$ B,  $\mu$ S,  $\mu$ Q) and volume
- Assumption
  - Non-interacting hadrons and resonances
  - Thermodynamical Equilibrium
  - Ensembles: Canonical, GC, Strange-Can.




- Statistical Fit
  - Temperature (T), Chemical potentials ( $\mu$ B,  $\mu$ S,  $\mu$ Q) and volume
- Assumption
  - Non-interacting hadrons and resonances
  - Thermodynamical Equilibrium
  - Ensembles: Canonical, GC, Strange-Can.





- Statistical Fit
  - Temperature (T), Chemical potentials ( $\mu$ B,  $\mu$ S,  $\mu$ Q) and volume
- Assumption
  - Non-interacting hadrons and resonances
  - Thermodynamical Equilibrium
  - Ensembles: Canonical, GC, Strange-Can.







- Statistical Fit
  - Temperature (T), Chemical potentials (μB,  $\mu$ S,  $\mu$ Q) and volume
- Assumption
  - Non-interacting hadrons and resonances
  - Thermodynamical Equilibrium
  - Ensembles: Canonical, GC, Strange-Can.














- Statistical Fit
  - Temperature (T), Chemical potentials ( $\mu$ B,  $\mu$ S,  $\mu$ Q) and volume
- Assumption
  - Non-interacting hadrons and resonances
  - Thermodynamical Equilibrium
  - Ensembles: Canonical, GC, Strange-Can.


























- Di-leption Enhancement in IMR
  - Mass-shift/broadening of  $\rho$




- Di-leption Enhancement in IMR
  - Mass-shift/broadening of  $\rho$
- Strangeness Enhancement





- Di-leption Enhancement in IMR
  - Mass-shift/broadening of  $\rho$
- Strangeness Enhancement







- Di-leption Enhancement in IMR
  - Mass-shift/broadening of  $\rho$
- Strangeness Enhancement
  - depending S







- Di-leption Enhancement in IMR
  - Mass-shift/broadening of  $\rho$
- Strangeness Enhancement
  - depending S







- Di-leption Enhancement in IMR
  - Mass-shift/broadening of  $\rho$
- Strangeness Enhancement
  - depending S







- Di-leption Enhancement in IMR
  - Mass-shift/broadening of  $\rho$
- Strangeness Enhancement
  - depending S
  - ▶ higher in small E<sub>CM</sub>?







- Di-leption Enhancement in IMR
  - Mass-shift/broadening of  $\rho$
- Strangeness Enhancement
  - depending S
  - ▶ higher in small E<sub>CM</sub>?







- Di-leption Enhancement in IMR
  - Mass-shift/broadening of  $\rho$
- Strangeness Enhancement
  - depending S
  - higher in small E<sub>CM</sub>?
  - GC-suppression







- Di-leption Enhancement in IMR
  - Mass-shift/broadening of  $\rho$
- Strangeness Enhancement
  - depending S
  - ▶ higher in small E<sub>CM</sub>?
  - GC-suppression
- J/ψ suppression







- Di-leption Enhancement in IMR
  - Mass-shift/broadening of  $\rho$
- Strangeness Enhancement
  - depending S
  - higher in small E<sub>CM</sub>?
  - GC-suppression
- J/ψ suppression
  - Debye-screening






- Di-leption Enhancement in IMR
  - Mass-shift/broadening of  $\rho$
- Strangeness Enhancement
  - depending S
  - ▶ higher in small E<sub>CM</sub>?
  - GC-suppression
- J/ψ suppression
  - Debye-screening
  - Dissociation of  $\psi'$ ,  $\chi_C$ , J/ $\psi$  dep. on T








- Di-leption Enhancement in IMR
  - Mass-shift/broadening of  $\rho$
- Strangeness Enhancement
  - depending S
  - ▶ higher in small E<sub>CM</sub>?
  - GC-suppression
- J/ψ suppression
  - Debye-screening
  - Dissociation of  $\psi'$ ,  $\chi_C$ , J/ $\psi$  dep. on T





- Di-leption Enhancement in IMR
  - Mass-shift/broadening of  $\rho$
- Strangeness Enhancement
  - depending S
  - ▶ higher in small E<sub>CM</sub>?
  - GC-suppression
- J/ψ suppression
  - Debye-screening
  - Dissociation of  $\psi'$ ,  $\chi_C$ , J/ $\psi$  dep. on T














Strongly interacting matter (sQGP)




- Strongly interacting matter (sQGP)
  - High-pT suppression (PHENIX)




- Strongly interacting matter (sQGP)
  - High-pT suppression (PHENIX)
  - Jet Quenching (STAR)




- Strongly interacting matter (sQGP)
  - High-pT suppression (PHENIX)
  - Jet Quenching (STAR)




- Strongly interacting matter (sQGP)
  - High-pT suppression (PHENIX)
  - Jet Quenching (STAR)
  - Coalescence in flow



- Strongly interacting matter (sQGP)
  - High-pT suppression (PHENIX)
  - Jet Quenching (STAR)
  - Coalescence in flow





- Strongly interacting matter (sQGP)
  - High-pT suppression (PHENIX)

0.3


0.2

0.1

ф

- Jet Quenching (STAR)
- Coalescence in flow





KE<sub>T</sub> (GeV)

Au+Au 200GeV


h<sup>+</sup>+h<sup>-</sup> 0-10% / N+N □ π<sup>0</sup> 0-10% / N+N


P ↓ P ↓ 1.8


1.6

KE<sub>T</sub>/n<sub>q</sub> (GeV)


- Strongly interacting matter (sQGP)
  - High-pT suppression (PHENIX)
  - Jet Quenching (STAR)
  - Coalescence in flow
- Perfect Fluid
  - Mach-like Shock wave?
  - Initial condition?
  - Viscosity: η/s ~ 0









- high multiplicity events in pp
- gradual evolution of the system from pp to AA via pA -> mini QGP?
- except high-p<sub>T</sub> suppression!



- high multiplicity events in pp
- gradual evolution of the system from pp to AA via pA -> mini QGP?
- except high-p<sub>T</sub> suppression!



- high multiplicity events in pp
- gradual evolution of the system from pp to AA via pA -> mini QGP?
- except high-p<sub>T</sub> suppression!



- high multiplicity events in pp
- gradual evolution of the system from pp to AA via pA -> mini QGP?
- except high-p<sub>T</sub> suppression!

#### **CROSS-ROADS: HOW TO IDENTIFY IT?**

- Strongly interacting Matter in <u>high T</u>
  - Heavy Flavor, Higher statistics
  - Direct photon, Leptons
  - Nuclear Modification in pp? mini QGP?
  - ▶ sLHC, CCEP etc.
- 1st order Phase Transition in <u>high μ</u>
  - New Experiments:
    - STAR-BESII, CBM (FAIR), (JPARC, NICA)
    - Rare probe (e.g. charm) but higher statistics
  - New Theories:
    - higher moments of mul-distribution
    - Lattice cal. / Critical Point!
    - S vs. non-S multi-freeze-out?

