Weizsäcker-Williams TMD factorization at NLO for back-to-back inclusive dijets in DIS at small x

Tuesday 23 May 2023 11:25 (20 minutes)

The "tomography" of the proton and heavy nuclei, which refers to the three-dimensional imaging of elementary quarks and gluons in these QCD bound states, is one the primary goal of the future Electron-Ion Collider (EIC). Gluon tomography is mathematically encoded into the gluon Weizšacker-Williams (WW) transverse momentum dependent (TMD) distribution which, in light cone gauge, represents the light cone quantized number distribution of gluons as function of their transverse momenta in a proton or nucleus at small x_{Bj} . A "golden process" to extract the gluon WW distribution is the inclusive production of a pair of back-to-back jets, or back-to-back hadrons, in deep inelastic electron-proton or electron-nucleus scattering (DIS).

In this talk, I will show that for dijets with relative transverse momenta P_{\perp} and transverse momentum imbalance q_{\perp} , to leading power in q_{\perp}/P_{\perp} , the cross-section for longitudinally and transversely polarized virtual photons to NLO can be fully factorized into a product of a perturbative hard factor and the non-perturbative Weizsäcker-Williams TMD. This factorization formula is valid to all orders in Q_s/q_{\perp} for $q_{\perp}, Q_s \ll P_{\perp}$, where Q_s is the CGC saturation scale. The hard factor and the soft factor, which resums Sudakov double and single logs in P_{\perp}/q_{\perp} , are given by remarkably compact analytic expressions while the WW TMD satisfies a kinematically constrained JIMWLK renormalization group evolution in rapidity.

I will finally present results of a numerical study that explores the relative importance of gluon saturation, Sudakov effects and genuine $\mathcal{O}(\alpha_s)$ corrections on the inclusive back-to-back dijet cross-section in DIS at small $x_{\rm Bj}$.

Refs:

[1] Caucal, Salazar, Schenke, Venugopalan, JHEP 11 (2022) 169, arXiv:2208.13872.

[1] Caucal, Salazar, Schenke, Stebel, Venugopalan, to appear.

Authors: Dr CAUCAL, Paul (Subatech); SALAZAR, Farid (UCLA/UCB/LBNL); SCHENKE, Bjoern (Brookhaven National Lab); STEBEL, Tomasz (Institute of Theoretical Physics Jagiellonian University); VENUGOPALAN, Raju

Presenter: Dr CAUCAL, Paul (Subatech)

Session Classification: TMDs