## 24th International Workshop on Radiation Imaging Detectors



Contribution ID: 63

Type: Poster

## P1.22: Design and preliminary test results of the charge sensitive amplifier for Gain-less Charge Readout in High-pressure TPC

Monday, 26 June 2023 15:09 (1 minute)

A new No neutrino Double-beta-decay Experiment (NZDEx) at China Jinping Underground Laboratory (CJPL) of the deepest natural rock shield in the world is being developed to search for the 0ZZZ of  $^{82}Se$  using a high-pressure gas time projection chamber (TPC) with  $^{82}SeF_6$  as the working medium and read out directly by Topmetal sensor chip. The Topmetal sensor, named Topmetal-S, is composed of an exposure top-most hexagon metal with a diameter of 1 mm as a charge collection electrode, a Charge Sensitive Amplifier (CSA), an analog-to-digital converter and a digital readout network. The TPC detector of the NZDEx experiment requires a meter-sized charge readout plane with ~  $10^5$  Topmetal-S sensors on the plane without gas-electron avalanche. This scheme eliminates the conventional avalanche fluctuations but demands exceedingly low internal noise on the front-end amplifier to achieve sufficient energy resolution. This paper presents the design and preliminary test results of the low-noise CSA fabricated in a 130 nm CMOS process. The input linear dynamic range of the CSA is about 6.25 fC and the charge-conversion gain is about 223 mV/fC. The ENC is about 112  $e^-$  after a digital trapezoidal pulse shaper.

Primary author: YANG, Yichen (Institute of modern physics, Chinese Academy of Sciences)

**Co-authors:** Mr ZHANG, Dongliang; HUANG, Guangming; Mr WANG, Hulin; Mr LIU, Jun; Mr CHEN, Kai; Mr LIANG, Tianyu; SUN, Xiangming; QIAO, Yuxin; HU, Zhengyu; GAO, chaosong

Presenter: YANG, Yichen (Institute of modern physics, Chinese Academy of Sciences)

Session Classification: Poster (incl. coffee)