

Dec 11th, 2023
 CYGNUS 2023

Sydney, Australia



NEWAGE/ CYGNUS-KM

Kentaro Miuchi (Kobe University)

地下から解き明かす宇宙の歴史と物質の進化

Unraveling the History of the Universe and Matter Evolution with Underground Physics


- Introduction
 - Latest results
 - Activities
 - Summary

Direction-Sensitive WIMP-search NEWAGE

科研費



- Introduction
- Latest results
- Activities
 - Summary



NEWAGE history

- ψ μ-PIC(MPGD) based TPC
 - 3-D tracks SKYMAP
- CF4 gas for SD search

- ♣ Proposal PLB 578 (2004) 241
- First direction-sensitive limits


PLB654 (2007) 58 ~104pb

Underground results


PLB686 (2010) 11, PTEP(2023)ptad120 26 pb

◆ lower BG, larger volume


Kentaro Miuchi



Direction efficiency (%)




NEWAGE detector




Key technology: Gaseous Time Projection Chamber

- 2-dimensional image: Micro Patterned Gaseous Detector (MPGD)
- timing information: 3rd dimension
- realtime 3-dimensional tracking

MPGD: GEM, micromegas, µ-PIC







drawback: small mass O(kg) / m³

Data we record

track data





+summed waveform


 Interestingly, 2d strip was found to be the "ideal" for us.

Cygnus: Feasibility of a nuclear recoil observatory with directional sensitivity to dark matter and neutrinos

(Anode strips)

(Cathode strips)

2008.12587



CYGNUS 2020

Publications since last CYGNUS

DM search

- First limits from a 3d-vector directional dark matter search with the NEWAGE-0.3b' detector PTEP, (2020) ptaa147 DOI: 10.1093/ptep/ptaa147
- "Direction-sensitive dark matter search with a low-background gaseous detector NEWAGE-0.3b"
 PTEP (2021) ptab053
- "Direction-sensitive dark matter search with three-dimensional vector-type tracking in NEWAGE", PTEP(2023)ptad120

Technical papers

- Development of a low-α emitting μ-PIC as a readout device for direction-sensitive dark matter detectors NIM A Volume 977, 11 October 2020, 164285
- Development of an alpha-particle imaging detector based on a low radioactive micro-time-projection chamber NIM A Volume 953, (2020), 163050, arXiv1903.01090
- LTARS: analog readout front-end ASIC for versatile TPC-applications JINST (2020) 15 T09009
- Development of a Negative Ion Micro TPC Detector with SF6 Gas for the Directional Dark Matter Search JINST (2020), P07015
- "Test of low radioactive molecular sieves for radon filtration in SF6 gas-based rare-event physics experiments" JINST (2021) 16 P06024

Future physics

- "Detection capability of Migdal effect for argon and xenon nuclei with position sensitive gaseous detectors" PTEP(2020) ptaa162
- "Directional direct detection of light dark matter up-scattered by cosmic-rays from direction of the Galactic center", JCAP07(2023)061,

Latest results

PTEP (2023) ptad120


Direction-sensitive dark matter search with 3D-vector-type tracking in NEWAGE

Takuya Shimada¹, Satoshi Higashino ¹, Tomonori Ikeda ², Kiseki Nakamura³, Ryota Yakabe¹, Takashi Hashimoto¹, Hirohisa Ishiura¹, Takuma Nakamura¹, Miki Nakazawa¹, Ryo Kubota¹, Ayaka Nakayama¹, Hiroshi Ito⁴, Koichi Ichimura⁵, Ko Abe^{6,7}, Kazuyoshi Kobayashi⁸, Toru Tanimori², Hidetoshi Kubo², Atsushi Takada², Hiroyuki Sekiya^{6,7}, Atsushi Takeda^{6,7}, and Kentaro Miuchi¹

- Introduction
- Latest results
- Activities
 - Summary


- Underground measurements
 - 28 × 24 × 41cm³ fiducial volume (10g) out of 31 × 31 × 41cm³ active volume
 - 318 live-days

PTEP (2023) ptad120



Event selections


 Additional selection applied with multi-variate analysis to reject electron recoil (ER) events




Kentaro Miuchi CYGNUS 2023 11

Event selections


- Additional selection applied with multi-variate analysis to reject electron recoil (ER) events
- at a cost of some efficiency loss





Kentaro Miuchi CYGNUS 2023 12


Results: sky maps



(a) Nuclear-recoil directions in the detector coordinate

CYGNUS 2023

sky map @detector galaxy coordinate





(b) Nuclear-recoil directions in the galaxy coordinate

no "unexpected" was seen


Results

- Best limits with directional analysis
 - \times ~2 improvement in a DM mass range of > 100 keV
- Cutting into DAMA/LIBRA interpretation region
- Best limits with directional and head-tail analysis
 - × 10 improvement from NEWAGE2020 (first head-tail analysis)






Making µ-PIC low BG



Polyimide w/ glass cloth (Rn contaminated)



Polyimide w/ glass cloth



Polyimide Quartz + Resin (Shinetsu) w/o glass cloth

LBGµ-PIC (DNP)

Radon emanation measurement:


LA μ -PIC: **2.3** ± **0.5** [mBq / μ -PIC]





LBGμ-PIC (2023) : <0.10 [mBq / μ-PIC] (90% C.L.)



Visual inspection (R.Namai)










- anode pixel formation matters
- "brightness" =(anode cathode) / cathode

anode cathode CYGNUS 2023

Anode "brightness" comparison









- Model 2020 had line structure.
- Same pattern was seen in the gas gain
- Great improvement was seen for model 2023.

Low BG μ-PIC performance





gas gain distribution



2023 model shows sufficient performance

Low BG μ-PIC for Kamioka run






- Installation Nov. 2023
- NEWAGE-0.3 b ": commissioning ongoing

Kentaro Miuchi


CYGNUS 2023

- NEWAGE-0.3b"status: so far so good!
 - Details will be reported in a few months




"CYGNUS"-KM chamber S. Higashino

C/N-1.0 chamber (18pcs × 40 × 40 cm² windows)



 Originally we planned to use resistive sheet for the field cage.

 Performance degradation was seen in a long-term use...





Low BG Molecular Sieve production (H. Ogawa)

production procedure established


JINST (2021) 16P06024





This work (Nihon University)

Commercially available one (Sigma-Aldrich)




Results


| Molecular Sieve | ²²² Rn Emanated per ²²² Rn captured (×10 ⁻³) | |
|-----------------|---|--|
| NU-developed | 2.8±0.7 | |
| Sigma-Aldrich | 5.4±0.4 | |

| NU-developed MS | ²²² Rn Captured per kg (Bq kg ⁻¹) | ²²² Rn Emanated per kg (mBq kg ⁻¹) | I | n Emanated Captured (× | |
|--------------------|---|--|---|---------------------------|--|
| Granules | 35±2 | 99±23 | | 2.8±0.7 | |
| Powder | 330±3 | 680±30 | | 2.1±0.1 | |


- Better performance
 - Repeating O(kg) productions

Gas circulation system











cygnus: • ready for housing detectors


Detectors for C/N-1.0

- Two requirements for the detector modules
 - Electronics needs to fit 46 × 46 cm².

Detector top needs to be at the electrical ground level.









CYGNUS 2023

Two Kobe modules for C/N-1.0 (M. Ofuji)

- Module-0: larger, w/o tracking for BG measurement
- Module-1: smaller, w/ tracking as a DM detector




3 GEMs
30 × 30 cm² detection area read by 8 pads
8 readout channels




GEM + μ-PIC 10 × 10 cm² detection area read by 256 strips Track reconstruction


Module-1 test status


being tested in a test chamber













- •Fundamental test as a gas detector was completed.
- Tracking performance is being tested

Details to welcome your modules...






- and, actually welcomed.
 - Sheffield MICROMEGAS detector test









Negative ion TPC Study

- no "S1" signal
- Pioneered by DRIFT group

small diffusion

- Minority carrier discovery (CS₂+O₂, Occidental group)
 - use several ion species with different drift velocities
- \Rightarrow z fiducialization possible ⇒LOW BG! • SF₆ discovery (2015, UNM group). \Rightarrow z-fidutilization (SF₆)
 - z-fiducialization 7.3mm FWHM







Nuclear tracks detection in SF₆

strip readout + dedicated ASICs

T. Ikeda+ JINST (2020), P07015

- z-reconstruction
- tracking





ASIC development for negative ion TPCs

- "LTARS" series with Liq. argon groups at KEK, Iwata
- LTARS 2018 at hand

T. Kishishita+ JINST (2020) 15 T09009

LTARS 2018 SPECS


Table 1. Technological parameters and requirements to the ASIC.

| Technology | Silterra 180 nm CMOS | | | |
|---|---|------|------------------------|---------|
| Chip size | 2.5×5 mm ² | | 2 | |
| The number of channels | 16 | | | |
| Supply power | 1.8 V core/IO, max. 2.4 mW/ch | | 2.4 mW/ch | |
| Fabrication options | 6 metals, deep N-well, high-value poly res., MIM cap. | | ue poly res., MIM cap. | |
| Detector type | NIμ-TPC | | | LAr-TPC |
| Minimum signal charge | ≈3 fC | | | ≈10 fC |
| Shaping time | | 4 μs | | 1 μs |
| Operating condition | room temperature | | | −185 °C |
| Detector capacitance (C _{det}) ^a | ~300 pF | | | |
| Dynamic range | ±80 fC for narrow range, ±1600 fC for wide range | | | |
| Voltage gain | 10 mV/fC for narrow range, 0.5 mV/fC for wide range | | | |
| ENC | $3000e^-$ (S/N>20) for small signals, $<6.4\times10^4e^-$ for large signals | | | |

⁴⁰⁰⁰ noise level 3000 ENC [e⁻] 2000 1000 Measurement Simulation 100 200 300 Cdet [pF]

a: Estimated from the pad size of MPGDs.

• "TIGAr", a compact board to fit with C/N-1.0




Kenta

33


PIXEL readout (QPIX NEO v1) s. Higashino


- Energy threshold is limited due to electrode's strip pitch (400 μm)
 - Started to develop fine granularity "pixel" readout detector
 - 64 ch ASIC developed and testing its performance

2 mm



readout ASIC (155 um)² pixel pad connecting to electrodes by bump bonding





Analog circuit + ADC successfully working!

α-ray Imaging

H.Ito NIM A Volume 953, (2020), 163050


Reusing NEWAGE-0.3a (Sep. ~ Dec. 2008 in 神岡) PLB 686 (2010) 11.

AICHAM: Alpha-particle Imaging CHAMber 表面アルファ線イメージ分析のための、

μ-PICを用いたガスTPC(time-projection chamber)

NIMA 953 (2020) 163050.

V GEM=-915V-60




Live time: 12 hr

18cm 15cm 20cm

AICHAMを使った分析は、

感度~10-3 a/hr/cm2 (90%CL) @E>2.5MeV, 15x15cm27.

measuring samples of various experiments








学会・研究会公開を条件に、現在無償で測定し てます。

Low-α μ-PIC (micro-pixel imaging chamber)

- · Anode and cathode 2-D strip sensor.
- 400 µm pitch, 768ch+768ch, 300 x 300 mm² covered.
- · Low alpha emission from the surface MINA 977 (2020) 164285.








2023/09/17

MIRACLUE (MIGDAL study)

- Ar (1atm) and Xenon (8 atm) gas
 - direct interests in DM search
- start with existing technologies
 - less R&D




Ονββ探索 • 高圧 Xe ELCC + MPPC


 $16 \text{cm} \phi \times 10 \text{cm}$

PTEP 2021 013C01

K. Nakamura (Tohoku)

- Characteristic X-ray channel for 2-cluster detection (first step)
 - less BG
- Low energy (565keV) neutrons (@AIST, Japan)
 - less BG






High pressure Xenon TPC


Xenon TPC worked with neutron beam successfully

Energy & topology were measured

Analysis for Migdal branching is ongoing

"2 cluster" event





| No. | Energy [keV] | Note |
|-----|------------------|--------------------------------|
| #1 | 79.3 ± 0.14 | escape peak of #2 |
| #2 | 109.7 ± 0.08 | 19 F(n, γ) 110keV |
| #3 | 166.5 ± 0.74 | escape peak of #4 |
| #4 | 196.5 ± 0.25 | 19 F(n, γ) 197keV |






Cosmic-ray up-scattered DMs(CR-DM)


JCAP07(2023)061 K. Nagao

 Light (1~100MeV) DMs would be up-scattered at Galactic Center by cosmic-ray protons


also in Nicole's talk


- Can be detected with directional detectors
- Studied for gaseous TPCs and emulsions





- Results
 - Need LARGE exposures
 - CYGNUS framework (even with emulsions) is necessary





SUMMARY

Since last CYGNUS,

DM search

new detector

First limits from a 3d-vector directional da PTEP, (2020) ptaa147 DOI: 10.1093/pter

"Direction consitive dark matter search w otab053


> sitive dark matter search w tad120

new powder e NE\ seous

new limits (qd) ^و 10³ WIMP-proton 10^{1} 10^{2} 10^{3}

ctor-type tracki

rection-sensitiv



of a low 977. 1 reado 15 T090 of a Ne P0701 dioactiv

Waiting

your

playground

detectors

for

new

osn

new targets 6 ga –60⊦ -150 -100 -50 0

Future physics

"Detection capability of PTEP(2020) ptaa162

JINST (2021) 16 P06(_

"Directional direct det center",

JCAP07(2023)061,

Kentaro I