

Solar axion search with TES microcalorimeters and an iron-57 absorber

Thursday 18 July 2024 20:40 (20 minutes)

The axion provides a solution for the strong CP problem and is one of the promising candidates for dark matter. The leading approach is probing gamma-ray emission from the nuclear transitions associated with the axion-nucleon coupling. Monochromatic 14.4 keV axions would be produced by de-excitation of the thermally excited isotope of iron-57 in the Sun and could be detected as a 14.4 keV gamma-ray via the inverted production process on the Earth. We developed a Transition-Edge-Sensor (TES) microcalorimeter capable of high energy resolution with an iron absorber and conducted a commissioning run using a one-pixel TES microcalorimeter. In this talk, we highlight scientific objectives, the experimental design, and the latest status, including the development of a microwave multiplexer based on microstrip SQUID for scalability.

Alternate track

1. Astro-particle Physics and Cosmology

I read the instructions above

Yes

Primary author: IKEDA, Tomonori (Kyoto University)

Co-authors: Mr YAGI, Yuta (University of Tokyo); Dr HAYASHI, Tasuku (Rikkyo University); Mr TANAKA, Keita (University of Tokyo); Mr OTA, Ryo (University of Tokyo); Dr SAITO, Mikiko (Waseda University); Prof. HOMMA, Takayuki (Waseda University); YOSHIDA, Nao; Dr HIRAYAMA, Fuminori (AIST); SATO, Akira (AIST); KIKUCHI, Takahiro (AIST); KOHJIRO, Satoshi (AIST); NAKASHIMA, Yuki (AIST); Prof. YAMASAKI, Noriko (JASA/ISAS); Prof. MITSUDA, Kazuhisa (KEK)

Presenter: IKEDA, Tomonori (Kyoto University)

Session Classification: Poster Session 1

Track Classification: 09. Dark Matter Detection