

Measuring system-size and event-topology dependence of (multi-)strangeness production

Thursday, July 18, 2024 12:10 PM (17 minutes)

Measurements of light-flavour particle production in small collision systems at the LHC energies have shown the onset of features that resemble what is typically observed in nucleus- nucleus collisions. New results on the (multi-)strange hadron production in Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ and 5.36 TeV will be presented. These results are discussed in the context of recent measurements of light-flavour hadron production in pp collisions at $\sqrt{s} = 0.9$ and 13.6 TeV collected by the ALICE experiment. In order to understand the strangeness production mechanism, angular correlation between multi- strange and associated identified hadrons are measured and compared with predictions from the string-breaking model PYTHIA8, the cluster hadronisation model HERWIG7, and the core-corona model EPOS-LHC. In addition, the connection of strange hadron production to hard scattering processes and to the underlying event is studied, using di-hadron correlations triggered with the highest- p_T hadron in the event.

Alternate track

I read the instructions above

Yes

Primary author: TARASOVICOVA, Lucia Anna (Pavol Jozef Safarik University (SK))

Co-author: COLLABORATION, ALICE

Presenter: TARASOVICOVA, Lucia Anna (Pavol Jozef Safarik University (SK))

Session Classification: Heavy Ions

Track Classification: 07. Heavy Ions