Neutrino Masses from a Hybrid Type I + III Inverse Seesaw Mechanism in $U(1)_{R-L}$ -symmetric MSSM

Saturday 20 July 2024 11:15 (15 minutes)

We show that, in a $U(1)_{R-L}$ -symmetric SUSY model, the pseudo-Dirac bino and wino can give rise to three light neutrino masses through effective operators, generated at the messenger scale between a SUSY breaking hidden sector and the visible sector. The neutrino-bino/wino mixing follows a hybrid type I+III inverse seesaw pattern. The light neutrino masses are governed by the ratio of the $U(1)_{R-L}$ -breaking gravitino mass, $m_{3/2}$, and the messenger scale Λ_M . The charged component of the $SU(2)_L$ -triplet, here the lightest charginos, mix with the charged leptons and generate FCNC at tree level. We find that resulting LFV observables yield a lower bound on the messenger scale, Λ_M

 $gtrsim(500-1000)~{
m TeV}$ for a simplified hybrid mixing scenario. We identify interesting mixing structures for certain $U(1)_{R-L}$ -breaking singlino/tripletino Majorana masses. We describe the rich collider phenomenology expected in this neutrino-mass generation mechanism.

Alternate track

1. Beyond the Standard Model

I read the instructions above

Yes

Author: AYBER, Cem Murat (Carleton University)

Co-author: IPEK, Seyda

Presenter: AYBER, Cem Murat (Carleton University)

Session Classification: Neutrino Physics

Track Classification: 02. Neutrino Physics