A new cryogenic test facility for superconducting magnets at IMP

Wednesday 24 July 2024 14:00 (2 hours)

To test the superconducting magnets for HIAF, CiADS and other scientific research projects, a new cryogenic test facility is under construction at IMP in Huizhou City. The cooling power of the refrigerator in this test facility is 500 W @ 4.5 K, the liquefaction capacity is 150 L/h. Three vertical test cryostats and three horizontal test benches are planned. The inner spaces of the three vertical test cryostats are Φ 700mmL5000mm, Φ 850mmL8000mm and Φ 1000mmL8000mm correspondingly. The horizontal test benches are designed to both working in 4.5 K bath cooling and forced-flow cooling. A standalone precooling and warming up unit which can supply 30 g/s helium gas at 80K is designed to cool down and warm up the magnets. The cryogenic plant is now under debugging, and the six test terminals are under construction. The design and the status of the cryogenic test facility is shown in this paper.

Submitters Country

China

Authors: Dr NI, Dongsheng (Institute of Modern Physics Chinese Academy of Sciences); WANG, Lishi (Institute of Modern Physics Chinese Academy of Sciences); CHENG, Yue (Institute of Modern Physics (IMP) of the Chinese Academy of Sciences); WANG, Xudong ((Institute of Modern Physics, Chinese Academy of Sciences); Dr ZHU, li (Institute of modern Physics, Chinese Academy of Sciences); QIN, Xiangqi (Lanzhou University of Technology); Mr WANG, Guoqing (Lanzhou University); QINGGAO, Yao (Institute of Modern Physics, Chinese Academy of Sciences); ZHOU, Luncai (Institute of Modern Physics); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of Modern Physics Chinese Academy of Sciences); Mr HAN, Shaofei (Institute of

Presenter: Dr NI, Dongsheng (Institute of Modern Physics Chinese Academy of Sciences)

Session Classification: Wed-Po-2.6

Track Classification: Tracks ICEC 29 Geneva 2024: ICEC 10: Cryogenic applications: large magnet systems