

Finetuning Foundation Models for Joint Analysis Optimization - Poster

Thursday 1 February 2024 17:05 (5 minutes)

Most searches at the LHC employ an analysis pipeline consisting of various discrete components, each individually optimized and later combined to provide relevant features used to discriminate SM background from potential signal. These are typically high-level features constructed from particle four-momenta. However, the combination of individually optimized tasks doesn't guarantee an optimal performance on the final analysis objective. In this study, we show how an analysis would benefit from adopting an end-to-end ML optimization approach. Specifically, we investigate the impact of jointly optimizing particle identification and signal vs background discrimination exploiting the transformer-based ParT architecture [arXiv:2202.03772] as foundation model, showing the effectiveness of finetuning in the case of multi jets final states with CMS open data [DOI:10.7483/OPENDATA.CMS.JGJX.MS7Q].

Would you like to be considered for an oral presentation?

Primary authors: HEINRICH, Lukas Alexander (Technische Universitat Munchen (DE)); VIGL, Matthias (Technische Universitat Munchen (DE)); HARTMAN, Nicole Michelle (TUM (DE))

Presenter: VIGL, Matthias (Technische Universitat Munchen (DE))

Session Classification: Poster Session

Track Classification: 2 ML for analysis : event classification, statistical analysis and inference, including anomaly detection