



Using trileptons to investigate flavor changing neutral current (FCNC) top quark decays at DZero

Carrie McGivern

University of Kansas

On behalf of the DZero Collaboration

Divisions of Particles and Fields, Aug. 10, 2011



Outline

- Motivation
- DZero detector
- Event selection
- FCNC signal modeling
- Branching ratio and coupling limits
- Summary



FCNC Motivation

- The standard model (SM) has been found to be in excellent agreement with experimental results
- SM Lagrangian contains no flavor changing neutral currents terms
 - $t \rightarrow c, u$ quarks transitions only possible through radiative corrections
- Branching ratio of $t \rightarrow Zc$ is $\sim 10^{-14}$, while $t \rightarrow Zu$ is $\sim 10^{-17}$
- Some theories beyond SM allow $B \sim 10^{-4}$
- Observation would certainly point to physics beyond the SM




FCNC Motivation

- Use a previous trilepton + imbalance in transverse momentum WZ cross section analysis : **Physics Letters B 695, 67 (2011)**
- Search for signal using new final state : X is any number of jets

$$p\bar{p} \rightarrow t\bar{t} \rightarrow WbZq \rightarrow l\nu ll + X$$

- Set limits on branching ratio of $t \rightarrow Zq$ ($q = u, c$)





FCNC Motivation


- Use a previous tripleton + imbalance in transverse momentum
WZ cross section analysis : **Physics Letters B 695, 67 (2011)**
- Search for signal using new final state : X is any number of jets

$$p\bar{p} \rightarrow t\bar{t} \rightarrow WbZq \rightarrow \ell\nu\ell\ell + X$$

- Set limits on branching ratio of $t \rightarrow Zq$ ($q = u, c$)

- CDF results : $B(t \rightarrow Zq) < 3.7\%$ (observed)
with a $< 5.0\%$ (expected) at 95% C.L. using
 1.9 fb^{-1} T. Aaltonen et al. [CDF Collaboration], Phys.
Rev. Lett. 101, 192002 (2008)

- $Z \rightarrow \ell\ell + \geq 4$ jets
- Complementary search






FCNC Motivation

- Use a previous trilepton + imbalance in transverse momentum WZ cross section analysis : **Physics Letters B 695, 67 (2011)**
- Search for signal using new final state : X is any number of jets

$$p\bar{p} \rightarrow t\bar{t} \rightarrow WbZq \rightarrow l\nu ll + X$$

- Set limits on branching ratio of $t \rightarrow Zq$ ($q = u, c$)


- Atlas results : $B(t \rightarrow Zq) < 17\%$ (observed) with a $< 12\%$ (expected) at 95% C.L. using 35 pb^{-1} **ATLAS-CONF-2011-061**
 - Three leptons + MET + 2 jets





DZero Detector


- Consists of three sub-detectors :
 - Tracking : Reconstruct interaction vertices and measure momenta of charged particles, enclosed in a 1.9 T solenoid field
 - Calorimeter : EM and Hadronic calorimeters measure energies of hadrons, electrons and photons
 - Muon : consists of a layer of drift tubes and scintillation counters inside a 1.8 T toroidal magnet





DZero Detector


- Consists of three sub-detectors :
 - Tracking : Reconstruct interaction vertices and measure momenta of charged particles, enclosed in a 1.9 T solenoid field
 - Calorimeter : EM and Hadronic calorimeters measure energies of hadrons, electrons and photons
 - Muon : consists of a layer of drift tubes and scintillation counters inside a 1.8 T toroidal magnet






DZero Detector

- Consists of three sub-detectors :
 - Tracking : Reconstruct interaction vertices and measure momenta of charged particles, enclosed in a 1.9 T solenoid field
 - Calorimeter : EM and Hadronic calorimeters measure energies of hadrons, electrons and photons
 - Muon : consists of a layer of drift tubes and scintillation counters inside a 1.8 T toroidal magnet





Event Selection



≥ 3 isolated leptons, with high p_T , separated in $\Delta R = \sqrt{(\Delta\eta^2 + \Delta\phi^2)}$

Imbalance of transverse momentum (MET)

Three jet multiplicity bins; 0, 1, ≥ 2

Come from same vertex

Invariant dilepton mass within Z window

- Use 4.1 fb^{-1} of integrated luminosity collected from the Tevatron Run II, selection criteria optimized with $s/\sqrt{(s+b)}$.
- Signal : FCNC $t\bar{t}$, Main Backgrounds: WZ, ZZ, Z γ , V+Jets, SM $t\bar{t}$
 - Determined using MC Simulations and Data



- Use CompHEP to generate the signal at the parton level (to correctly model the helicity structure) and PYTHIA for jet hadronization
 - Modified to include the following FCNC Lagrangian

$$\mathcal{L}_{FCNC} = \frac{e}{2 \sin \theta_W \cos \theta_W} \bar{t} \gamma_\mu (v_Z - a_Z \gamma_5) c Z^\mu + h.c.$$

- Assume SM neutral current couplings ($Z \rightarrow qqbar$ for up-type quarks) : $v_{tuZ} = 1/2 - 4/3 \sin^2 \theta_W = 0.192$, $a_{tuZ} = 1/2$





FCNC Signal Modeling

- Use CompHEP to generate the signal at the parton level (to correctly model the helicity structure) and PYTHIA for jet hadronization
 - Modified to include the following FCNC Lagrangian

$$\mathcal{L}_{FCNC} = \frac{e}{2 \sin \theta_W \cos \theta_W} \bar{t} \gamma_\mu (v_Z - a_Z \gamma_5) c Z^\mu + h.c.$$

- Assume SM neutral current couplings ($Z \rightarrow qqbar$ for up-type quarks) : $v_{tuZ} = 1/2 - 4/3 \sin^2 \theta_W = 0.192$, $a_{tuZ} = 1/2$


From CompHEP: $p\bar{p} \rightarrow ZqW^- \bar{b} \rightarrow e^+ e^- q \mu^- \nu_\mu^- \bar{b}$








Yields and Jet Distribution

- 35 candidate events
 - Expected background = $31.8 \pm 0.3(\text{stat}) \pm 3.9(\text{syst})$ events
- Dominate Systematic Uncertainties : Lepton ID, Theoretical Cross Sections (including FCNC $t\bar{t}$ signal), Jet Energy Scale, Jet Energy Resolution





Scalar H_T Distributions





- H_T ($\Sigma p_T(\text{leptons}) + \text{MET} + \Sigma p_T(\text{jets})$)
- H_T peak increases with jet multiplicity



B(t→Zq) Limits



- Use n_{jet} , H_T ($\Sigma p_T(\text{leptons}) + \text{MET} + \Sigma p_T(\text{jets})$), and reconstructed top quark mass (m_t^{reco}) (from the Z leptons and jets) to separate signal from background
- Good separation is observed between signal and background in both variables









B(t→Zq) Limits

- Use Poisson probabilities, with systematic uncertainty gaussian smearing, to extract the limits
- $B(t \rightarrow Zq) < 3.2\%$ (observed), $< 3.8\%$ (expected) at 95% C.L.



- Coupling limits

- $v_{tqZ} < 0.19$ (observed), < 0.21 (expected) at 95% C.L.







Candidate eee+1jet Event

Run 194259 Evt 5929362

Run 194259 Evt 5929362

Triggers:

ET scale: 51 GeV



- eee + 1 jet candidate event, with $m_t^{\text{reco}} = 351 \text{ GeV}$



Summary

- No indication of new physics as of yet
- Recently published in **Physics Letters B 701, 313 (2011)**
- $B(t \rightarrow Zq) < 3.2\%$ (observed), $< 3.8\%$ (expected) at 95% C.L.
- Coupling limits $v_{tZq} < 0.19$ (observed), < 0.21 (expected) at 95% C.L.
 - **World's best v_{tZq} limits!**



Backup Slides



- Look for a signal with 3 or more isolated leptons and an imbalance in transverse momentum (MET)
- Use 4.1 fb^{-1} of integrated luminosity collected from the Tevatron Run II, selection criteria optimized with $s/\sqrt{(s+b)}$.
- Main Backgrounds: **WZ, ZZ, Z γ , V+Jets, SM ttbar**
 - Determined using **MC Simulations** and **Data**
- General selection criteria for all leptons :
 - **Invariant dilepton mass** ($74 \text{ GeV} < M_{ee} < 104 \text{ GeV}$,
 $65 \text{ GeV} < M_{\mu\mu} < 115 \text{ GeV}$, $60 \text{ GeV} < M_{eeICR} < 120 \text{ GeV}$)
 - **Missing Transverse Energy** $> (20 - 30) \text{ GeV}$
 - **Lepton p_T** $> (15 - 30) \text{ GeV}$
 - **Lepton ΔR** ($=\sqrt{(\Delta\phi^2 + \Delta\eta^2)}$) $> 0.5 - 0.6$
 - **ΔZ_{DCA}** (between any two lepton tracks) $< 3 \text{ cm}$
 - **Jet E_T** $> 20 \text{ GeV}$



FCNC Event Yields

Source	eee	$ee\mu$	$e\mu\mu$
WZ	$5.17 \pm 0.06 \pm 0.97$	$5.72 \pm 0.07 \pm 0.89$	$4.76 \pm 0.06 \pm 0.70$
ZZ	$0.25 \pm 0.03 \pm 0.05$	$1.35 \pm 0.06 \pm 0.21$	$0.52 \pm 0.04 \pm 0.08$
$V + jets$	$0.42 \pm 0.11 \pm 0.08$	$0.14 \pm 0.04 \pm 0.06$	$0.48 \pm 0.11 \pm 0.01$
$Z\gamma$	$0.18 \pm 0.05 \pm 0.07$	< 0.001	$0.66 \pm 0.07 \pm 0.38$
$t\bar{t}$	$0.04 \pm 0.01 \pm 0.01$	$0.013 \pm 0.004 \pm 0.002$	$0.05 \pm 0.01 \pm 0.01$
Total bkg.	$6.05 \pm 0.14 \pm 0.98$	$7.22 \pm 0.10 \pm 0.92$	$6.43 \pm 0.15 \pm 0.71$
Observed	7	10	9

Source	$\mu\mu\mu$	$eeICRe$	$eeICR\mu$
WZ	$6.09 \pm 0.07 \pm 1.00$	$1.46 \pm 0.03 \pm 0.24$	$1.78 \pm 0.04 \pm 0.25$
ZZ	$1.31 \pm 0.06 \pm 0.22$	$0.08 \pm 0.01 \pm 0.02$	$0.46 \pm 0.03 \pm 0.07$
$V + jets$	$0.18 \pm 0.05 \pm 0.03$	$0.18 \pm 0.07 \pm 0.08$	$0.26 \pm 0.18 \pm 0.16$
$Z\gamma$	< 0.001	$0.10 \pm 0.01 \pm 0.03$	< 0.001
$t\bar{t}$	$0.04 \pm 0.01 \pm 0.01$	$0.010 \pm 0.003 \pm 0.002$	$0.022 \pm 0.004 \pm 0.003$
Total bkg.	$7.75 \pm 0.13 \pm 1.02$	$1.83 \pm 0.08 \pm 0.26$	$2.52 \pm 0.19 \pm 0.31$
Observed	5	1	3

← Jet Inclusive

0th Jet Bin →

Source	eee	$ee\mu$	$e\mu\mu$
WZ	$4.40 \pm 0.06 \pm 0.83$	$4.80 \pm 0.06 \pm 0.75$	$3.92 \pm 0.05 \pm 0.58$
ZZ	$0.17 \pm 0.02 \pm 0.03$	$1.02 \pm 0.06 \pm 0.16$	$0.33 \pm 0.03 \pm 0.05$
$V + jets$	$0.16 \pm 0.07 \pm 0.08$	$0.05 \pm 0.02 \pm 0.03$	$0.23 \pm 0.07 \pm 0.01$
$Z\gamma$	$0.11 \pm 0.04 \pm 0.04$	< 0.001	$0.43 \pm 0.06 \pm 0.25$
$t\bar{t}$	$0.001 \pm 0.001 < 0.001$	$0.001 \pm 0.001 < 0.001$	< 0.001
Total bkg.	$4.84 \pm 0.10 \pm 0.84$	$5.87 \pm 0.09 \pm 0.77$	$4.68 \pm 0.08 \pm 0.63$
Observed	6	7	8

Source	$\mu\mu\mu$	$eeICRe$	$eeICR\mu$
WZ	$5.02 \pm 0.06 \pm 0.83$	$1.23 \pm 0.03 \pm 0.20$	$1.52 \pm 0.03 \pm 0.22$
ZZ	$0.99 \pm 0.05 \pm 0.17$	$0.05 \pm 0.01 \pm 0.01$	$0.38 \pm 0.03 \pm 0.05$
$V + jets$	$0.12 \pm 0.04 \pm 0.03$	$0.07 \pm 0.05 \pm 0.04$	$0.25 \pm 0.18 \pm 0.16$
$Z\gamma$	< 0.001	$0.09 \pm 0.01 \pm 0.03$	< 0.001
$t\bar{t}$	$0.002 \pm 0.001 < 0.001$	< 0.001	$0.003 \pm 0.001 < 0.001$
Total bkg.	$6.01 \pm 0.08 \pm 0.85$	$1.44 \pm 0.06 \pm 0.21$	$2.15 \pm 0.19 \pm 0.28$
Observed	4	1	3



FCNC Event Yields

Source	eee	$ee\mu$	$e\mu\mu$
WZ	$0.69 \pm 0.02 \pm 0.14$	$0.80 \pm 0.03 \pm 0.14$	$0.73 \pm 0.02 \pm 0.13$
ZZ	$0.07 \pm 0.02 \pm 0.01$	$0.28 \pm 0.03 \pm 0.05$	$0.16 \pm 0.02 \pm 0.03$
$V + jets$	$0.21 \pm 0.08 \pm 0.04$	$0.06 \pm 0.03 \pm 0.02$	$0.21 \pm 0.06 \pm 0.01$
$Z\gamma$	$0.04 \pm 0.03 \pm 0.02$	< 0.001	$0.17 \pm 0.04 \pm 0.10$
$t\bar{t}$	$0.012 \pm 0.004 \pm 0.002$	$0.006 \pm 0.002 \pm 0.001$	$0.009 \pm 0.002 \pm 0.001$
Total bkg.	$1.02 \pm 0.09 \pm 0.15$	$1.15 \pm 0.05 \pm 0.15$	$1.09 \pm 0.05 \pm 0.17$
Observed	1	2	1

← 1st Jet Bin

Source	$\mu\mu\mu$	$eeICRe$	$eeICR\mu$
WZ	$0.93 \pm 0.03 \pm 0.19$	$0.20 \pm 0.01 \pm 0.04$	$0.24 \pm 0.01 \pm 0.05$
ZZ	$0.28 \pm 0.03 \pm 0.06$	$0.02 \pm 0.01 \pm 0.01$	$0.08 \pm 0.01 \pm 0.01$
$V + jets$	$0.07 \pm 0.03 \pm 0.03$	$0.04 \pm 0.03 \pm 0.04$	< 0.001
$Z\gamma$	< 0.001	$0.016 \pm 0.004 \pm 0.005$	< 0.001
$t\bar{t}$	$0.013 \pm 0.004 \pm 0.002$	$0.008 \pm 0.003 \pm 0.001$	$0.008 \pm 0.002 \pm 0.001$
Total bkg.	$1.24 \pm 0.04 \pm 0.20$	$0.29 \pm 0.03 \pm 0.06$	$0.33 \pm 0.01 \pm 0.05$
Observed	1	0	0

≥ 2 Jets Bin →

Source	eee	$ee\mu$	$e\mu\mu$
WZ	$0.08 \pm 0.01 \pm 0.02$	$0.12 \pm 0.01 \pm 0.03$	$0.11 \pm 0.01 \pm 0.04$
ZZ	$0.0108 \pm 0.005 \pm 0.003$	$0.04 \pm 0.01 \pm 0.02$	$0.03 \pm 0.01 \pm 0.02$
$V + jets$	$0.06 \pm 0.04 \pm 0.08$	$0.04 \pm 0.03 \pm 0.01$	$0.03 \pm 0.03 \pm 0.01$
$Z\gamma$	$0.03 \pm 0.02 \pm 0.01$	< 0.001	$0.05 \pm 0.02 \pm 0.03$
$t\bar{t}$	$0.011 \pm 0.004 \pm 0.002$	$0.006 \pm 0.003 \pm 0.001$	$0.03 \pm 0.01 \pm 0.01$
Total bkg.	$0.19 \pm 0.05 \pm 0.08$	$0.21 \pm 0.03 \pm 0.04$	$0.65 \pm 0.11 \pm 0.06$
Observed	0	1	0

Source	$\mu\mu\mu$	$eeICRe$	$eeICR\mu$
WZ	$0.14 \pm 0.01 \pm 0.04$	$0.03 \pm 0.01 \pm 0.01$	$0.03 \pm 0.01 \pm 0.01$
ZZ	$0.04 \pm 0.01 \pm 0.02$	$0.004 \pm 0.003 \pm 0.004$	$0.008 \pm 0.004 \pm 0.002$
$V + jets$	< 0.001	$0.07 \pm 0.04 \pm 0.04$	< 0.001
$Z\gamma$	< 0.001	$0.001 \pm 0.001 \pm 0.001$	< 0.001
$t\bar{t}$	$0.018 \pm 0.004 \pm 0.003$	$0.002 \pm 0.002 < 0.001$	$0.011 \pm 0.003 \pm 0.002$
Total bkg.	$0.50 \pm 0.09 \pm 0.05$	$0.11 \pm 0.04 \pm 0.04$	$0.05 \pm 0.01 \pm 0.01$
Observed	0	0	0