



Contribution ID: 116

Type: Talk

Precision Timing with the CMS MIP Timing Detector for High-Luminosity LHC

Tuesday 27 August 2024 11:40 (20 minutes)

The Compact Muon Solenoid (CMS) detector at the CERN Large Hadron Collider (LHC) is undergoing an extensive Phase 2 upgrade program to prepare for the challenging conditions of the High-Luminosity LHC (HL-LHC). A new timing detector for CMS will measure minimum ionizing particles (MIPs) with a time resolution of ~ 30 -40 ps. The precise timing information from the MIP timing detector (MTD) will reduce the effects of the high levels of pileup expected at the HL-LHC, bringing new capabilities to CMS. The MTD will be composed of an endcap timing layer (ETL), instrumented with low-gain avalanche diodes and read out with the ETROC chip, and a barrel timing layer (BTL), based on LYSO:Ce crystals coupled to SiPMs and read out with the TOFHIR2 chip. This contribution will provide an overview of the MTD design and its expanded physics capabilities, describe the latest progress towards prototyping and production, and show the ultimate results demonstrating the achieved target time resolution.

Details

Soham Battacharya

We have a candidate speaker for the talk. If the abstract is selected, then we will switch the name to the selected speaker. Thank you.

Internet talk

No

Is this an abstract from experimental collaboration?

Yes

Name of experiment and experimental site

CMS Collaboration

Is the speaker for that presentation defined?

Yes

Authors: BHATTACHARYA, Soham (California Institute of Technology (US)); ORIMOTO, Toyoko (Northeastern University (US))

Presenter: BHATTACHARYA, Soham (California Institute of Technology (US))

Session Classification: Workshop on Instruments and Methods

Track Classification: Workshops & Special Sessions: Workshop on Instruments and Methods