

12th International Conference on Hard and Electromagnetic Probes of High-Energy Nuclear Collisions



Contribution ID: 162

Type: **Oral presentation**

Search for jet quenching using high-multiplicity pPb collisions at the CMS Experiment

Tuesday 24 September 2024 15:55 (20 minutes)

High-energy jets are produced by the fragmentation of partons (quarks and gluons) that underwent hard scattering in the early stages of a collision. For quite a number of years, jets have been successfully used to probe the properties of the special form of matter, the quark gluon plasma (QGP), formed in high-energy heavy ion collisions. One of the most recognized signatures of the QGP, the jet quenching phenomenon, has been evidenced by a wide range of LHC measurements from lead-lead collisions. More recently, experimental results through multiparticle correlation techniques provided some evidence of possible QGP formation in the smaller colliding systems, such as high-multiplicity proton-proton and proton-lead collisions, but confirmation of the jet quenching expected for QGP remains elusive for such collisions. In this talk, systematic measurements of jet properties are presented for data collected by the CMS experiment at the LHC in high-multiplicity collisions to search for hot medium production or effects of cold nuclear matter at top LHC energies.

Category

Experiment

Collaboration

CMS

Primary author: DE SOUZA LEMOS, Dener (University of Illinois at Chicago (US))

Presenter: DE SOUZA LEMOS, Dener (University of Illinois at Chicago (US))

Session Classification: Parallel Session 25

Track Classification: 1. Jets modification and medium response