



Mentoring session exercises

Analysis preservation workshop Mar 1 2024



Docker

- **Python3.11 (easy):** You want to try out one of the [new features](#) of python3.11, but don't have it installed locally. Find a docker container that contains python3.11 and start python.
 - For example, try out that you can import the new [tomllib](#)
- **Build a docker file (easy):** Write your own image that builds on python3.11 and contains the `uproot` library
 - **Optional:** Most python applications have a `requirements.txt` that states all requirements (such as `uproot`). Create a dummy `requirements.txt`, copy it in your container and install all required packages with `pip3 install -r requirements.txt`.
- **Hard: Use the power of docker (podman) and gitlab-ci (github-ci) to keep your analysis environment up-to-date!**
 - Use [CMS OpenData HTauTau Analysis](#) as an an example analysis. Fork it to your own git repository.
 - Write a Dockerfile for it that setups all the dependencies and has the analysis code built inside it into an executable for skimming, that can be used inside the container
 - Add the `build_image` job to the build stage of the `.gitlab-ci.yml`.
 - Push the `.gitlab-ci.yml` upstream

Apptainer/Singularity

- **Easy:** Repeat one of the docker exercises on your cluster with Apptainer/Singularity using an interactive session
- **Medium:** Do the same with a definition file.
 - Option: Use the `%runscript` directive to print out the `uproot` version when the container runs
- **Hard:** Perform the [CMS example analysis](#) in a single execution using a definition file. Save the plots in the execution directory.
 - Hint: keep in mind where to store intermediate files.
- **Hard:** Set a Jupyter Notebook with the environment for running the [analysis example](#), and execute it on the cells.

GitHub actions / Gitlab CI

- **From zero to hero (medium):** Start a new repository, add a main.py with a trivial function, a `test_main.py` with a trivial test and add CI that calls `pytest` to run the test
 - Option 1: Test on multiple python versions
 - Option 2: Create a file in your python script and upload it as an artifact (optionally as a second step)
- **LaTeX documents (GitHub; hard):** Create a simple LaTeX document and compile it using [github-action-for-latex](#)
- **Build a docker container (GitHub; hard):** Pick a docker image and build it in the CI using [build-and-push-docker-images](#)