


SM Effective Field Theory


Ajdin Palavrić

LHC Days in Split 2024

Hvar, 03.10.2024



Universität
Basel




Swiss National
Science Foundation

Outline

- Standard Model (SM) and its Limitations
 - Problems and Puzzles
- Effective Field Theories (EFTs)
 - General Paradigm and Examples
- SMEFT
 - Structure and Developments
 - Current Research

Standard Model



$$q_L^i = [u_L^i \ d_L^i]^\intercal \sim (3,2)_{1/6}$$

$$\ell_L^i = [\nu_L^i \ e_L^i]^\intercal \sim (1,2)_{-1/2}$$

$$u_R^i \sim (3,1)_{2/3} \quad d_R^i \sim (3,1)_{-1/3}$$

$$e_R^i \sim (1,1)_{-1} \quad \Phi \sim (1,2)_{1/2}$$

- One of the most successful and rigorously tested theories
- Based on the $SU(3)_C \times SU(2)_L \times U(1)_Y$ gauge group
- SM Lagrangian

$$\mathcal{L}_{SM} = \mathcal{L}_G + \mathcal{L}_\psi + \mathcal{L}_H + \mathcal{L}_Y$$


$$\rightarrow \mathcal{L}_G = -\frac{1}{4}G_{\mu\nu}^a G^{a\mu\nu} - \frac{1}{4}W_{\mu\nu}^I W^{I\mu\nu} - \frac{1}{4}B_{\mu\nu} B^{\mu\nu}$$

$$\rightarrow \mathcal{L}_\psi = \sum_{i=1}^3 \sum_{q,\ell} i \bar{f}_L^i \gamma^\mu D_\mu f_L^i + \sum_{i=1}^3 \sum_{u,d,e} i \bar{f}_R^i \gamma^\mu D_\mu f_R^i$$

$$\rightarrow \mathcal{L}_H = (D_\mu \Phi)^\dagger (D^\mu \Phi) - V(\Phi)$$

$$\rightarrow \mathcal{L}_Y = -\bar{q}_L^i Y_u^{ij} u_R^j \tilde{\Phi} - \bar{q}_L^i Y_d^{ij} d_R^j \Phi - \bar{\ell}_L^i Y_e^{ij} e_R^j \Phi + \text{h.c.}$$

Standard Model and its limitations



- Inclusion of gravity
- Dark matter and dark energy
- Neutrino masses
- Matter-antimatter asymmetry
- Hierarchy problem
- Strong CP problem
- Unification of forces
- Flavor puzzle


$$q_L^i = [u_L^i \ d_L^i]^\top \sim (3,2)_{1/6}$$

$$\ell_L^i = [\nu_L^i \ e_L^i]^\top \sim (1,2)_{-1/2}$$

$$u_R^i \sim (3,1)_{2/3} \quad d_R^i \sim (3,1)_{-1/3}$$

$$e_R^i \sim (1,1)_{-1} \quad \Phi \sim (1,2)_{1/2}$$

Standard Model and its limitations



- Inclusion of gravity
 - Dark matter and dark energy
 - Neutrino masses
 - Matter-antimatter asymmetry
 - Hierarchy problem
 - Strong CP problem
 - Unification of forces
 - Flavor puzzle



$$q_L^i = [u_L^i \ d_L^i]^\top \sim (3,2)_{1/6}$$

$$\ell_L^i = [\nu_L^i \; e_L^i]^\top \sim (1,2)_{-1/2}$$

$$u_R^i \sim (3,1)_{2/3} \quad d_R^i \sim (3,1)_{-1/3}$$

$$e_R^i \sim (1,1)_{-1} \quad \Phi \sim (1,2)_{1/2}$$

Standard Model and its limitations

	mass →	$\approx 2.3 \text{ MeV}/c^2$	charge →	$2/3$	spin →	$1/2$	
QUARKS	charge →	$2/3$	spin →	$1/2$	up	2^{*2*3}	u
	mass →	$\approx 1.275 \text{ GeV}/c^2$	charge →	$2/3$	charm	2^{*2*3}	c
	spin →	$1/2$					t
	mass →	$\approx 173.07 \text{ GeV}/c^2$	charge →	$2/3$	top	2^{*2*3}	g
	spin →	$1/2$					gluon
	mass →	$\approx 4.8 \text{ MeV}/c^2$	charge →	$-1/3$	down	2^{*2*3}	d
	spin →	$1/2$					s
	mass →	$\approx 95 \text{ MeV}/c^2$	charge →	$-1/3$	strange	2^{*2*3}	b
	spin →	$1/2$					bottom
LEPTONS	mass →	$0.511 \text{ MeV}/c^2$	charge →	-1	electron	2^{*2}	e
	spin →	$1/2$					μ
	mass →	$105.7 \text{ MeV}/c^2$	charge →	-1	muon	2^{*2}	τ
	spin →	$1/2$					tau
	mass →	$1.777 \text{ GeV}/c^2$	charge →	-1			Z
	spin →	$1/2$					Z boson
	mass →	$< 2.2 \text{ eV}/c^2$	charge →	0	electron neutrino	2	ν_e
	spin →	$1/2$					ν_μ
	mass →	$< 0.17 \text{ MeV}/c^2$	charge →	0	muon neutrino	2	ν_τ
	spin →	$1/2$					tau neutrino
	GAUGE BOSONS						W
							W boson

$$q_L^i = [u_L^i \ d_L^i]^\intercal \sim (3,2)_{1/6}$$

$$\ell_L^i = [\nu_L^i \ e_L^i]^\intercal \sim (1,2)_{-1/2}$$


$$u_R^i \sim (3,1)_{2/3} \quad d_R^i \sim (3,1)_{-1/3}$$

$$e_R^i \sim (1,1)_{-1} \quad \Phi \sim (1,2)_{1/2}$$

- Inclusion of gravity
- Dark matter and dark energy
- Neutrino masses
- Matter-antimatter asymmetry
- Hierarchy problem
- Strong CP problem
- Unification of forces
- Flavor puzzle

$$\mathcal{L} = \mathcal{L}_{SM} + ?$$

Effective Field Theories (EFTs)



Effective Field Theories

Effective Field Theories

- Scale separation

Different physical processes are relevant at different physical scales

Effective Field Theories

- **Scale separation**

Different physical processes are relevant at different physical scales

- **Simplification**

Focus on relevant degrees of freedom at the energy scale of interest whereby the effects of more fundamental theories are captured by the EFT coefficients

Effective Field Theories

- **Scale separation**

Different physical processes are relevant at different physical scales

- **Simplification**

Focus on relevant degrees of freedom at the energy scale of interest whereby the effects of more fundamental theories are captured by the EFT coefficients

- **Validity**

EFT description valid up to certain scale after which a more fundamental theory has to be considered

Effective Field Theories

- **Scale separation**

Different physical processes are relevant at different physical scales

- **Simplification**

Focus on relevant degrees of freedom at the energy scale of interest whereby the effects of more fundamental theories are captured by the EFT coefficients

- **Validity**

EFT description valid up to certain scale after which a more fundamental theory has to be considered

- **Power counting**

Typically a power series in terms of the ratio of the energy scale of interest to the cutoff scale

Effective Field Theories

- **Scale separation**

Different physical processes are relevant at different physical scales

- **Simplification**

Focus on relevant degrees of freedom at the energy scale of interest whereby the effects of more fundamental theories are captured by the EFT coefficients

- **Validity**

EFT description valid up to certain scale after which a more fundamental theory has to be considered

- **Power counting**

Typically a power series in terms of the ratio of the energy scale of interest to the cutoff scale

- **Predictive power**

Allows for systematic predictions within a given energy range

Effective Field Theories

- **Scale separation**

Different physical processes are relevant at different physical scales

- **Simplification**

Focus on relevant degrees of freedom at the energy scale of interest whereby the effects of more fundamental theories are captured by the EFT coefficients

- **Validity**

EFT description valid up to certain scale after which a more fundamental theory has to be considered

- **Power counting**

Typically a power series in terms of the ratio of the energy scale of interest to the cutoff scale

- **Predictive power**

Allows for systematic predictions within a given energy range

- **Model independence**

Agnostic about the details of the high-energy theory, which makes them widely applicable

Effective Field Theories

- **Scale separation**

Different physical processes are relevant at different physical scales

- **Simplification**

Focus on relevant degrees of freedom at the energy scale of interest whereby the effects of more fundamental theories are captured by the EFT coefficients

- **Validity**

EFT description valid up to certain scale after which a more fundamental theory has to be considered

- **Power counting**

Typically a power series in terms of the ratio of the energy scale of interest to the cutoff scale

- **Predictive power**

Allows for systematic predictions within a given energy range

- **Model independence**

Agnostic about the details of the high-energy theory, which makes them widely applicable

- **Applications**

Gravity, condensed matter, electrodynamics, particle physics etc.

Effective Field Theories

- **Scale separation**

Different physical processes are relevant at different physical scales

- **Simplification**

Focus on relevant degrees of freedom at the energy scale of interest whereby the effects of more fundamental theories are captured by the EFT coefficients

- **Validity**

EFT description valid up to certain scale after which a more fundamental theory has to be considered

- **Power counting**

Typically a power series in terms of the ratio of the energy scale of interest to the cutoff scale

- **Predictive power**


Allows for systematic predictions within a given energy range

- **Model independence**

Agnostic about the details of the high-energy theory, which makes them widely applicable

- **Applications**

Gravity, condensed matter, electrodynamics, particle physics etc.



$$\vec{g}(y) = -G \frac{M_E}{(R_E + y)^2} \vec{e}_y$$
$$G_{\mu\nu} + \Lambda g_{\mu\nu} = \frac{8\pi G}{c^4} T_{\mu\nu}$$
$$v(h)^2 = 2 \int_h^0 g(y) dy = \frac{2GM_E}{R_E} \left(1 - \frac{1}{1 + h/R_E} \right)$$
$$v(h) = \sqrt{2 \frac{GM_E}{R_E^2} h} \left(1 - \frac{1}{8} \frac{h}{R_E} + \frac{3}{8} \frac{h^2}{R_E^2} - \frac{5}{16} \frac{h^3}{R_E^3} \right) + \mathcal{O}\left(\frac{h^4}{R_E^4}\right)$$

Effective Field Theories

- **Scale separation**

Different physical processes are relevant at different physical scales

- **Simplification**

Focus on relevant degrees of freedom at the energy scale of interest whereby the effects of more fundamental theories are captured by the EFT coefficients

- **Validity**

EFT description valid up to certain scale after which a more fundamental theory has to be considered

- **Power counting**

Typically a power series in terms of the ratio of the energy scale of interest to the cutoff scale

- **Predictive power**


Allows for systematic predictions within a given energy range

- **Model independence**

Agnostic about the details of the high-energy theory, which makes them widely applicable

- **Applications**


Gravity, condensed matter, electrodynamics, particle physics etc.



$$\vec{g}(y) = -G \frac{M_E}{(R_E + y)^2} \vec{e}_y \quad G_{\mu\nu} + \Lambda g_{\mu\nu} = \frac{8\pi G}{c^4} T_{\mu\nu}$$

$$v(h)^2 = 2 \int_h^0 g(y) dy = \frac{2GM_E}{R_E} \left(1 - \frac{1}{1 + h/R_E} \right)$$

$$v(h) = \sqrt{2 \frac{GM_E}{R_E^2} h} \left(1 - \frac{1}{8} \frac{h}{R_E} + \frac{3}{8} \frac{h^2}{R_E^2} - \frac{5}{16} \frac{h^3}{R_E^3} \right) + \mathcal{O}\left(\frac{h^4}{R_E^4}\right)$$



$$V(\vec{r}) = \int_{\mathcal{V}} \frac{\rho(\vec{r}')}{|\vec{R}|} d\tau' \quad \frac{1}{|\vec{R}|} = \frac{1}{|\vec{r}|} \sum_{n=0}^{\infty} \left(\frac{r'}{r} \right)^n P_n(\cos \theta)$$

$$V(\vec{r}) = \frac{1}{|\vec{r}|} \int_{\mathcal{V}} \rho(\vec{r}') d\tau' + \frac{1}{|\vec{r}|^2} \int_{\mathcal{V}} \rho(\vec{r}') |\vec{r}'| \cos \theta d\tau'$$

$$+ \frac{1}{|\vec{r}|^3} \int_{\mathcal{V}} \rho(\vec{r}') |\vec{r}'|^2 \left(\frac{3}{2} \cos^2 \theta - \frac{1}{2} \right) d\tau'$$

$$+ \frac{1}{|\vec{r}|^4} \int_{\mathcal{V}} \rho(\vec{r}') |\vec{r}'|^3 \left(\frac{5}{2} \cos^3 \theta - \frac{3}{2} \cos \theta \right) d\tau' + \dots$$

Effective Field Theories

- **Scale separation**

Different physical processes are relevant at different physical scales

- **Simplification**

Focus on relevant degrees of freedom at the energy scale of interest whereby the effects of more fundamental theories are captured by the EFT coefficients

- **Validity**

EFT description valid up to certain scale after which a more fundamental theory has to be considered

- **Power counting**

Typically a power series in terms of the ratio of the energy scale of interest to the cutoff scale

- **Predictive power**


Allows for systematic predictions within a given energy range

- **Model independence**

Agnostic about the details of the high-energy theory, which makes them widely applicable

- **Applications**


Gravity, condensed matter, electrodynamics, particle physics etc.



$$\vec{g}(y) = -G \frac{M_E}{(R_E + y)^2} \vec{e}_y \quad G_{\mu\nu} + \Lambda g_{\mu\nu} = \frac{8\pi G}{c^4} T_{\mu\nu}$$

$$v(h)^2 = 2 \int_h^0 g(y) dy = \frac{2GM_E}{R_E} \left(1 - \frac{1}{1 + h/R_E} \right)$$

$$v(h) = \sqrt{2 \frac{GM_E}{R_E^2} h} \left(1 - \frac{1}{8} \frac{h}{R_E} + \frac{3}{8} \frac{h^2}{R_E^2} - \frac{5}{16} \frac{h^3}{R_E^3} \right) + \mathcal{O}\left(\frac{h^4}{R_E^4}\right)$$




$$V(\vec{r}) = \int_{\mathcal{V}} \frac{\rho(\vec{r}')}{|\vec{R}|} d\tau' \quad \frac{1}{|\vec{R}|} = \frac{1}{|\vec{r}|} \sum_{n=0}^{\infty} \left(\frac{r'}{r} \right)^n P_n(\cos \theta)$$

$$V(\vec{r}) = \frac{1}{|\vec{r}|} \int_{\mathcal{V}} \rho(\vec{r}') d\tau' + \frac{1}{|\vec{r}|^2} \int_{\mathcal{V}} \rho(\vec{r}') |\vec{r}'| \cos \theta d\tau'$$


$$+ \frac{1}{|\vec{r}|^3} \int_{\mathcal{V}} \rho(\vec{r}') |\vec{r}'|^2 \left(\frac{3}{2} \cos^2 \theta - \frac{1}{2} \right) d\tau'$$

$$+ \frac{1}{|\vec{r}|^4} \int_{\mathcal{V}} \rho(\vec{r}') |\vec{r}'|^3 \left(\frac{5}{2} \cos^3 \theta - \frac{3}{2} \cos \theta \right) d\tau' + \dots$$




Standard Model Effective Field Theory

- Particle physics characterized by ‘ladder’ of EFTs



Standard Model Effective Field Theory


- Particle physics characterized by ‘ladder’ of EFTs
- Different EFTs related by matching and running



Standard Model Effective Field Theory


- Particle physics characterized by ‘ladder’ of EFTs
- Different EFTs related by matching and running
- **SMEFT** is of a particular relevance

Enables relating various BSM models with low-energy EFTs used in phenomenological studies



Standard Model Effective Field Theory


- Particle physics characterized by ‘ladder’ of EFTs
- Different EFTs related by matching and running
- **SMEFT** is of a particular relevance
 - Enables relating various BSM models with low-energy EFTs used in phenomenological studies
- Construction of the SMEFT operators



Standard Model Effective Field Theory

- Particle physics characterized by ‘ladder’ of EFTs
- Different EFTs related by matching and running
- **SMEFT** is of a particular relevance
 - Enables relating various BSM models with low-energy EFTs used in phenomenological studies
- Construction of the SMEFT operators

Usage of SM degrees of freedom




Standard Model Effective Field Theory

- Particle physics characterized by ‘ladder’ of EFTs
- Different EFTs related by matching and running
- **SMEFT** is of a particular relevance
Enables relating various BSM models with low-energy EFTs used in phenomenological studies
- Construction of the SMEFT operators


Usage of SM degrees of freedom

$$\begin{aligned} q_L^i &\sim (3,2)_{1/6} & u_R^i &\sim (3,1)_{2/3} \\ \ell_L^i &\sim (1,2)_{-1/2} & d_R^i &\sim (3,1)_{-1/3} \\ e_R^i &\sim (1,1)_{-1} & \Phi &\sim (1,2)_{1/2} \end{aligned}$$




Standard Model Effective Field Theory

- Particle physics characterized by ‘ladder’ of EFTs
- Different EFTs related by matching and running
- **SMEFT** is of a particular relevance
Enables relating various BSM models with low-energy EFTs used in phenomenological studies
- Construction of the SMEFT operators





$$\begin{aligned} q_L^i &\sim (3,2)_{1/6} & u_R^i &\sim (3,1)_{2/3} \\ \ell_L^i &\sim (1,2)_{-1/2} & d_R^i &\sim (3,1)_{-1/3} \\ e_R^i &\sim (1,1)_{-1} & \Phi &\sim (1,2)_{1/2} \end{aligned}$$



Standard Model Effective Field Theory

- Particle physics characterized by ‘ladder’ of EFTs
- Different EFTs related by matching and running
- **SMEFT** is of a particular relevance
Enables relating various BSM models with low-energy EFTs used in phenomenological studies
- Construction of the SMEFT operators



Standard Model Effective Field Theory


- Particle physics characterized by ‘ladder’ of EFTs

- Different EFTs related by matching and running

- **SMEFT** is of a particular relevance


Enables relating various BSM models with low-energy EFTs used in phenomenological studies

- Construction of the SMEFT operators



- SMEFT operators organized by the canonical dimension


$$[\psi] = 3/2, [\Phi] = 1, [D_\mu] = 1, [F_{\mu\nu}] = 2$$



Standard Model Effective Field Theory

- SMEFT Lagrangian

$$\mathcal{L}_{SMEFT} = \sum_{d=5}^{\infty} \sum_{i=1}^{n_d} \frac{1}{\Lambda^{d-4}} C_i^{(d)} \mathcal{O}_i^{(d)}$$




Standard Model Effective Field Theory

- SMEFT Lagrangian

$$\mathcal{L}_{SMEFT} = \sum_{d=5}^{\infty} \sum_{i=1}^{n_d} \frac{1}{\Lambda^{d-4}} C_i^{(d)} \mathcal{O}_i^{(d)}$$

Sum over the canonical dimensions (≥ 5)




Standard Model Effective Field Theory

- **SMEFT** Lagrangian

$$\mathcal{L}_{SMEFT} = \sum_{d=5}^{\infty} \sum_{i=1}^{n_d} \frac{1}{\Lambda^{d-4}} C_i^{(d)} \mathcal{O}_i^{(d)}$$

- Sum over the canonical dimensions (≥ 5)
- Sum over the different operators having the same canonical dimension




Standard Model Effective Field Theory

- **SMEFT** Lagrangian

$$\mathcal{L}_{SMEFT} = \sum_{d=5}^{\infty} \sum_{i=1}^{n_d} \frac{1}{\Lambda^{d-4}} C_i^{(d)} \mathcal{O}_i^{(d)}$$

→ Sum over the canonical dimensions (≥ 5)
→ Sum over the different operators having the same canonical dimension
→ Cutoff scale (EFT validity)




Standard Model Effective Field Theory

- **SMEFT** Lagrangian

$$\mathcal{L}_{SMEFT} = \sum_{d=5}^{\infty} \sum_{i=1}^{n_d} \frac{1}{\Lambda^{d-4}} C_i^{(d)} \mathcal{O}_i^{(d)}$$

- Sum over the canonical dimensions (≥ 5)
- Sum over the different operators having the same canonical dimension
- Cutoff scale (EFT validity)
- Wilson coefficients (WCs)




Standard Model Effective Field Theory

- **SMEFT** Lagrangian

$$\mathcal{L}_{SMEFT} = \sum_{d=5}^{\infty} \sum_{i=1}^{n_d} \frac{1}{\Lambda^{d-4}} C_i^{(d)} \mathcal{O}_i^{(d)}$$

Sum over the canonical dimensions (≥ 5)
 Sum over the different operators having the same canonical dimension
 Cutoff scale (EFT validity)
 Wilson coefficients (WCs)
 Higher-dimensional operators




Standard Model Effective Field Theory

- SMEFT Lagrangian

$$\mathcal{L}_{SMEFT} = \sum_{d=5}^{\infty} \sum_{i=1}^{n_d} \frac{1}{\Lambda^{d-4}} C_i^{(d)} \mathcal{O}_i^{(d)}$$

- Developments



Standard Model Effective Field Theory


- SMEFT Lagrangian

$$\mathcal{L}_{SMEFT} = \sum_{d=5}^{\infty} \sum_{i=1}^{n_d} \frac{1}{\Lambda^{d-4}} C_i^{(d)} \mathcal{O}_i^{(d)}$$

- Developments

- Construction of the SMEFT operator bases

[1008.4884], [1410.4193], [2005.00059], [2007.08125], [2305.06832], [1507.07240], [2004.09521]



Standard Model Effective Field Theory

- SMEFT Lagrangian

$$\mathcal{L}_{SMEFT} = \sum_{d=5}^{\infty} \sum_{i=1}^{n_d} \frac{1}{\Lambda^{d-4}} C_i^{(d)} \mathcal{O}_i^{(d)}$$


- Developments

- Construction of the SMEFT operator bases

[1008.4884], [1410.4193], [2005.00059], [2007.08125], [2305.06832], [1507.07240], [2004.09521]

- Matching and running computations

[2012.08506], [2212.04510], [2112.10787], [1808.04403], [2010.16341], [1804.05033]



Standard Model Effective Field Theory

- SMEFT Lagrangian

$$\mathcal{L}_{SMEFT} = \sum_{d=5}^{\infty} \sum_{i=1}^{n_d} \frac{1}{\Lambda^{d-4}} C_i^{(d)} \mathcal{O}_i^{(d)}$$

- Developments

- Construction of the SMEFT operator bases


[1008.4884], [1410.4193], [2005.00059], [2007.08125], [2305.06832], [1507.07240], [2004.09521]

- Matching and running computations

[2012.08506], [2212.04510], [2112.10787], [1808.04403], [2010.16341], [1804.05033]

- Phenomenological studies

[1810.08132], [1910.14012], [1810.07698], [2302.06660], [2207.10756], [2111.15428]



Standard Model Effective Field Theory

- SMEFT Lagrangian

$$\mathcal{L}_{SMEFT} = \sum_{d=5}^{\infty} \sum_{i=1}^{n_d} \frac{1}{\Lambda^{d-4}} C_i^{(d)} \mathcal{O}_i^{(d)}$$

- Developments

- Construction of the SMEFT operator bases

[1008.4884], [1410.4193], [2005.00059], [2007.08125], [2305.06832], [1507.07240], [2004.09521]

- Matching and running computations


[2012.08506], [2212.04510], [2112.10787], [1808.04403], [2010.16341], [1804.05033]

- Phenomenological studies

[1810.08132], [1910.14012], [1810.07698], [2302.06660], [2207.10756], [2111.15428]

- Studies of the SMEFT parameter space

[2005.05366], [2203.09561], [2305.08898], [2311.00020]



Standard Model Effective Field Theory

- SMEFT Lagrangian

$$\mathcal{L}_{SMEFT} = \sum_{d=5}^{\infty} \sum_{i=1}^{n_d} \frac{1}{\Lambda^{d-4}} C_i^{(d)} \mathcal{O}_i^{(d)}$$

- Developments

- Construction of the SMEFT operator bases

[1008.4884], [1410.4193], [2005.00059], [2007.08125], [2305.06832], [1507.07240], [2004.09521]

- Matching and running computations


[2012.08506], [2212.04510], [2112.10787], [1808.04403], [2010.16341], [1804.05033]

- Phenomenological studies

[1810.08132], [1910.14012], [1810.07698], [2302.06660], [2207.10756], [2111.15428]

- Studies of the SMEFT parameter space

[2005.05366], [2203.09561], [2305.08898], [2311.00020]



Dimension-6 SMEFT

Dimension-6 SMEFT

- Model-independent \implies large # of independent parameters

Dimension-6 SMEFT

- Model-independent \implies large # of independent parameters
- Dimension-6 basis
 - Single generation: 59 parameters
 - Three generations: 2'499 parameters

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\epsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\widetilde{W}}$	$\epsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				
$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$
$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B-violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{qqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^{\beta k}] [(q_s^m)^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{duu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Grzadkowski, Iskrzynski, Misiak, Rosiek [1008.4884]

Dimension-6 SMEFT

- Model-independent \implies large # of independent parameters
- Dimension-6 basis
 - Single generation: 59 parameters
 - Three generations: 2'499 parameters
- Proliferation originates from flavor structure

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\epsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\widetilde{W}}$	$\epsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				
$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$
$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B-violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{qqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^{\beta k}] [(q_s^m)^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{duu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Grzadkowski, Iskrzynski, Misiak, Rosiek [1008.4884]

Dimension-6 SMEFT

- Model-independent \implies large # of independent parameters
- Dimension-6 basis
 - Single generation: 59 parameters
 - Three generations: 2'499 parameters

- Proliferation originates from flavor structure
- At the level of SM

$$\mathcal{L}_\psi$$

.....

$$U(3)^5 = U(3)_q \times U(3)_\ell \times U(3)_u \times U(3)_d \times U(3)_e$$

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\epsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\widetilde{W}}$	$\epsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				
$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
		$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$		


$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B-violating	
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s q_t^j)$	Q_{duq}	$\epsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{qqu}	$\epsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\epsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^{\beta k}] [(q_s^\gamma)^T C l_t^n]$
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{duu}	$\epsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$		

Grzadkowski, Iskrzynski, Misiak, Rosiek [1008.4884]

Dimension-6 SMEFT

- Model-independent \implies large # of independent parameters
- Dimension-6 basis
 - Single generation: 59 parameters
 - Three generations: 2'499 parameters

- Proliferation originates from flavor structure
- At the level of SM




X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi \square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\widetilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				
$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
		$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$		
$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B-violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s^j q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{qqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^{\beta k}] [(q_s^m)^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{duu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Grzadkowski, Iskrzynski, Misiak, Rosiek [1008.4884]

Dimension-6 SMEFT



- Observational input: CKM alignment and mass hierarchies

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\widetilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				


$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B-violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s^j q_t^i)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{qqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^{\alpha j})^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^{\alpha j})^T C q_r^{\beta k}] [(q_s^{\gamma m})^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{duu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Grzadkowski, Iskrzynski, Misiak, Rosiek [1008.4884]

Dimension-6 SMEFT



- Observational input: CKM alignment and mass hierarchies
 - $\mathcal{O}(\text{TeV})$ NP shouldn't excessively violate flavor symmetries
- Physics Briefing Book [1910.11775]

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\widetilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				


$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B -violating	
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s^j q_t^i)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r)(\varepsilon_{jk} (\bar{q}_s^k d_t))$	Q_{qqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r)(\varepsilon_{jk} (\bar{q}_s^k T^A d_t))$	Q_{qqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^{\beta k}] [(q_s^\gamma)^T C l_t^n]$
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r)(\varepsilon_{jk} (\bar{q}_s^k u_t))$	Q_{duu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r)(\varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t))$		

Grzadkowski, Iskrzynski, Misiak, Rosiek [1008.4884]

Dimension-6 SMEFT



- Observational input: CKM alignment and mass hierarchies
- $\mathcal{O}(\text{TeV})$ NP shouldn't excessively violate flavor symmetries

Physics Briefing Book [1910.11775]

Approximate flavor symmetries

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\widetilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				


$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_\mu^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_\mu^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B -violating	
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s^j q_t^i)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r)(\varepsilon_{jk} (\bar{q}_s^k d_t))$	Q_{qqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^{\beta k}] [(q_s^m)^T C l_t^n]$
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{duu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$		

Grzadkowski, Iskrzynski, Misiak, Rosiek [1008.4884]

Dimension-6 SMEFT



- Observational input: CKM alignment and mass hierarchies
- $\mathcal{O}(\text{TeV})$ NP shouldn't excessively violate flavor symmetries

Physics Briefing Book [1910.11775]

Approximate flavor symmetries

- Starting point of our analysis

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\epsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\widetilde{W}}$	$\epsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				

$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
		$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$		

$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B-violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s^j q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r)(\bar{q}_s^j \varepsilon_{jk}(\bar{q}_s^k d_t))$	Q_{qqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r)(\varepsilon_{jk}(\bar{q}_s^k T^A d_t))$	Q_{qqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^{\beta k}] [(q_s^m)^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r)(\varepsilon_{jk}(\bar{q}_s^k u_t))$	Q_{duu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r)(\varepsilon_{jk}(\bar{q}_s^k \sigma^{\mu\nu} u_t))$				

Grzadkowski, Iskrzynski, Misiak, Rosiek [1008.4884]

Flavor symmetries in SMEFT

- Analysis of the $U(3)^5$ subgroups

$$\mathcal{L}_\psi$$

.....

$$U(3)^5 = U(3)_q \times U(3)_u \times U(3)_d \times U(3)_\ell \times U(3)_e$$

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\widetilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				

$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_\mu^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_\mu^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_\mu^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_\mu^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_\mu^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_\mu^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_\mu^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_\mu^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_\mu^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_\mu^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_\mu^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B-violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{qqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^{\beta k}] [(q_s^m)^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{duu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Grzadkowski, Iskrzynski, Misiak, Rosiek [1008.4884]

Flavor symmetries in SMEFT

- Analysis of the $U(3)^5$ subgroups

$$\mathcal{L}_\psi$$

.....

$$U(3)^5 = U(3)_q \times U(3)_u \times U(3)_d \times U(3)_\ell \times U(3)_e$$

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\widetilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				
$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_\mu^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_\mu^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_\mu^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_\mu^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_\mu^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \widetilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_\mu^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_\mu^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_\mu^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_\mu^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_\mu^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \widetilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_\mu^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B-violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{qqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^{\alpha j})^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^{\alpha j})^T C q_r^{\beta k}] [(q_s^{\gamma m})^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{duu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Grzadkowski, Iskrzynski, Misiak, Rosiek [1008.4884]

Flavor symmetries in SMEFT

- Analysis of the $U(3)^5$ subgroups

$$\mathcal{L}_\psi$$

.....

$$U(3)^5 = U(3)_q \times U(3)_u \times U(3)_d \times U(3)_\ell \times U(3)_e$$

$$\mathcal{L}_\psi^{(q)}$$

.....

$$U(3)^3, U(2)^2 \times U(3)_d, U(2)^3 \times U(1)_{b_R}, U(2)^3$$

$$\mathcal{L}_\psi^{(\ell)}$$

.....

$$U(3)^2, U(3)_V, U(2)_V, U(2)^2 \times U(1)^2, U(2)^2, U(1)^6, U(1)^3$$

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\widetilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				
$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_\mu^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_\mu^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_\mu^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_\mu^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_\mu^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \widetilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_\mu^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_\mu^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_\mu^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_\mu^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_\mu^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \widetilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_\mu^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$$\mathcal{L}_\psi^{(\ell)}$$

.....

$$U(3)^2, U(3)_V, U(2)_V, U(2)^2 \times U(1)^2, U(2)^2, U(1)^6, U(1)^3$$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
		$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$		$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B-violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s^j q_t^i)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^{\gamma j})^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r)(\varepsilon_{jk} (\bar{q}_s^k d_t))$	Q_{qqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^{\alpha j})^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r)(\varepsilon_{jk} (\bar{q}_s^k T^A d_t))$	Q_{qqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^{\alpha j})^T C q_r^{\beta k}] [(q_s^{\gamma m})^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r)(\varepsilon_{jk} (\bar{q}_s^k u_t))$	Q_{duu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r)(\varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t))$				

Grzadkowski, Iskrzynski, Misiak, Rosiek [1008.4884]

Flavor symmetries in SMEFT

- Analysis of the $U(3)^5$ subgroups

$$\mathcal{L}_\psi$$

$$U(3)^5 = U(3)_q \times U(3)_u \times U(3)_d \times U(3)_\ell \times U(3)_e$$

$$\mathcal{L}_\psi^{(q)}$$

$$U(3)^3, U(2)^2 \times U(3)_d, U(2)^3 \times U(1)_{b_R}, U(2)^3$$

$$\mathcal{L}_\psi^{(\ell)}$$

$$U(3)^2, U(3)_V, U(2)_V, U(2)^2 \times U(1)^2, U(2)^2, U(1)^6, U(1)^3$$

28 possible combinations

Greljo, AP, Thomsen [2203.09561]

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\tilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				
$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_\mu^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_\mu^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_\mu^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_\mu^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_\mu^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_\mu^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_\mu^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_\mu^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_\mu^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_\mu^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_\mu^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
		$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B-violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s^j q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r)(\varepsilon_{jk} (\bar{q}_s^k d_t))$	Q_{qqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^{\beta k}] [(q_s^m)^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{duu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Grzadkowski, Iskrzynski, Misiak, Rosiek [1008.4884]

Flavor symmetries in SMEFT

- Analysis of the $U(3)^5$ subgroups

$$\mathcal{L}_\psi$$

$$U(3)^5 = U(3)_q \times U(3)_u \times U(3)_d \times U(3)_\ell \times U(3)_e$$

$$\mathcal{L}_\psi^{(q)}$$

$$U(3)^3, U(2)^2 \times U(3)_d, U(2)^3 \times U(1)_{b_R}, U(2)^3$$

$$\mathcal{L}_\psi^{(\ell)}$$

$$U(3)^2, U(3)_V, U(2)_V, U(2)^2 \times U(1)^2, U(2)^2, U(1)^6, U(1)^3$$

28 possible combinations

Greljo, AP, Thomsen [2203.09561]

- Extraction of flavor invariants of the SMEFT operators

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\tilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				
$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_\mu^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_\mu^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_\mu^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_\mu^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_\mu^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_\mu^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_\mu^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_\mu^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_\mu^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_\mu^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_\mu^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
		$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$
$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B-violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s^j q_t^i)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r)(\varepsilon_{jk} (\bar{q}_s^k d_t))$	Q_{qqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^{\beta k}] [(q_s^m)^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{duu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Grzadkowski, Iskrzynski, Misiak, Rosiek [1008.4884]

Example: $2q$ and $4q$ operators with $U(3)^3$

- Flavor invariants constructed at various orders in spurion expansion (flavor power counting)

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\epsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^*$ $(\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\widetilde{W}}$	$\epsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				

$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{L}R)$ and $(\bar{L}R)(\bar{R}L)$		B -violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s q_t^j)$	Q_{duq}	$\epsilon^{\alpha\beta\gamma} \epsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \epsilon_{jk} (\bar{q}_s^k d_t)$	Q_{gqu}	$\epsilon^{\alpha\beta\gamma} \epsilon_{jk} [(q_p^{\alpha j})^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \epsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\epsilon^{\alpha\beta\gamma} \epsilon_{jn} \epsilon_{km} [(q_p^{\alpha j})^T C q_r^{\beta k}] [(q_s^{\gamma m})^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \epsilon_{jk} (\bar{q}_s^k u_t)$	Q_{dnu}	$\epsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \epsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Example: $2q$ and $4q$ operators with $U(3)^3$

- Flavor invariants constructed at various orders in spurion expansion (flavor power counting)
- $G_F^q = U(3)_q \times U(3)_u \times U(3)_d$

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\epsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\widetilde{W}}$	$\epsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				

$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{L}R)$ and $(\bar{L}R)(\bar{R}L)$		B -violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s q_t^j)$	Q_{duq}	$\epsilon^{\alpha\beta\gamma} \epsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \epsilon_{jk} (\bar{q}_s^k d_t)$	Q_{gqu}	$\epsilon^{\alpha\beta\gamma} \epsilon_{jk} [(q_p^{\alpha j})^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \epsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\epsilon^{\alpha\beta\gamma} \epsilon_{jn} \epsilon_{km} [(q_p^{\alpha j})^T C q_r^{\beta k}] [(q_s^{\gamma m})^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \epsilon_{jk} (\bar{q}_s^k u_t)$	Q_{dnu}	$\epsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \epsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Example: $2q$ and $4q$ operators with $U(3)^3$

- Flavor invariants constructed at various orders in spurion expansion (flavor power counting)
- $G_F^q = U(3)_q \times U(3)_u \times U(3)_d$
 - Fields $q \sim (3,1,1)$, $u \sim (1,3,1)$, $d \sim (1,1,3)$
 - Spurions $Y_u \sim (3,\bar{3},1)$ and $Y_d \sim (3,1,\bar{3})$

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\epsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\widetilde{W}}$	$\epsilon^{IJK} \widetilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				

$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \widetilde{W}}$	$\varphi^\dagger \varphi \widetilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \widetilde{WB}}$	$\varphi^\dagger \tau^I \varphi \widetilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{L}R)$ and $(\bar{L}R)(\bar{R}L)$		B -violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{gqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^{\alpha j})^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^{\alpha j})^T C q_r^{\beta k}] [(q_s^{\gamma m})^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{dnu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Example: $2q$ and $4q$ operators with $U(3)^3$

- Flavor invariants constructed at various orders in spurion expansion (flavor power counting)
- $G_F^q = U(3)_q \times U(3)_u \times U(3)_d$
- Fields $q \sim (3,1,1)$, $u \sim (1,3,1)$, $d \sim (1,1,3)$
- Spurions $Y_u \sim (3,\bar{3},1)$ and $Y_d \sim (3,1,\bar{3})$



X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\epsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\tilde{W}}$	$\epsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				


$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{WB}}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{L}R)$ and $(\bar{L}R)(\bar{R}L)$		B -violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s q_t^j)$	Q_{duq}	$\epsilon^{\alpha\beta\gamma} \epsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \epsilon_{jk} (\bar{q}_s^k d_t)$	Q_{gqu}	$\epsilon^{\alpha\beta\gamma} \epsilon_{jk} [(q_p^{\alpha j})^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \epsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\epsilon^{\alpha\beta\gamma} \epsilon_{jn} \epsilon_{km} [(q_p^{\alpha j})^T C q_r^{\beta k}] [(q_s^{\gamma m})^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \epsilon_{jk} (\bar{q}_s^k u_t)$	Q_{dnu}	$\epsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \epsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Example: $2q$ and $4q$ operators with $U(3)^3$

- Flavor invariants constructed at various orders in spurion expansion (flavor power counting)
- $G_F^q = U(3)_q \times U(3)_u \times U(3)_d$
- Fields $q \sim (3,1,1)$, $u \sim (1,3,1)$, $d \sim (1,1,3)$
- Spurions $Y_u \sim (3,\bar{3},1)$ and $Y_d \sim (3,1,\bar{3})$



X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\epsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\widetilde{W}}$	$\epsilon^{IJK} \widetilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				


$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \widetilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{WB}}$	$\varphi^\dagger \tau^I \varphi \widetilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B-violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s q_t^j)$	Q_{duq}	$\epsilon^{\alpha\beta\gamma} \epsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \epsilon_{jk} (\bar{q}_s^k d_t)$	Q_{gqu}	$\epsilon^{\alpha\beta\gamma} \epsilon_{jk} [(q_p^{\alpha j})^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \epsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\epsilon^{\alpha\beta\gamma} \epsilon_{jn} \epsilon_{km} [(q_p^{\alpha j})^T C q_r^{\beta k}] [(q_s^{\gamma m})^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \epsilon_{jk} (\bar{q}_s^k u_t)$	Q_{dnu}	$\epsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \epsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Example: $2q$ and $4q$ operators with $U(3)^3$

- Flavor invariants constructed at various orders in spurion expansion (flavor power counting)
- $G_F^q = U(3)_q \times U(3)_u \times U(3)_d$
- Fields $q \sim (3,1,1)$, $u \sim (1,3,1)$, $d \sim (1,1,3)$
- Spurions $Y_u \sim (3,\bar{3},1)$ and $Y_d \sim (3,1,\bar{3})$



- Similar procedure applied to all SMEFT operators

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\epsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\tilde{W}}$	$\epsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				

$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{WB}}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B -violating	
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s q_t^j)$	Q_{duq}	$\epsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{gqu}	$\epsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^\beta] [(u_s^\gamma)^T C e_t]$
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{gqq}	$\epsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^\beta] [(q_s^\gamma)^T C l_t^n]$
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{dnu}	$\epsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$		

Flavor parameter counting

- The number of independent parameters collected in a table

MFV _Q		$\mathcal{O}(1)$	$\mathcal{O}(Y_u)$	$\mathcal{O}(Y_u^2)$	$\mathcal{O}(Y_d)$	$\mathcal{O}(Y_d^2)$	$\mathcal{O}(Y_u Y_d)$	$\mathcal{O}(Y_u^2 Y_d, Y_d^2 Y_u)$	$\mathcal{O}(Y_u^3, Y_d^3)$
$\psi^2 H^3$	Q_{uH}		1 1					1 1	1 1
	Q_{dH}			1 1				1 1	1 1
$\psi^2 XH$	$Q_{u(G,W,B)}$		3 3					3 3	3 3
	$Q_{d(G,W,B)}$			3 3				3 3	3 3
$\psi^2 H^2 D$	$Q_{Hq}^{(1,3)}$	2		2		2			
	Q_{Hu}	1		1					
	Q_{Hd}	1			1				
	Q_{Hud}					1 1			
$(LL)(LL)$	$Q_{qq}^{(1,3)}$	4		4		4			
$(RR)(RR)$	Q_{uu}	2		2					
	Q_{dd}	2			2				
	$Q_{ud}^{(1,8)}$	2		2		2			
$(LL)(RR)$	$Q_{qu}^{(1,8)}$	2		6		2			
	$Q_{qd}^{(1,8)}$	2		2		6			
$(LR)(LR)$	$Q_{quqd}^{(1,8)}$					4 4			
Total		18	4 4	19	4 4	19	5 5	8 8	8 8

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi) (\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi) (\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi) (\bar{q}_p d_r \varphi)$
$Q_{\widetilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				

$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi) (\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi) (\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{WB}}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi) (\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r) (\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r) (\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r) (\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r) (\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r) (\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r) (\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r) (\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r) (\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r) (\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r) (\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r) (\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r) (\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r) (\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r) (\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r) (\bar{u}_s \gamma^\mu u_t)$
				$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r) (\bar{u}_s \gamma^\mu T^A u_t)$
				$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu u_r) (\bar{d}_s \gamma^\mu T^A d_t)$
				$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r) (\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r) (\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B-violating			
Q_{ledq}	$(\bar{l}_p^j e_r) (\bar{d}_s q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{gqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^\beta] [(q_s^\gamma)^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{dnu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Flavor parameter counting

- The number of independent parameters collected in a table

MFV _Q		$\mathcal{O}(1)$	$\mathcal{O}(Y_u)$	$\mathcal{O}(Y_u^2)$	$\mathcal{O}(Y_d)$	$\mathcal{O}(Y_d^2)$	$\mathcal{O}(Y_u Y_d)$	$\mathcal{O}(Y_u^2 Y_d, Y_d^2 Y_u)$	$\mathcal{O}(Y_u^3, Y_d^3)$
$\psi^2 H^3$	Q_{uH}		1 1					1 1	1 1
	Q_{dH}			1 1				1 1	1 1
$\psi^2 XH$	$Q_{u(G,W,B)}$		3 3		3 3			3 3	3 3
	$Q_{d(G,W,B)}$			3 3				3 3	3 3
$\psi^2 H^2 D$	$Q_{Hq}^{(1,3)}$	2		2		2			
	Q_{Hu}	1		1					
	Q_{Hd}	1				1			
	Q_{Hud}						1 1		
$(LL)(LL)$	$Q_{qq}^{(1,3)}$	4		4		4			
$(RR)(RR)$	Q_{uu}	2		2					
	Q_{dd}	2				2			
	$Q_{ud}^{(1,8)}$	2		2		2			
$(LL)(RR)$	$Q_{qu}^{(1,8)}$	2		6		2			
	$Q_{qd}^{(1,8)}$	2		2		6			
$(LR)(LR)$	$Q_{quqd}^{(1,8)}$						4 4		
Total		18	4 4	19	4 4	19	5 5	8 8	8 8

Dim-6 SMEFT operator class

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi) (\bar{l}_p e_r \varphi)$
$Q_{\widetilde{G}}$	$f^{ABC} \widetilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi \square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi) (\bar{q}_p u_r \widetilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi) (\bar{q}_p d_r \varphi)$
$Q_{\widetilde{W}}$	$\varepsilon^{IJK} \widetilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				

$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \widetilde{G}}$	$\varphi^\dagger \varphi \widetilde{G}_{\mu\nu}^A G^{\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi) (\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \widetilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \widetilde{W}}$	$\varphi^\dagger \varphi \widetilde{W}_{\mu\nu}^I W^{\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \widetilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \widetilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi) (\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \widetilde{B}}$	$\varphi^\dagger \varphi \widetilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \widetilde{WB}}$	$\varphi^\dagger \tau^I \varphi \widetilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\widetilde{\varphi}^\dagger D_\mu \varphi) (\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r) (\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r) (\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r) (\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r) (\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r) (\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r) (\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r) (\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r) (\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r) (\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r) (\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r) (\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r) (\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r) (\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r) (\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r) (\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r) (\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r) (\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu u_r) (\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r) (\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r) (\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B-violating			
Q_{ledq}	$(\bar{l}_p^j e_r) (\bar{d}_s q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{gqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^\beta] [(q_s^\gamma)^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{duu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Flavor parameter counting

- The number of independent parameters collected in a table

Orders in spurion expansion

MFV _Q		$\mathcal{O}(1)$	$\mathcal{O}(Y_u)$	$\mathcal{O}(Y_u^2)$	$\mathcal{O}(Y_d)$	$\mathcal{O}(Y_d^2)$	$\mathcal{O}(Y_u Y_d)$	$\mathcal{O}(Y_u^2 Y_d, Y_d^2 Y_u)$	$\mathcal{O}(Y_u^3, Y_d^3)$
$\psi^2 H^3$	Q_{uH}		1 1				1 1	1 1	
	Q_{dH}			1 1			1 1	1 1	
$\psi^2 XH$	$Q_{u(G,W,B)}$		3 3		3 3		3 3	3 3	
	$Q_{d(G,W,B)}$			3 3			3 3	3 3	
$\psi^2 H^2 D$	$Q_{Hq}^{(1,3)}$	2		2		2			
	Q_{Hu}	1		1					
	Q_{Hd}	1				1			
	Q_{Hud}					1 1			
$(LL)(LL)$	$Q_{qq}^{(1,3)}$	4		4		4			
$(RR)(RR)$	Q_{uu}	2		2					
	Q_{dd}	2				2			
	$Q_{ud}^{(1,8)}$	2		2		2			
$(LL)(RR)$	$Q_{qu}^{(1,8)}$	2		6		2			
	$Q_{qd}^{(1,8)}$	2		2		6			
$(LR)(LR)$	$Q_{quqd}^{(1,8)}$					4 4			
Total		18	4 4	19	4 4	19	5 5	8 8	8 8

Dim-6 SMEFT operator class

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi) (\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi \square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi) (\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi) (\bar{q}_p d_r \varphi)$
$Q_{\widetilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				

$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi) (\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi) (\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{WB}}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi) (\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r) (\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r) (\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r) (\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r) (\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r) (\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r) (\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r) (\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r) (\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r) (\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r) (\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r) (\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r) (\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r) (\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r) (\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r) (\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r) (\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r) (\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu u_r) (\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r) (\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r) (\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B-violating			
Q_{ledq}	$(\bar{l}_p^j e_r) (\bar{d}_s q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{gqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^\beta] [(q_s^\gamma)^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{duu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Flavor parameter counting

- The number of independent parameters collected in a table

Orders in spurion expansion

MFV _Q		$\mathcal{O}(1)$	$\mathcal{O}(Y_u)$	$\mathcal{O}(Y_u^2)$	$\mathcal{O}(Y_d)$	$\mathcal{O}(Y_d^2)$	$\mathcal{O}(Y_u Y_d)$	$\mathcal{O}(Y_u^2 Y_d, Y_d^2 Y_u)$	$\mathcal{O}(Y_u^3, Y_d^3)$
$\psi^2 H^3$	Q_{uH}		1 1			1 1		1 1	
	Q_{dH}			1 1			1 1	1 1	
$\psi^2 XH$	$Q_{u(G,W,B)}$		3 3		3 3		3 3	3 3	
	$Q_{d(G,W,B)}$			3 3			3 3	3 3	
$\psi^2 H^2 D$	$Q_{Hq}^{(1,3)}$	2		2		2			
	Q_{Hu}	1		1					
	Q_{Hd}	1				1			
	Q_{Hud}					1 1			
$(LL)(LL)$	$Q_{qq}^{(1,3)}$	4		4		4			
$(RR)(RR)$	Q_{uu}	2		2					
	Q_{dd}	2				2			
	$Q_{ud}^{(1,8)}$	2		2		2			
$(LL)(RR)$	$Q_{qu}^{(1,8)}$	2		6		2			
	$Q_{qd}^{(1,8)}$	2		2		6			
$(LR)(LR)$	$Q_{quqd}^{(1,8)}$					4 4			
Total		18	4 4	19	4 4	19	5 5	8 8	8 8

Dim-6 SMEFT operator class

Total # of independent parameters at given order in spurion expansion

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi) (\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi \square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi) (\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi) (\bar{q}_p d_r \varphi)$
$Q_{\tilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				

$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi) (\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi) (\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi) (\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{WB}}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi) (\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r) (\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r) (\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r) (\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r) (\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r) (\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r) (\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r) (\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r) (\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r) (\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r) (\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r) (\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r) (\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r) (\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r) (\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r) (\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r) (\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r) (\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu u_r) (\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r) (\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r) (\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{R}L)$ and $(\bar{L}R)(\bar{L}R)$		B-violating			
Q_{ledq}	$(\bar{l}_p^j e_r) (\bar{d}_s q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{gqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{qqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^\beta] [(q_s^\gamma)^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{duu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Flavor parameter counting

- Overview of the # of $\mathcal{O}(1)$ parameters

Greljo, AP, Thomsen [2203.09561]

SMEFT $\mathcal{O}(1)$ terms (dim-6, $\Delta B = 0$)		Lepton sector															
		MFV _L	U(3) _V	U(2) ² × U(1) ²	U(2) ²	U(2) _V	U(1) ⁶	U(1) ³	No symm.								
Quark sector	MFV _Q	41	6	45	9	59	6	62	9	67	13	81	6	93	18	207	132
	U(2) ² × U(3) _d	72	10	78	15	95	10	100	15	107	21	122	10	140	28	281	169
	U(2) ³ × U(1) _{d₃}	86	10	92	15	111	10	116	12	123	21	140	10	158	28	305	175
	U(2) ³	93	17	100	23	118	17	124	23	132	30	147	17	168	38	321	191
	No symmetry	703	570	734	600	756	591	786	621	818	652	813	612	906	705	1350	1149

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\tilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				

$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu T^A u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{L}R)$ and $(\bar{L}R)(\bar{R}L)$		B -violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{gqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^\beta k] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{gqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^\beta k] [(q_s^\gamma)^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{dnu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Flavor parameter counting

- Overview of the # of $\mathcal{O}(1)$ parameters

Greljo, AP, Thomsen [2203.09561]

SMEFT $\mathcal{O}(1)$ terms (dim-6, $\Delta B = 0$)		Lepton sector															
		MFV _L	U(3) _V	U(2) ² × U(1) ²	U(2) ²	U(2) _V	U(1) ⁶	U(1) ³	No symm.								
Quark sector	MFV _Q	41	6	45	9	59	6	62	9	67	13	81	6	93	18	207	132
	U(2) ² × U(3) _d	72	10	78	15	95	10	100	15	107	21	122	10	140	28	281	169
	U(2) ³ × U(1) _{d₃}	86	10	92	15	111	10	116	12	123	21	140	10	158	28	305	175
	U(2) ³	93	17	100	23	118	17	124	23	132	30	147	17	168	38	321	191
	No symmetry	703	570	734	600	756	591	786	621	818	652	813	612	906	705	1350	1149

47 parameters

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi \square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\tilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				

$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{L}R)$ and $(\bar{L}R)(\bar{R}L)$		B -violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{gqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^\beta k] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{gqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^\beta k] [(q_s^\gamma)^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{dnu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Flavor parameter counting

- Overview of the # of $\mathcal{O}(1)$ parameters

Greljo, AP, Thomsen [2203.09561]

SMEFT $\mathcal{O}(1)$ terms (dim-6, $\Delta B = 0$)		Lepton sector															
		MFV _L	U(3) _V	U(2) ² × U(1) ²	U(2) ²	U(2) _V	U(1) ⁶	U(1) ³	No symm.								
Quark sector	MFV _Q	41	6	45	9	59	6	62	9	67	13	81	6	93	18	207	132
	U(2) ² × U(3) _d	72	10	78	15	95	10	100	15	107	21	122	10	140	28	281	169
	U(2) ³ × U(1) _{d₃}	86	10	92	15	111	10	116	12	123	21	140	10	158	28	305	175
	U(2) ³	93	17	100	23	118	17	124	23	132	30	147	17	168	38	321	191
	No symmetry	703	570	734	600	756	591	786	621	818	652	813	612	906	705	1350	1149

47 parameters

147 parameters

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi \square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\tilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				

$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{A\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{L}R)$ and $(\bar{L}R)(\bar{R}L)$		B -violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{gqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^{\beta k}] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{gqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^{\beta k}] [(q_s^\gamma)^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{dnu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Flavor parameter counting

- Overview of the # of $\mathcal{O}(1)$ parameters

Greljo, AP, Thomsen [2203.09561]

SMEFT $\mathcal{O}(1)$ terms (dim-6, $\Delta B = 0$)		Lepton sector															
		MFV _L	U(3) _V	U(2) ² × U(1) ²	U(2) ²	U(2) _V	U(1) ⁶	U(1) ³	No symm.								
Quark sector	MFV _Q	41	6	45	9	59	6	62	9	67	13	81	6	93	18	207	132
	U(2) ² × U(3) _d	72	10	78	15	95	10	100	15	107	21	122	10	140	28	281	169
	U(2) ³ × U(1) _{d₃}	86	10	92	15	111	10	116	12	123	21	140	10	158	28	305	175
	U(2) ³	93	17	100	23	118	17	124	23	132	30	147	17	168	38	321	191
	No symmetry	703	570	734	600	756	591	786	621	818	652	813	612	906	705	1350	1149

47 parameters

147 parameters

2'499 parameters

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\tilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				

$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{L}R)$ and $(\bar{L}R)(\bar{R}L)$		B -violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{gqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^\beta k] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{gqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^\beta k] [(q_s^\gamma)^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{dnu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Flavor parameter counting

- Overview of the # of $\mathcal{O}(1)$ parameters

Greljo, AP, Thomsen [2203.09561]

SMEFT $\mathcal{O}(1)$ terms (dim-6, $\Delta B = 0$)		Lepton sector															
		MFV _L	U(3) _V	U(2) ² × U(1) ²	U(2) ²	U(2) _V	U(1) ⁶	U(1) ³	No symm.								
Quark sector	MFV _Q	41	6	45	9	59	6	62	9	67	13	81	6	93	18	207	132
	U(2) ² × U(3) _d	72	10	78	15	95	10	100	15	107	21	122	10	140	28	281	169
	U(2) ³ × U(1) _{d₃}	86	10	92	15	111	10	116	12	123	21	140	10	158	28	305	175
	U(2) ³	93	17	100	23	118	17	124	23	132	30	147	17	168	38	321	191
	No symmetry	703	570	734	600	756	591	786	621	818	652	813	612	906	705	1350	1149

47 parameters

147 parameters

2'499 parameters

- Can SMEFT landscape tell us something about NP?

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\square}$	$(\varphi^\dagger \varphi) \square (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\tilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				

$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{L}R)$ and $(\bar{L}R)(\bar{R}L)$		B -violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{gqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{gqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^\beta] [(q_s^\gamma)^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{dnu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Flavor parameter counting

- Overview of the # of $\mathcal{O}(1)$ parameters

Greljo, AP, Thomsen [2203.09561]

SMEFT $\mathcal{O}(1)$ terms (dim-6, $\Delta B = 0$)		Lepton sector															
		MFV _L	U(3) _V	U(2) ² × U(1) ²	U(2) ²	U(2) _V	U(1) ⁶	U(1) ³	No symm.								
Quark sector	MFV _Q	41	6	45	9	59	6	62	9	67	13	81	6	93	18	207	132
	U(2) ² × U(3) _d	72	10	78	15	95	10	100	15	107	21	122	10	140	28	281	169
	U(2) ³ × U(1) _{d₃}	86	10	92	15	111	10	116	12	123	21	140	10	158	28	305	175
	U(2) ³	93	17	100	23	118	17	124	23	132	30	147	17	168	38	321	191
	No symmetry	703	570	734	600	756	591	786	621	818	652	813	612	906	705	1350	1149

47 parameters

147 parameters

2'499 parameters

- Can SMEFT landscape tell us something about NP?
- Interplay of flavor symmetries and NP mediators

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\Box}$	$(\varphi^\dagger \varphi) \Box (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\tilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				

$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{L}R)$ and $(\bar{L}R)(\bar{R}L)$		B -violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{gqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{gqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^\beta] [(q_s^\gamma)^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{duu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

Flavor parameter counting

- Overview of the # of $\mathcal{O}(1)$ parameters

Greljo, AP, Thomsen [2203.09561]

SMEFT $\mathcal{O}(1)$ terms (dim-6, $\Delta B = 0$)		Lepton sector															
		MFV _L	U(3) _V	U(2) ² × U(1) ²	U(2) ²	U(2) _V	U(1) ⁶	U(1) ³	No symm.								
Quark sector	MFV _Q	41	6	45	9	59	6	62	9	67	13	81	6	93	18	207	132
	U(2) ² × U(3) _d	72	10	78	15	95	10	100	15	107	21	122	10	140	28	281	169
	U(2) ³ × U(1) _{d₃}	86	10	92	15	111	10	116	12	123	21	140	10	158	28	305	175
	U(2) ³	93	17	100	23	118	17	124	23	132	30	147	17	168	38	321	191
	No symmetry	703	570	734	600	756	591	786	621	818	652	813	612	906	705	1350	1149

47 parameters

147 parameters

2'499 parameters

- Can SMEFT landscape tell us something about NP?
- Interplay of flavor symmetries and NP mediators
- Leading SMEFT directions

X^3		φ^6 and $\varphi^4 D^2$		$\psi^2 \varphi^3$	
Q_G	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	Q_φ	$(\varphi^\dagger \varphi)^3$	$Q_{e\varphi}$	$(\varphi^\dagger \varphi)(\bar{l}_p e_r \varphi)$
$Q_{\tilde{G}}$	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	$Q_{\varphi\Box}$	$(\varphi^\dagger \varphi) \Box (\varphi^\dagger \varphi)$	$Q_{u\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p u_r \tilde{\varphi})$
Q_W	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$	$Q_{\varphi D}$	$(\varphi^\dagger D^\mu \varphi)^* (\varphi^\dagger D_\mu \varphi)$	$Q_{d\varphi}$	$(\varphi^\dagger \varphi)(\bar{q}_p d_r \varphi)$
$Q_{\tilde{W}}$	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu}$				

$X^2 \varphi^2$		$\psi^2 X \varphi$		$\psi^2 \varphi^2 D$	
$Q_{\varphi G}$	$\varphi^\dagger \varphi G_{\mu\nu}^A G^{\mu\nu}$	Q_{eW}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi l}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{l}_p \gamma^\mu l_r)$
$Q_{\varphi \tilde{G}}$	$\varphi^\dagger \varphi \tilde{G}_{\mu\nu}^A G^{\mu\nu}$	Q_{eB}	$(\bar{l}_p \sigma^{\mu\nu} e_r) \varphi B_{\mu\nu}$	$Q_{\varphi l}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{l}_p \tau^I \gamma^\mu l_r)$
$Q_{\varphi W}$	$\varphi^\dagger \varphi W_{\mu\nu}^I W^{I\mu\nu}$	Q_{uG}	$(\bar{q}_p \sigma^{\mu\nu} T^A u_r) \tilde{\varphi} G_{\mu\nu}^A$	$Q_{\varphi e}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{e}_p \gamma^\mu e_r)$
$Q_{\varphi \tilde{W}}$	$\varphi^\dagger \varphi \tilde{W}_{\mu\nu}^I W^{I\mu\nu}$	Q_{uW}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tau^I \tilde{\varphi} W_{\mu\nu}^I$	$Q_{\varphi q}^{(1)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{q}_p \gamma^\mu q_r)$
$Q_{\varphi B}$	$\varphi^\dagger \varphi B_{\mu\nu} B^{\mu\nu}$	Q_{uB}	$(\bar{q}_p \sigma^{\mu\nu} u_r) \tilde{\varphi} B_{\mu\nu}$	$Q_{\varphi q}^{(3)}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu^I \varphi)(\bar{q}_p \tau^I \gamma^\mu q_r)$
$Q_{\varphi \tilde{B}}$	$\varphi^\dagger \varphi \tilde{B}_{\mu\nu} B^{\mu\nu}$	Q_{dG}	$(\bar{q}_p \sigma^{\mu\nu} T^A d_r) \varphi G_{\mu\nu}^A$	$Q_{\varphi u}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{u}_p \gamma^\mu u_r)$
$Q_{\varphi WB}$	$\varphi^\dagger \tau^I \varphi W_{\mu\nu}^I B^{\mu\nu}$	Q_{dW}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \tau^I \varphi W_{\mu\nu}^I$	$Q_{\varphi d}$	$(\varphi^\dagger i \overleftrightarrow{D}_\mu \varphi)(\bar{d}_p \gamma^\mu d_r)$
$Q_{\varphi \tilde{W}B}$	$\varphi^\dagger \tau^I \varphi \tilde{W}_{\mu\nu}^I B^{\mu\nu}$	Q_{dB}	$(\bar{q}_p \sigma^{\mu\nu} d_r) \varphi B_{\mu\nu}$	$Q_{\varphi ud}$	$i(\tilde{\varphi}^\dagger D_\mu \varphi)(\bar{u}_p \gamma^\mu d_r)$

$(\bar{L}L)(\bar{L}L)$		$(\bar{R}R)(\bar{R}R)$		$(\bar{L}L)(\bar{R}R)$	
Q_{ll}	$(\bar{l}_p \gamma_\mu l_r)(\bar{l}_s \gamma^\mu l_t)$	Q_{ee}	$(\bar{e}_p \gamma_\mu e_r)(\bar{e}_s \gamma^\mu e_t)$	Q_{le}	$(\bar{l}_p \gamma_\mu l_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{qq}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{uu}	$(\bar{u}_p \gamma_\mu u_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{lu}	$(\bar{l}_p \gamma_\mu l_r)(\bar{u}_s \gamma^\mu u_t)$
$Q_{qq}^{(3)}$	$(\bar{q}_p \gamma_\mu \tau^I q_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{dd}	$(\bar{d}_p \gamma_\mu d_r)(\bar{d}_s \gamma^\mu d_t)$	Q_{ld}	$(\bar{l}_p \gamma_\mu l_r)(\bar{d}_s \gamma^\mu d_t)$
$Q_{lq}^{(1)}$	$(\bar{l}_p \gamma_\mu l_r)(\bar{q}_s \gamma^\mu q_t)$	Q_{eu}	$(\bar{e}_p \gamma_\mu e_r)(\bar{u}_s \gamma^\mu u_t)$	Q_{qe}	$(\bar{q}_p \gamma_\mu q_r)(\bar{e}_s \gamma^\mu e_t)$
$Q_{lq}^{(3)}$	$(\bar{l}_p \gamma_\mu \tau^I l_r)(\bar{q}_s \gamma^\mu \tau^I q_t)$	Q_{ed}	$(\bar{e}_p \gamma_\mu e_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{u}_s \gamma^\mu u_t)$
		$Q_{ud}^{(1)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu d_t)$	$Q_{qu}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{u}_s \gamma^\mu T^A u_t)$
		$Q_{ud}^{(8)}$	$(\bar{u}_p \gamma_\mu u_r)(\bar{d}_s \gamma^\mu T^A d_t)$	$Q_{qd}^{(1)}$	$(\bar{q}_p \gamma_\mu q_r)(\bar{d}_s \gamma^\mu d_t)$
				$Q_{qd}^{(8)}$	$(\bar{q}_p \gamma_\mu T^A q_r)(\bar{d}_s \gamma^\mu T^A d_t)$

$(\bar{L}R)(\bar{L}R)$ and $(\bar{L}R)(\bar{R}L)$		B -violating			
Q_{ledq}	$(\bar{l}_p^j e_r)(\bar{d}_s q_t^j)$	Q_{duq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(d_p^\alpha)^T C u_r^\beta] [(q_s^\gamma)^T C l_t^k]$		
$Q_{quqd}^{(1)}$	$(\bar{q}_p^j u_r) \varepsilon_{jk} (\bar{q}_s^k d_t)$	Q_{gqu}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jk} [(q_p^\alpha)^T C q_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{quqd}^{(8)}$	$(\bar{q}_p^j T^A u_r) \varepsilon_{jk} (\bar{q}_s^k T^A d_t)$	Q_{gqq}	$\varepsilon^{\alpha\beta\gamma} \varepsilon_{jn} \varepsilon_{km} [(q_p^\alpha)^T C q_r^\beta] [(q_s^\gamma)^T C l_t^n]$		
$Q_{lequ}^{(1)}$	$(\bar{l}_p^j e_r) \varepsilon_{jk} (\bar{q}_s^k u_t)$	Q_{duu}	$\varepsilon^{\alpha\beta\gamma} [(d_p^\alpha)^T C u_r^\beta] [(u_s^\gamma)^T C e_t]$		
$Q_{lequ}^{(3)}$	$(\bar{l}_p^j \sigma_{\mu\nu} e_r) \varepsilon_{jk} (\bar{q}_s^k \sigma^{\mu\nu} u_t)$				

$U(3)^5$ SMEFT basis

- We focus on the lowest entry in the $\mathcal{O}(1)$ table

Greljo, AP, Thomsen [2203.09561]

SMEFT $\mathcal{O}(1)$ terms (dim-6, $\Delta B = 0$)		Lepton sector															
		MFV _L	U(3) _V	U(2) ² × U(1) ²	U(2) ²	U(2) _V	U(1) ⁶	U(1) ³	No symm.								
Quark sector	MFV _Q	41	6	45	9	59	6	62	9	67	13	81	6	93	18	207	132
	U(2) ² × U(3) _d	72	10	78	15	95	10	100	15	107	21	122	10	140	28	281	169
	U(2) ³ × U(1) _{d₃}	86	10	92	15	111	10	116	12	123	21	140	10	158	28	305	175
	U(2) ³	93	17	100	23	118	17	124	23	132	30	147	17	168	38	321	191
	No symmetry	703	570	734	600	756	591	786	621	818	652	813	612	906	705	1350	1149

47 parameters

$U(3)^5$ SMEFT basis

- We focus on the lowest entry in the $\mathcal{O}(1)$ table

Greljo, AP, Thomsen [2203.09561]

SMEFT $\mathcal{O}(1)$ terms (dim-6, $\Delta B = 0$)		Lepton sector															
		MFV _L	U(3) _V	U(2) ² × U(1) ²	U(2) ²	U(2) _V	U(1) ⁶	U(1) ³	No symm.								
Quark sector	MFV _Q	41	6	45	9	59	6	62	9	67	13	81	6	93	18	207	132
	U(2) ² × U(3) _d	72	10	78	15	95	10	100	15	107	21	122	10	140	28	281	169
	U(2) ³ × U(1) _{d₃}	86	10	92	15	111	10	116	12	123	21	140	10	158	28	305	175
	U(2) ³	93	17	100	23	118	17	124	23	132	30	147	17	168	38	321	191
	No symmetry	703	570	734	600	756	591	786	621	818	652	813	612	906	705	1350	1149

47 parameters

- Construction of the $U(3)^5$ -symmetric SMEFT basis at $\mathcal{O}(1)$

Class	Label	Operator	Label	Operator
$(\bar{L}L)(\bar{L}L)$	$\mathcal{O}_{\ell\ell}^D$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{\ell}_j \gamma_\mu \ell^j)$	$\mathcal{O}_{\ell q}^{(1)}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{q}_j \gamma_\mu q^j)$
	$\mathcal{O}_{\ell\ell}^E$	$(\bar{\ell}_i \gamma^\mu \ell^j)(\bar{\ell}_j \gamma_\mu \ell^i)$	$\mathcal{O}_{\ell q}^{(3)}$	$(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)D}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{q}_j \gamma_\mu q^j)$	$\mathcal{O}_{qq}^{(3)D}$	$(\bar{q}_i \gamma^\mu \sigma^a q^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)E}$	$(\bar{q}_i \gamma^\mu q^j)(\bar{q}_j \gamma_\mu q^i)$	$\mathcal{O}_{qq}^{(3)E}$	$(\bar{q}_i \gamma^\mu \sigma^a q^j)(\bar{q}_j \gamma_\mu \sigma^a q^i)$
$(\bar{R}R)(\bar{R}R)$	\mathcal{O}_{ee}	$(\bar{e}_i \gamma^\mu e^i)(\bar{e}_j \gamma_\mu e^j)$	\mathcal{O}_{dd}^D	$(\bar{d}_i \gamma^\mu d^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{uu}^D	$(\bar{u}_i \gamma^\mu u^i)(\bar{u}_j \gamma_\mu u^j)$	\mathcal{O}_{dd}^E	$(\bar{d}_i \gamma^\mu d^j)(\bar{d}_j \gamma_\mu d^i)$
	\mathcal{O}_{uu}^E	$(\bar{u}_i \gamma^\mu u^j)(\bar{u}_j \gamma_\mu u^i)$	$\mathcal{O}_{ud}^{(1)}$	$(\bar{u}_i \gamma^\mu u^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{eu}	$(\bar{e}_i \gamma^\mu e^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{ud}^{(8)}$	$(\bar{u}_i \gamma^\mu T^A u^i)(\bar{d}_j \gamma_\mu T^A d^j)$
	\mathcal{O}_{ed}	$(\bar{e}_i \gamma^\mu e^i)(\bar{d}_j \gamma_\mu d^j)$		
$(\bar{L}L)(\bar{R}R)$	$\mathcal{O}_{\ell e}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{u}_j \gamma_\mu u^j)$
	\mathcal{O}_{qe}	$(\bar{q}_i \gamma^\mu q^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{u}_j \gamma_\mu T^A u^j)$
	$\mathcal{O}_{\ell u}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{qd}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{ld}	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{d}_j \gamma_\mu d^j)$	$\mathcal{O}_{qd}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{d}_j \gamma_\mu T^A d^j)$
$\psi^2 \phi^2 D$	$\mathcal{O}_{\phi\ell}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \ell^i)$	$\mathcal{O}_{\phi e}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{e}_i \gamma^\mu e^i)$
	$\mathcal{O}_{\phi\ell}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)$	$\mathcal{O}_{\phi u}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{u}_i \gamma^\mu u^i)$
	$\mathcal{O}_{\phi q}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{q}_i \gamma^\mu q^i)$	$\mathcal{O}_{\phi d}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{d}_i \gamma^\mu d^i)$
	$\mathcal{O}_{\phi q}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{q}_i \gamma^\mu \sigma^a q^i)$		
Class	Label	Operator	Label	Operator
Loop generated	\mathcal{O}_W	$\varepsilon_{abc} W_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	\mathcal{O}_G	$f_{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
	$\mathcal{O}_{\tilde{W}}$	$\varepsilon_{abc} \tilde{W}_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	$\mathcal{O}_{\tilde{G}}$	$f_{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
ϕ^6	\mathcal{O}_ϕ	$(\phi^\dagger \phi)^3$		
$\phi^4 D^2$	$\mathcal{O}_{\phi\Box}$	$(\phi^\dagger \phi) \square (\phi^\dagger \phi)$	$\mathcal{O}_{\phi D}$	$(\phi^\dagger D_\mu \phi) [(D^\mu \phi)^\dagger \phi]$
	$\mathcal{O}_{\phi B}$	$(\phi^\dagger \phi) B_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi WB}$	$(\phi^\dagger \sigma^a \phi) W_{\mu\nu}^a B^{\mu\nu}$
Loop generated	$\mathcal{O}_{\phi\tilde{B}}$	$(\phi^\dagger \phi) \tilde{B}_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi\tilde{W}B}$	$(\phi^\dagger \sigma^a \phi) \tilde{W}_{\mu\nu}^a B^{\mu\nu}$
	$\mathcal{O}_{\phi W}$	$(\phi^\dagger \phi) W_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi G}$	$(\phi^\dagger \phi) G_{\mu\nu}^A G^{A\mu\nu}$
	$\mathcal{O}_{\phi\tilde{W}}$	$(\phi^\dagger \phi) \tilde{W}_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi\tilde{G}}$	$(\phi^\dagger \phi) \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$
Class	Label	Operator	Label	Operator
$\psi^2 \phi^3$	$[\mathcal{O}_{e\phi}]_{i\ell}^{j_e}$	$(\phi^\dagger \phi)(\bar{\ell}_{i\ell} \phi e^{j_e})$		
	$[\mathcal{O}_{d\phi}]_{i_q}^{j_d}$	$(\phi^\dagger \phi)(\bar{q}_{iq} \phi d^{j_d})$	$[\mathcal{O}_{u\phi}]_{i_q}^{j_u}$	$(\phi^\dagger \phi)(\bar{q}_{iq} \tilde{\phi} u^{j_u})$
Loop generated	$[\mathcal{O}_{eB}]_{i\ell}^{j_e}$	$(\bar{\ell}_{i\ell} \sigma^{\mu\nu} e^{j_e}) \phi B_{\mu\nu}$	$[\mathcal{O}_{eW}]_{i\ell}^{j_e}$	$(\bar{\ell}_{i\ell} \sigma^{\mu\nu} e^{j_e}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uB}]_{i_q}^{j_u}$	$(\bar{q}_{iq} \sigma^{\mu\nu} u^{j_u}) \tilde{\phi} B_{\mu\nu}$	$[\mathcal{O}_{uW}]_{i_q}^{j_u}$	$(\bar{q}_{iq} \sigma^{\mu\nu} u^{j_u}) \sigma^a \tilde{\phi} W_{\mu\nu}^a$
	$[\mathcal{O}_{dB}]_{i_q}^{j_d}$	$(\bar{q}_{iq} \sigma^{\mu\nu} d^{j_d}) \phi B_{\mu\nu}$	$[\mathcal{O}_{dW}]_{i_q}^{j_d}$	$(\bar{q}_{iq} \sigma^{\mu\nu} d^{j_d}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uG}]_{i_q}^{j_u}$	$(\bar{q}_{iq} \sigma^{\mu\nu} T^A u^{j_u}) \tilde{\phi} G_{\mu\nu}^A$	$[\mathcal{O}_{dG}]_{i_q}^{j_d}$	$(\bar{q}_{iq} \sigma^{\mu\nu} T^A d^{j_d}) \phi G_{\mu\nu}^A$

$U(3)^5$ SMEFT basis

- We focus on the lowest entry in the $\mathcal{O}(1)$ table

Greljo, AP, Thomsen [2203.09561]

SMEFT $\mathcal{O}(1)$ terms (dim-6, $\Delta B = 0$)		Lepton sector															
		MFV _L	U(3) _V	U(2) ² × U(1) ²	U(2) ²	U(2) _V	U(1) ⁶	U(1) ³	No symm.								
Quark sector	MFV _Q	41	6	45	9	59	6	62	9	67	13	81	6	93	18	207	132
	U(2) ² × U(3) _d	72	10	78	15	95	10	100	15	107	21	122	10	140	28	281	169
	U(2) ³ × U(1) _{d₃}	86	10	92	15	111	10	116	12	123	21	140	10	158	28	305	175
	U(2) ³	93	17	100	23	118	17	124	23	132	30	147	17	168	38	321	191
	No symmetry	703	570	734	600	756	591	786	621	818	652	813	612	906	705	1350	1149

47 parameters

- Construction of the $U(3)^5$ -symmetric SMEFT basis at $\mathcal{O}(1)$
- Operators can be generated at tree-level in a renormalizable UV completion

Class	Label	Operator	Label	Operator
$(\bar{L}L)(\bar{L}L)$	$\mathcal{O}_{\ell\ell}^D$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{\ell}_j \gamma_\mu \ell^j)$	$\mathcal{O}_{\ell q}^{(1)}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{q}_j \gamma_\mu q^j)$
	$\mathcal{O}_{\ell\ell}^E$	$(\bar{\ell}_i \gamma^\mu \ell^j)(\bar{\ell}_j \gamma_\mu \ell^i)$	$\mathcal{O}_{\ell q}^{(3)}$	$(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)D}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{q}_j \gamma_\mu q^j)$	$\mathcal{O}_{qq}^{(3)D}$	$(\bar{q}_i \gamma^\mu \sigma^a q^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)E}$	$(\bar{q}_i \gamma^\mu q^j)(\bar{q}_j \gamma_\mu q^i)$	$\mathcal{O}_{qq}^{(3)E}$	$(\bar{q}_i \gamma^\mu \sigma^a q^j)(\bar{q}_j \gamma_\mu \sigma^a q^i)$
$(\bar{R}R)(\bar{R}R)$	\mathcal{O}_{ee}	$(\bar{e}_i \gamma^\mu e^i)(\bar{e}_j \gamma_\mu e^j)$	\mathcal{O}_{dd}^D	$(\bar{d}_i \gamma^\mu d^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{uu}^D	$(\bar{u}_i \gamma^\mu u^i)(\bar{u}_j \gamma_\mu u^j)$	\mathcal{O}_{dd}^E	$(\bar{d}_i \gamma^\mu d^j)(\bar{d}_j \gamma_\mu d^i)$
	\mathcal{O}_{uu}^E	$(\bar{u}_i \gamma^\mu u^j)(\bar{u}_j \gamma_\mu u^i)$	$\mathcal{O}_{ud}^{(1)}$	$(\bar{u}_i \gamma^\mu u^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{eu}	$(\bar{e}_i \gamma^\mu e^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{ud}^{(8)}$	$(\bar{u}_i \gamma^\mu T^A u^i)(\bar{d}_j \gamma_\mu T^A d^j)$
	\mathcal{O}_{ed}	$(\bar{e}_i \gamma^\mu e^i)(\bar{d}_j \gamma_\mu d^j)$		
$(\bar{L}L)(\bar{R}R)$	$\mathcal{O}_{\ell e}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{u}_j \gamma_\mu u^j)$
	\mathcal{O}_{qe}	$(\bar{q}_i \gamma^\mu q^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{u}_j \gamma_\mu T^A u^j)$
	$\mathcal{O}_{\ell u}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{qd}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{ld}	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{d}_j \gamma_\mu d^j)$	$\mathcal{O}_{qd}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{d}_j \gamma_\mu T^A d^j)$
$\psi^2 \phi^2 D$	$\mathcal{O}_{\phi\ell}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \ell^i)$	$\mathcal{O}_{\phi e}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{e}_i \gamma^\mu e^i)$
	$\mathcal{O}_{\phi\ell}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)$	$\mathcal{O}_{\phi u}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{u}_i \gamma^\mu u^i)$
	$\mathcal{O}_{\phi q}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{q}_i \gamma^\mu q^i)$	$\mathcal{O}_{\phi d}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{d}_i \gamma^\mu d^i)$
	$\mathcal{O}_{\phi q}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{q}_i \gamma^\mu \sigma^a q^i)$		

Class	Label	Operator	Label	Operator
X^3 Loop generated	\mathcal{O}_W	$\varepsilon_{abc} W_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	\mathcal{O}_G	$f_{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
	$\mathcal{O}_{\tilde{W}}$	$\varepsilon_{abc} \tilde{W}_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	$\mathcal{O}_{\tilde{G}}$	$f_{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
ϕ^6	\mathcal{O}_ϕ	$(\phi^\dagger \phi)^3$		
$\phi^4 D^2$	$\mathcal{O}_{\phi\Box}$	$(\phi^\dagger \phi) \Box (\phi^\dagger \phi)$	$\mathcal{O}_{\phi D}$	$(\phi^\dagger D_\mu \phi) [(D^\mu \phi)^\dagger \phi]$
	$\mathcal{O}_{\phi B}$	$(\phi^\dagger \phi) B_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi WB}$	$(\phi^\dagger \sigma^a \phi) W_{\mu\nu}^a B^{\mu\nu}$
$X^2 \phi^2$ Loop generated	$\mathcal{O}_{\phi \tilde{B}}$	$(\phi^\dagger \phi) \tilde{B}_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi \tilde{W} B}$	$(\phi^\dagger \sigma^a \phi) \tilde{W}_{\mu\nu}^a B^{\mu\nu}$
	$\mathcal{O}_{\phi W}$	$(\phi^\dagger \phi) W_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi G}$	$(\phi^\dagger \phi) G_{\mu\nu}^A G^{A\mu\nu}$
	$\mathcal{O}_{\phi \tilde{W}}$	$(\phi^\dagger \phi) \tilde{W}_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi \tilde{G}}$	$(\phi^\dagger \phi) \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$
$\psi^2 \phi^3$ Loop generated	$[\mathcal{O}_{e\phi}]_{i\ell}^{j_e}$	$(\phi^\dagger \phi)(\bar{\ell}_{i\ell} \phi e^{j_e})$		
	$[\mathcal{O}_{d\phi}]_{i_q}^{j_d}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \phi d^{j_d})$	$[\mathcal{O}_{u\phi}]_{i_q}^{j_u}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \tilde{\phi} u^{j_u})$
	$[\mathcal{O}_{eB}]_{i\ell}^{j_e}$	$(\bar{\ell}_{i\ell} \sigma^{\mu\nu} e^{j_e}) \phi B_{\mu\nu}$	$[\mathcal{O}_{eW}]_{i\ell}^{j_e}$	$(\bar{\ell}_{i\ell} \sigma^{\mu\nu} e^{j_e}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uB}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \tilde{\phi} B_{\mu\nu}$	$[\mathcal{O}_{uW}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \sigma^a \tilde{\phi} W_{\mu\nu}^a$
	$[\mathcal{O}_{dB}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \phi B_{\mu\nu}$	$[\mathcal{O}_{dW}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \sigma^a \phi W_{\mu\nu}^a$
$\psi^2 X\phi$ Loop generated	$[\mathcal{O}_{uG}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A u^{j_u}) \tilde{\phi} G_{\mu\nu}^A$	$[\mathcal{O}_{dG}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A d^{j_d}) \phi G_{\mu\nu}^A$

$U(3)^5$ SMEFT basis

- We focus on the lowest entry in the $\mathcal{O}(1)$ table

Greljo, AP, Thomsen [2203.09561]

SMEFT $\mathcal{O}(1)$ terms (dim-6, $\Delta B = 0$)		Lepton sector															
		MFV _L	U(3) _V	U(2) ² × U(1) ²	U(2) ²	U(2) _V	U(1) ⁶	U(1) ³	No symm.								
Quark sector	MFV _Q	41	6	45	9	59	6	62	9	67	13	81	6	93	18	207	132
	U(2) ² × U(3) _d	72	10	78	15	95	10	100	15	107	21	122	10	140	28	281	169
	U(2) ³ × U(1) _{d₃}	86	10	92	15	111	10	116	12	123	21	140	10	158	28	305	175
	U(2) ³	93	17	100	23	118	17	124	23	132	30	147	17	168	38	321	191
	No symmetry	703	570	734	600	756	591	786	621	818	652	813	612	906	705	1350	1149

47 parameters

- Construction of the $U(3)^5$ -symmetric SMEFT basis at $\mathcal{O}(1)$
- Operators can be generated at tree-level in a renormalizable UV completion
- What are all tree-level UV completions that match to these operators?


Greljo, AP [2305.08898]

Class	Label	Operator	Label	Operator
$(\bar{L}L)(\bar{L}L)$	$\mathcal{O}_{\ell\ell}^D$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{\ell}_j \gamma_\mu \ell^j)$	$\mathcal{O}_{\ell q}^{(1)}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{q}_j \gamma_\mu q^j)$
	$\mathcal{O}_{\ell\ell}^E$	$(\bar{\ell}_i \gamma^\mu \ell^j)(\bar{\ell}_j \gamma_\mu \ell^i)$	$\mathcal{O}_{\ell q}^{(3)}$	$(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)D}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{q}_j \gamma_\mu q^j)$	$\mathcal{O}_{qq}^{(3)D}$	$(\bar{q}_i \gamma^\mu \sigma^a q^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)E}$	$(\bar{q}_i \gamma^\mu q^j)(\bar{q}_j \gamma_\mu q^i)$	$\mathcal{O}_{qq}^{(3)E}$	$(\bar{q}_i \gamma^\mu \sigma^a q^j)(\bar{q}_j \gamma_\mu \sigma^a q^i)$
$(\bar{R}R)(\bar{R}R)$	\mathcal{O}_{ee}	$(\bar{e}_i \gamma^\mu e^i)(\bar{e}_j \gamma_\mu e^j)$	\mathcal{O}_{dd}^D	$(\bar{d}_i \gamma^\mu d^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{uu}^D	$(\bar{u}_i \gamma^\mu u^i)(\bar{u}_j \gamma_\mu u^j)$	\mathcal{O}_{dd}^E	$(\bar{d}_i \gamma^\mu d^j)(\bar{d}_j \gamma_\mu d^i)$
	\mathcal{O}_{uu}^E	$(\bar{u}_i \gamma^\mu u^j)(\bar{u}_j \gamma_\mu u^i)$	$\mathcal{O}_{ud}^{(1)}$	$(\bar{u}_i \gamma^\mu u^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{eu}	$(\bar{e}_i \gamma^\mu e^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{ud}^{(8)}$	$(\bar{u}_i \gamma^\mu T^A u^i)(\bar{d}_j \gamma_\mu T^A d^j)$
	\mathcal{O}_{ed}	$(\bar{e}_i \gamma^\mu e^i)(\bar{d}_j \gamma_\mu d^j)$		
$(\bar{L}L)(\bar{R}R)$	$\mathcal{O}_{\ell e}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{u}_j \gamma_\mu u^j)$
	\mathcal{O}_{qe}	$(\bar{q}_i \gamma^\mu q^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{u}_j \gamma_\mu T^A u^j)$
	$\mathcal{O}_{\ell u}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{qd}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{ld}	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{d}_j \gamma_\mu d^j)$	$\mathcal{O}_{qd}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{d}_j \gamma_\mu T^A d^j)$
$\psi^2 \phi^2 D$	$\mathcal{O}_{\phi\ell}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \ell^i)$	$\mathcal{O}_{\phi e}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{e}_i \gamma^\mu e^i)$
	$\mathcal{O}_{\phi\ell}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)$	$\mathcal{O}_{\phi u}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{u}_i \gamma^\mu u^i)$
	$\mathcal{O}_{\phi q}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{q}_i \gamma^\mu q^i)$	$\mathcal{O}_{\phi d}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{d}_i \gamma^\mu d^i)$
	$\mathcal{O}_{\phi q}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{q}_i \gamma^\mu \sigma^a q^i)$		

Class	Label	Operator	Label	Operator
X^3 Loop generated	\mathcal{O}_W	$\varepsilon_{abc} W_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	\mathcal{O}_G	$f_{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
	$\mathcal{O}_{\tilde{W}}$	$\varepsilon_{abc} \tilde{W}_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	$\mathcal{O}_{\tilde{G}}$	$f_{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
ϕ^6	\mathcal{O}_ϕ	$(\phi^\dagger \phi)^3$		
$\phi^4 D^2$	$\mathcal{O}_{\phi\Box}$	$(\phi^\dagger \phi) \Box (\phi^\dagger \phi)$	$\mathcal{O}_{\phi D}$	$(\phi^\dagger D_\mu \phi) [(D^\mu \phi)^\dagger \phi]$
	$\mathcal{O}_{\phi B}$	$(\phi^\dagger \phi) B_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi WB}$	$(\phi^\dagger \sigma^a \phi) W_{\mu\nu}^a B^{\mu\nu}$
$X^2 \phi^2$ Loop generated	$\mathcal{O}_{\phi\tilde{B}}$	$(\phi^\dagger \phi) \tilde{B}_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi\tilde{W}B}$	$(\phi^\dagger \sigma^a \phi) \tilde{W}_{\mu\nu}^a B^{\mu\nu}$
	$\mathcal{O}_{\phi W}$	$(\phi^\dagger \phi) W_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi G}$	$(\phi^\dagger \phi) G_{\mu\nu}^A G^{A\mu\nu}$
	$\mathcal{O}_{\phi\tilde{W}}$	$(\phi^\dagger \phi) \tilde{W}_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi\tilde{G}}$	$(\phi^\dagger \phi) \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$
$\psi^2 \phi^3$ Loop generated	$[\mathcal{O}_{e\phi}]_{i\ell}^{j_e}$	$(\phi^\dagger \phi)(\bar{\ell}_i \phi e^{j_e})$		
	$[\mathcal{O}_{d\phi}]_{i_q}^{j_d}$	$(\phi^\dagger \phi)(\bar{q}_i \phi d^{j_d})$	$[\mathcal{O}_{u\phi}]_{i_q}^{j_u}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \tilde{\phi} u^{j_u})$
	$[\mathcal{O}_{eB}]_{i\ell}^{j_e}$	$(\bar{\ell}_i \sigma^{\mu\nu} e^{j_e}) \phi B_{\mu\nu}$	$[\mathcal{O}_{eW}]_{i\ell}^{j_e}$	$(\bar{\ell}_i \sigma^{\mu\nu} e^{j_e}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uB}]_{i_q}^{j_u}$	$(\bar{q}_i \sigma^{\mu\nu} u^{j_u}) \tilde{\phi} B_{\mu\nu}$	$[\mathcal{O}_{uW}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \sigma^a \tilde{\phi} W_{\mu\nu}^a$
	$[\mathcal{O}_{dB}]_{i_q}^{j_d}$	$(\bar{q}_i \sigma^{\mu\nu} d^{j_d}) \phi B_{\mu\nu}$	$[\mathcal{O}_{dW}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uG}]_{i_q}^{j_u}$	$(\bar{q}_i \sigma^{\mu\nu} T^A u^{j_u}) \tilde{\phi} G_\mu^A$	$[\mathcal{O}_{dG}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A d^{j_d}) \phi G_\mu^A$

UV completions

- NP fields as SM gauge irreps




De Blas, Criado, Perez-Victoria, Santiago [1711.10391]

Class	Label	Operator	Label	Operator	
$(\bar{L}L)(\bar{L}L)$	$\mathcal{O}_{\ell\ell}^D$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{\ell}_j \gamma_\mu \ell^j)$	$\mathcal{O}_{\ell q}^{(1)}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{q}_j \gamma_\mu q^j)$	
	$\mathcal{O}_{\ell\ell}^E$	$(\bar{\ell}_i \gamma^\mu \ell^j)(\bar{\ell}_j \gamma_\mu \ell^i)$	$\mathcal{O}_{\ell q}^{(3)}$	$(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$	
	$\mathcal{O}_{qq}^{(1)D}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{q}_j \gamma_\mu q^j)$	$\mathcal{O}_{qq}^{(3)D}$	$(\bar{q}_i \gamma^\mu \sigma^a q^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$	
	$\mathcal{O}_{qq}^{(1)E}$	$(\bar{q}_i \gamma^\mu q^j)(\bar{q}_j \gamma_\mu q^i)$	$\mathcal{O}_{qq}^{(3)E}$	$(\bar{q}_i \gamma^\mu \sigma^a q^j)(\bar{q}_j \gamma_\mu \sigma^a q^i)$	
$(\bar{R}R)(\bar{R}R)$	\mathcal{O}_{ee}^D	$(\bar{e}_i \gamma^\mu e^i)(\bar{e}_j \gamma_\mu e^j)$	\mathcal{O}_{dd}^D	$(\bar{d}_i \gamma^\mu d^i)(\bar{d}_j \gamma_\mu d^j)$	
	\mathcal{O}_{uu}^D	$(\bar{u}_i \gamma^\mu u^i)(\bar{u}_j \gamma_\mu u^j)$	\mathcal{O}_{dd}^E	$(\bar{d}_i \gamma^\mu d^j)(\bar{d}_j \gamma_\mu d^i)$	
	\mathcal{O}_{uu}^E	$(\bar{u}_i \gamma^\mu u^j)(\bar{u}_j \gamma_\mu u^i)$	$\mathcal{O}_{ud}^{(1)}$	$(\bar{u}_i \gamma^\mu u^i)(\bar{d}_j \gamma_\mu d^j)$	
	\mathcal{O}_{eu}	$(\bar{e}_i \gamma^\mu e^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{ud}^{(8)}$	$(\bar{u}_i \gamma^\mu T^A u^i)(\bar{d}_j \gamma_\mu T^A d^j)$	
$\psi^2 \phi^2 D$	\mathcal{O}_{ed}	$(\bar{e}_i \gamma^\mu e^i)(\bar{d}_j \gamma_\mu d^j)$			
	$\mathcal{O}_{\ell e}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{u}_j \gamma_\mu u^j)$	
	\mathcal{O}_{qe}	$(\bar{q}_i \gamma^\mu q^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{u}_j \gamma_\mu T^A u^j)$	
	$\mathcal{O}_{\ell u}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{qd}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{d}_j \gamma_\mu d^j)$	
X^3 Loop generated	$\mathcal{O}_{\ell d}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{d}_j \gamma_\mu d^j)$	$\mathcal{O}_{qd}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{d}_j \gamma_\mu T^A d^j)$	
	\mathcal{O}_W	$\varepsilon_{abc} W_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	\mathcal{O}_G	$f_{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	
	$\mathcal{O}_{\tilde{W}}$	$\varepsilon_{abc} \tilde{W}_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	$\mathcal{O}_{\tilde{G}}$	$f_{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	
	ϕ^6	\mathcal{O}_ϕ	$(\phi^\dagger \phi)^3$		
$X^2 \phi^2$ Loop generated	$\phi^4 D^2$	$\mathcal{O}_{\phi\square}$	$(\phi^\dagger \phi) \square (\phi^\dagger \phi)$	$\mathcal{O}_{\phi D}$	$(\phi^\dagger D_\mu \phi) [(D^\mu \phi)^\dagger \phi]$
	$\mathcal{O}_{\phi B}$	$(\phi^\dagger \phi) B_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi WB}$	$(\phi^\dagger \sigma^a \phi) W_{\mu\nu}^a B^{\mu\nu}$	
	$\mathcal{O}_{\phi \tilde{B}}$	$(\phi^\dagger \phi) \tilde{B}_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi \tilde{W} B}$	$(\phi^\dagger \sigma^a \phi) \tilde{W}_{\mu\nu}^a B^{\mu\nu}$	
	$\mathcal{O}_{\phi W}$	$(\phi^\dagger \phi) W_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi G}$	$(\phi^\dagger \phi) G_{\mu\nu}^A G^{A\mu\nu}$	
$\psi^2 X \phi$ Loop generated	$\mathcal{O}_{\phi \tilde{W}}$	$(\phi^\dagger \phi) \tilde{W}_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi \tilde{G}}$	$(\phi^\dagger \phi) \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$	
	$\psi^2 \phi^3$	$[\mathcal{O}_{e\phi}]_{i_\ell}^{j_e}$	$(\phi^\dagger \phi)(\bar{\ell}_{i_\ell} \phi e^{j_e})$		
		$[\mathcal{O}_{d\phi}]_{i_q}^{j_d}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \phi d^{j_d})$	$[\mathcal{O}_{u\phi}]_{i_q}^{j_u}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \tilde{\phi} u^{j_u})$
		$[\mathcal{O}_{eB}]_{i_\ell}^{j_e}$	$(\bar{\ell}_{i_\ell} \sigma^{\mu\nu} e^{j_e}) \phi B_{\mu\nu}$	$[\mathcal{O}_{eW}]_{i_\ell}^{j_e}$	$(\bar{\ell}_{i_\ell} \sigma^{\mu\nu} e^{j_e}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uB}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \tilde{\phi} B_{\mu\nu}$	$[\mathcal{O}_{uW}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \sigma^a \tilde{\phi} W_{\mu\nu}^a$	
	$[\mathcal{O}_{dB}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \phi B_{\mu\nu}$	$[\mathcal{O}_{dW}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \sigma^a \phi W_{\mu\nu}^a$	
	$[\mathcal{O}_{uG}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A u^{j_u}) \tilde{\phi} G_{\mu\nu}^A$	$[\mathcal{O}_{dG}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A d^{j_d}) \phi G_{\mu\nu}^A$	

UV completions

- NP fields as SM gauge irreps




De Blas, Criado, Perez-Victoria, Santiago [1711.10391]

- The interaction Lagrangians are examined in the presence of $U(3)^5$ flavor symmetry

Class	Label	Operator	Label	Operator
$(\bar{L}L)(\bar{L}L)$	$\mathcal{O}_{\ell\ell}^D$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{\ell}_j \gamma_\mu \ell^j)$	$\mathcal{O}_{\ell q}^{(1)}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{q}_j \gamma_\mu q^j)$
	$\mathcal{O}_{\ell\ell}^E$	$(\bar{\ell}_i \gamma^\mu \ell^j)(\bar{\ell}_j \gamma_\mu \ell^i)$	$\mathcal{O}_{\ell q}^{(3)}$	$(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)D}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{q}_j \gamma_\mu q^j)$	$\mathcal{O}_{qq}^{(3)D}$	$(\bar{q}_i \gamma^\mu \sigma^a q^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)E}$	$(\bar{q}_i \gamma^\mu q^j)(\bar{q}_j \gamma_\mu q^i)$	$\mathcal{O}_{qq}^{(3)E}$	$(\bar{q}_i \gamma^\mu \sigma^a q^j)(\bar{q}_j \gamma_\mu \sigma^a q^i)$
$(\bar{R}R)(\bar{R}R)$	\mathcal{O}_{ee}^D	$(\bar{e}_i \gamma^\mu e^i)(\bar{e}_j \gamma_\mu e^j)$	\mathcal{O}_{dd}^D	$(\bar{d}_i \gamma^\mu d^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{uu}^D	$(\bar{u}_i \gamma^\mu u^i)(\bar{u}_j \gamma_\mu u^j)$	\mathcal{O}_{dd}^E	$(\bar{d}_i \gamma^\mu d^j)(\bar{d}_j \gamma_\mu d^i)$
	\mathcal{O}_{uu}^E	$(\bar{u}_i \gamma^\mu u^j)(\bar{u}_j \gamma_\mu u^i)$	$\mathcal{O}_{ud}^{(1)}$	$(\bar{u}_i \gamma^\mu u^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{eu}	$(\bar{e}_i \gamma^\mu e^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{ud}^{(8)}$	$(\bar{u}_i \gamma^\mu T^A u^i)(\bar{d}_j \gamma_\mu T^A d^j)$
	\mathcal{O}_{ed}	$(\bar{e}_i \gamma^\mu e^i)(\bar{d}_j \gamma_\mu d^j)$		
$(\bar{L}L)(\bar{R}R)$	\mathcal{O}_{le}^D	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{u}_j \gamma_\mu u^j)$
	\mathcal{O}_{qe}^D	$(\bar{q}_i \gamma^\mu q^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{u}_j \gamma_\mu T^A u^j)$
	$\mathcal{O}_{\ell u}^D$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{qd}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{ld}^D	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{d}_j \gamma_\mu d^j)$	$\mathcal{O}_{qd}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{d}_j \gamma_\mu T^A d^j)$
$\psi^2 \phi^2 D$	$\mathcal{O}_{\phi\ell}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \ell^i)$	$\mathcal{O}_{\phi e}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{e}_i \gamma^\mu e^i)$
	$\mathcal{O}_{\phi\ell}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)$	$\mathcal{O}_{\phi u}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{u}_i \gamma^\mu u^i)$
	$\mathcal{O}_{\phi q}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{q}_i \gamma^\mu q^i)$	$\mathcal{O}_{\phi d}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{d}_i \gamma^\mu d^i)$
	$\mathcal{O}_{\phi q}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{q}_i \gamma^\mu \sigma^a q^i)$		
Class	Label	Operator	Label	Operator
Loop generated	\mathcal{O}_W	$\varepsilon_{abc} W_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	\mathcal{O}_G	$f_{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
	$\mathcal{O}_{\tilde{W}}$	$\varepsilon_{abc} \tilde{W}_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	$\mathcal{O}_{\tilde{G}}$	$f_{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
ϕ^6	\mathcal{O}_ϕ	$(\phi^\dagger \phi)^3$		
$\phi^4 D^2$	$\mathcal{O}_{\phi\Box}$	$(\phi^\dagger \phi) \Box (\phi^\dagger \phi)$	$\mathcal{O}_{\phi D}$	$(\phi^\dagger D_\mu \phi) [(D^\mu \phi)^\dagger \phi]$
$X^2 \phi^2$	$\mathcal{O}_{\phi B}$	$(\phi^\dagger \phi) B_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi WB}$	$(\phi^\dagger \sigma^a \phi) W_{\mu\nu}^a B^{\mu\nu}$
	$\mathcal{O}_{\phi \tilde{B}}$	$(\phi^\dagger \phi) \tilde{B}_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi \tilde{W} B}$	$(\phi^\dagger \sigma^a \phi) \tilde{W}_{\mu\nu}^a B^{\mu\nu}$
	$\mathcal{O}_{\phi W}$	$(\phi^\dagger \phi) W_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi G}$	$(\phi^\dagger \phi) G_{\mu\nu}^A G^{A\mu\nu}$
	$\mathcal{O}_{\phi \tilde{W}}$	$(\phi^\dagger \phi) \tilde{W}_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi \tilde{G}}$	$(\phi^\dagger \phi) \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$
Class	Label	Operator	Label	Operator
$\psi^2 \phi^3$	$[\mathcal{O}_{e\phi}]_{i_\ell}^{j_e}$	$(\phi^\dagger \phi)(\bar{\ell}_{i_\ell} \phi e^{j_e})$		
	$[\mathcal{O}_{d\phi}]_{i_q}^{j_d}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \phi d^{j_d})$	$[\mathcal{O}_{u\phi}]_{i_q}^{j_u}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \tilde{\phi} u^{j_u})$
$\psi^2 X \phi$	$[\mathcal{O}_{eB}]_{i_\ell}^{j_e}$	$(\bar{\ell}_{i_\ell} \sigma^{\mu\nu} e^{j_e}) \phi B_{\mu\nu}$	$[\mathcal{O}_{eW}]_{i_\ell}^{j_e}$	$(\bar{\ell}_{i_\ell} \sigma^{\mu\nu} e^{j_e}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uB}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \tilde{\phi} B_{\mu\nu}$	$[\mathcal{O}_{uW}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \sigma^a \tilde{\phi} W_{\mu\nu}^a$
	$[\mathcal{O}_{dB}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \phi B_{\mu\nu}$	$[\mathcal{O}_{dW}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uG}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A u^{j_u}) \tilde{\phi} G_{\mu\nu}^A$	$[\mathcal{O}_{dG}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A d^{j_d}) \phi G_{\mu\nu}^A$

UV completions

- NP fields as SM gauge irreps




De Blas, Criado, Perez-Victoria, Santiago [1711.10391]

- The interaction Lagrangians are examined in the presence of $U(3)^5$ flavor symmetry
- SMEFT matching relations are obtained


Class	Label	Operator	Label	Operator
$(\bar{L}L)(\bar{L}L)$	$\mathcal{O}_{\ell\ell}^D$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{\ell}_j \gamma_\mu \ell^j)$	$\mathcal{O}_{\ell q}^{(1)}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{q}_j \gamma_\mu q^j)$
	$\mathcal{O}_{\ell\ell}^E$	$(\bar{\ell}_i \gamma^\mu \ell^j)(\bar{\ell}_j \gamma_\mu \ell^i)$	$\mathcal{O}_{\ell q}^{(3)}$	$(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)D}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{q}_j \gamma_\mu q^j)$	$\mathcal{O}_{qq}^{(3)D}$	$(\bar{q}_i \gamma^\mu \sigma^a q^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)E}$	$(\bar{q}_i \gamma^\mu q^j)(\bar{q}_j \gamma_\mu q^i)$	$\mathcal{O}_{qq}^{(3)E}$	$(\bar{q}_i \gamma^\mu \sigma^a q^j)(\bar{q}_j \gamma_\mu \sigma^a q^i)$
$(\bar{R}R)(\bar{R}R)$	\mathcal{O}_{ee}^D	$(\bar{e}_i \gamma^\mu e^i)(\bar{e}_j \gamma_\mu e^j)$	\mathcal{O}_{dd}^D	$(\bar{d}_i \gamma^\mu d^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{uu}^D	$(\bar{u}_i \gamma^\mu u^i)(\bar{u}_j \gamma_\mu u^j)$	\mathcal{O}_{dd}^E	$(\bar{d}_i \gamma^\mu d^j)(\bar{d}_j \gamma_\mu d^i)$
	\mathcal{O}_{uu}^E	$(\bar{u}_i \gamma^\mu u^j)(\bar{u}_j \gamma_\mu u^i)$	$\mathcal{O}_{ud}^{(1)}$	$(\bar{u}_i \gamma^\mu u^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{eu}	$(\bar{e}_i \gamma^\mu e^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{ud}^{(8)}$	$(\bar{u}_i \gamma^\mu T^A u^i)(\bar{d}_j \gamma_\mu T^A d^j)$
$\psi^2 \phi^2 D$	\mathcal{O}_{ed}	$(\bar{e}_i \gamma^\mu e^i)(\bar{d}_j \gamma_\mu d^j)$	$\mathcal{O}_{qu}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{u}_j \gamma_\mu u^j)$
	\mathcal{O}_{le}	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{u}_j \gamma_\mu T^A u^j)$
	\mathcal{O}_{qe}	$(\bar{q}_i \gamma^\mu q^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qd}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{d}_j \gamma_\mu d^j)$
	$\mathcal{O}_{\ell u}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{qd}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{d}_j \gamma_\mu T^A d^j)$
X^3 Loop generated	$\mathcal{O}_{\phi\ell}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \ell^i)$	$\mathcal{O}_{\phi e}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{e}_i \gamma^\mu e^i)$
	$\mathcal{O}_{\phi\ell}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)$	$\mathcal{O}_{\phi u}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{u}_i \gamma^\mu u^i)$
	$\mathcal{O}_{\phi q}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{q}_i \gamma^\mu q^i)$	$\mathcal{O}_{\phi d}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{d}_i \gamma^\mu d^i)$
	$\mathcal{O}_{\phi q}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{q}_i \gamma^\mu \sigma^a q^i)$		
Class	Label	Operator	Label	Operator
$X^2 \phi^2$ Loop generated	\mathcal{O}_W	$\varepsilon_{abc} W_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	\mathcal{O}_G	$f_{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
	$\mathcal{O}_{\tilde{W}}$	$\varepsilon_{abc} \tilde{W}_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	$\mathcal{O}_{\tilde{G}}$	$f_{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
	ϕ^6	\mathcal{O}_ϕ	$(\phi^\dagger \phi)^3$	
	$\phi^4 D^2$	$\mathcal{O}_{\phi\Box}$	$(\phi^\dagger \phi) \Box (\phi^\dagger \phi)$	$\mathcal{O}_{\phi D}$
	$\mathcal{O}_{\phi B}$	$(\phi^\dagger \phi) B_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi WB}$	$(\phi^\dagger \sigma^a \phi) W_{\mu\nu}^a B^{\mu\nu}$
	$\mathcal{O}_{\phi \tilde{B}}$	$(\phi^\dagger \phi) \tilde{B}_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi \tilde{W} B}$	$(\phi^\dagger \sigma^a \phi) \tilde{W}_{\mu\nu}^a B^{\mu\nu}$
	$\mathcal{O}_{\phi W}$	$(\phi^\dagger \phi) W_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi G}$	$(\phi^\dagger \phi) G_{\mu\nu}^A G^{A\mu\nu}$
	$\mathcal{O}_{\phi \tilde{W}}$	$(\phi^\dagger \phi) \tilde{W}_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi \tilde{G}}$	$(\phi^\dagger \phi) \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$
Class	Label	Operator	Label	Operator
$\psi^2 \phi^3$	$[\mathcal{O}_{e\phi}]_{i\ell}^{j_e}$	$(\phi^\dagger \phi)(\bar{\ell}_{i\ell} \phi e^{j_e})$		
	$[\mathcal{O}_{d\phi}]_{i_q}^{j_d}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \phi d^{j_d})$	$[\mathcal{O}_{u\phi}]_{i_q}^{j_u}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \tilde{\phi} u^{j_u})$
	$[\mathcal{O}_{eB}]_{i\ell}^{j_e}$	$(\bar{\ell}_{i\ell} \sigma^{\mu\nu} e^{j_e}) \phi B_{\mu\nu}$	$[\mathcal{O}_{eW}]_{i\ell}^{j_e}$	$(\bar{\ell}_{i\ell} \sigma^{\mu\nu} e^{j_e}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uB}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \tilde{\phi} B_{\mu\nu}$	$[\mathcal{O}_{uW}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \sigma^a \tilde{\phi} W_{\mu\nu}^a$
$\psi^2 X \phi$ Loop generated	$[\mathcal{O}_{dB}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \phi B_{\mu\nu}$	$[\mathcal{O}_{dW}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uG}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A u^{j_u}) \tilde{\phi} G_{\mu\nu}^A$	$[\mathcal{O}_{dG}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A d^{j_d}) \phi G_{\mu\nu}^A$

Procedure example: $\omega_4 \sim (3,1)_{-4/3}$




Class	Label	Operator	Label	Operator
$(\bar{L}L)(\bar{L}L)$	$\mathcal{O}_{\ell\ell}^D$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{\ell}_j \gamma_\mu \ell^j)$	$\mathcal{O}_{\ell q}^{(1)}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{q}_j \gamma_\mu q^j)$
	$\mathcal{O}_{\ell\ell}^E$	$(\bar{\ell}_i \gamma^\mu \ell^j)(\bar{\ell}_j \gamma_\mu \ell^i)$	$\mathcal{O}_{\ell q}^{(3)}$	$(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)D}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{q}_j \gamma_\mu q^j)$	$\mathcal{O}_{qq}^{(3)D}$	$(\bar{q}_i \gamma^\mu \sigma^a q^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)E}$	$(\bar{q}_i \gamma^\mu q^j)(\bar{q}_j \gamma_\mu q^i)$	$\mathcal{O}_{qq}^{(3)E}$	$(\bar{q}_i \gamma^\mu \sigma^a q^j)(\bar{q}_j \gamma_\mu \sigma^a q^i)$
$(\bar{R}R)(\bar{R}R)$	\mathcal{O}_{ee}^D	$(\bar{e}_i \gamma^\mu e^i)(\bar{e}_j \gamma_\mu e^j)$	\mathcal{O}_{dd}^D	$(\bar{d}_i \gamma^\mu d^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{uu}^D	$(\bar{u}_i \gamma^\mu u^i)(\bar{u}_j \gamma_\mu u^j)$	\mathcal{O}_{dd}^E	$(\bar{d}_i \gamma^\mu d^j)(\bar{d}_j \gamma_\mu d^i)$
	\mathcal{O}_{uu}^E	$(\bar{u}_i \gamma^\mu u^j)(\bar{u}_j \gamma_\mu u^i)$	$\mathcal{O}_{ud}^{(1)}$	$(\bar{u}_i \gamma^\mu u^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{eu}	$(\bar{e}_i \gamma^\mu e^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{ud}^{(8)}$	$(\bar{u}_i \gamma^\mu T^A u^i)(\bar{d}_j \gamma_\mu T^A d^j)$
	\mathcal{O}_{ed}	$(\bar{e}_i \gamma^\mu e^i)(\bar{d}_j \gamma_\mu d^j)$		
$(\bar{L}L)(\bar{R}R)$	$\mathcal{O}_{\ell e}^D$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{u}_j \gamma_\mu u^j)$
	\mathcal{O}_{qe}^D	$(\bar{q}_i \gamma^\mu q^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{u}_j \gamma_\mu T^A u^j)$
	$\mathcal{O}_{\ell u}^D$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{qd}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{ld}^D	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{d}_j \gamma_\mu d^j)$	$\mathcal{O}_{qd}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{d}_j \gamma_\mu T^A d^j)$
$\psi^2 \phi^2 D$	$\mathcal{O}_{\phi\ell}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \ell^i)$	$\mathcal{O}_{\phi e}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{e}_i \gamma^\mu e^i)$
	$\mathcal{O}_{\phi\ell}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)$	$\mathcal{O}_{\phi u}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{u}_i \gamma^\mu u^i)$
	$\mathcal{O}_{\phi q}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{q}_i \gamma^\mu q^i)$	$\mathcal{O}_{\phi d}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{d}_i \gamma^\mu d^i)$
	$\mathcal{O}_{\phi q}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{q}_i \gamma^\mu \sigma^a q^i)$		
Class	Label	Operator	Label	Operator
X^3 Loop generated	\mathcal{O}_W	$\varepsilon_{abc} W_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	\mathcal{O}_G	$f_{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
	$\mathcal{O}_{\tilde{W}}$	$\varepsilon_{abc} \tilde{W}_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	$\mathcal{O}_{\tilde{G}}$	$f_{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
ϕ^6	\mathcal{O}_ϕ	$(\phi^\dagger \phi)^3$		
$\phi^4 D^2$	$\mathcal{O}_{\phi\square}$	$(\phi^\dagger \phi) \square (\phi^\dagger \phi)$	$\mathcal{O}_{\phi D}$	$(\phi^\dagger D_\mu \phi)[(D^\mu \phi)^\dagger \phi]$
$X^2 \phi^2$ Loop generated	$\mathcal{O}_{\phi B}$	$(\phi^\dagger \phi) B_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi WB}$	$(\phi^\dagger \sigma^a \phi) W_{\mu\nu}^a B^{\mu\nu}$
	$\mathcal{O}_{\phi \tilde{B}}$	$(\phi^\dagger \phi) \tilde{B}_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi \tilde{W} B}$	$(\phi^\dagger \sigma^a \phi) \tilde{W}_{\mu\nu}^a B^{\mu\nu}$
	$\mathcal{O}_{\phi W}$	$(\phi^\dagger \phi) W_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi G}$	$(\phi^\dagger \phi) G_{\mu\nu}^A G^{A\mu\nu}$
	$\mathcal{O}_{\phi \tilde{W}}$	$(\phi^\dagger \phi) \tilde{W}_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi \tilde{G}}$	$(\phi^\dagger \phi) \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$
Class	Label	Operator	Label	Operator
$\psi^2 \phi^3$	$[\mathcal{O}_{e\phi}]_{i_\ell}^{j_e}$	$(\phi^\dagger \phi)(\bar{\ell}_{i_\ell} \phi e^{j_e})$		
	$[\mathcal{O}_{d\phi}]_{i_q}^{j_d}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \phi d^{j_d})$	$[\mathcal{O}_{u\phi}]_{i_q}^{j_u}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \tilde{\phi} u^{j_u})$
$\psi^2 X \phi$ Loop generated	$[\mathcal{O}_{eB}]_{i_\ell}^{j_e}$	$(\bar{\ell}_{i_\ell} \sigma^{\mu\nu} e^{j_e}) \phi B_{\mu\nu}$	$[\mathcal{O}_{eW}]_{i_\ell}^{j_e}$	$(\bar{\ell}_{i_\ell} \sigma^{\mu\nu} e^{j_e}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uB}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \tilde{\phi} B_{\mu\nu}$	$[\mathcal{O}_{uW}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \sigma^a \tilde{\phi} W_{\mu\nu}^a$
	$[\mathcal{O}_{dB}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \phi B_{\mu\nu}$	$[\mathcal{O}_{dW}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uG}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A u^{j_u}) \tilde{\phi} G_{\mu\nu}^A$	$[\mathcal{O}_{dG}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A d^{j_d}) \phi G_{\mu\nu}^A$

Procedure example: $\omega_4 \sim (3, 1)_{-4/3}$




Class	Label	Operator	Label	Operator
$(\bar{L}L)(\bar{L}L)$	$\mathcal{O}_{\ell\ell}^D$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{\ell}_j \gamma_\mu \ell^j)$	$\mathcal{O}_{\ell q}^{(1)}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{q}_j \gamma_\mu q^j)$
	$\mathcal{O}_{\ell\ell}^E$	$(\bar{\ell}_i \gamma^\mu \ell^j)(\bar{\ell}_j \gamma_\mu \ell^i)$	$\mathcal{O}_{\ell q}^{(3)}$	$(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)D}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{q}_j \gamma_\mu q^j)$	$\mathcal{O}_{qq}^{(3)D}$	$(\bar{q}_i \gamma^\mu \sigma^a q^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)E}$	$(\bar{q}_i \gamma^\mu q^j)(\bar{q}_j \gamma_\mu q^i)$	$\mathcal{O}_{qq}^{(3)E}$	$(\bar{q}_i \gamma^\mu \sigma^a q^j)(\bar{q}_j \gamma_\mu \sigma^a q^i)$
$(\bar{R}R)(\bar{R}R)$	\mathcal{O}_{ee}^D	$(\bar{e}_i \gamma^\mu e^i)(\bar{e}_j \gamma_\mu e^j)$	\mathcal{O}_{dd}^D	$(\bar{d}_i \gamma^\mu d^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{uu}^D	$(\bar{u}_i \gamma^\mu u^i)(\bar{u}_j \gamma_\mu u^j)$	\mathcal{O}_{dd}^E	$(\bar{d}_i \gamma^\mu d^j)(\bar{d}_j \gamma_\mu d^i)$
	\mathcal{O}_{uu}^E	$(\bar{u}_i \gamma^\mu u^j)(\bar{u}_j \gamma_\mu u^i)$	$\mathcal{O}_{ud}^{(1)}$	$(\bar{u}_i \gamma^\mu u^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{eu}	$(\bar{e}_i \gamma^\mu e^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{ud}^{(8)}$	$(\bar{u}_i \gamma^\mu T^A u^i)(\bar{d}_j \gamma_\mu T^A d^j)$
	\mathcal{O}_{ed}	$(\bar{e}_i \gamma^\mu e^i)(\bar{d}_j \gamma_\mu d^j)$		
$(\bar{L}L)(\bar{R}R)$	$\mathcal{O}_{\ell e}^D$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{u}_j \gamma_\mu u^j)$
	\mathcal{O}_{qe}^D	$(\bar{q}_i \gamma^\mu q^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{u}_j \gamma_\mu T^A u^j)$
	$\mathcal{O}_{\ell u}^D$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{qd}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{ld}^D	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{d}_j \gamma_\mu d^j)$	$\mathcal{O}_{qd}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{d}_j \gamma_\mu T^A d^j)$
$\psi^2 \phi^2 D$	$\mathcal{O}_{\phi\ell}^{(1)}$	$(\phi^\dagger i \overleftrightarrow{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \ell^i)$	$\mathcal{O}_{\phi e}$	$(\phi^\dagger i \overleftrightarrow{D}_\mu \phi)(\bar{e}_i \gamma^\mu e^i)$
	$\mathcal{O}_{\phi\ell}^{(3)}$	$(\phi^\dagger i \overleftrightarrow{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)$	$\mathcal{O}_{\phi u}$	$(\phi^\dagger i \overleftrightarrow{D}_\mu \phi)(\bar{u}_i \gamma^\mu u^i)$
	$\mathcal{O}_{\phi q}^{(1)}$	$(\phi^\dagger i \overleftrightarrow{D}_\mu \phi)(\bar{q}_i \gamma^\mu q^i)$	$\mathcal{O}_{\phi d}$	$(\phi^\dagger i \overleftrightarrow{D}_\mu \phi)(\bar{d}_i \gamma^\mu d^i)$
	$\mathcal{O}_{\phi q}^{(3)}$	$(\phi^\dagger i \overleftrightarrow{D}_\mu \phi)(\bar{q}_i \gamma^\mu \sigma^a q^i)$		
Class	Label	Operator	Label	Operator
X^3 Loop generated	\mathcal{O}_W	$\varepsilon_{abc} W_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	\mathcal{O}_G	$f_{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
	$\mathcal{O}_{\tilde{W}}$	$\varepsilon_{abc} \tilde{W}_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	$\mathcal{O}_{\tilde{G}}$	$f_{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
ϕ^6	\mathcal{O}_ϕ	$(\phi^\dagger \phi)^3$		
$\phi^4 D^2$	$\mathcal{O}_{\phi\Box}$	$(\phi^\dagger \phi) \Box (\phi^\dagger \phi)$	$\mathcal{O}_{\phi D}$	$(\phi^\dagger D_\mu \phi) [(D^\mu \phi)^\dagger \phi]$
$X^2 \phi^2$ Loop generated	$\mathcal{O}_{\phi B}$	$(\phi^\dagger \phi) B_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi WB}$	$(\phi^\dagger \sigma^a \phi) W_{\mu\nu}^a B^{\mu\nu}$
	$\mathcal{O}_{\phi \tilde{B}}$	$(\phi^\dagger \phi) \tilde{B}_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi \tilde{W} B}$	$(\phi^\dagger \sigma^a \phi) \tilde{W}_{\mu\nu}^a B^{\mu\nu}$
	$\mathcal{O}_{\phi W}$	$(\phi^\dagger \phi) W_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi G}$	$(\phi^\dagger \phi) G_{\mu\nu}^A G^{A\mu\nu}$
	$\mathcal{O}_{\phi \tilde{W}}$	$(\phi^\dagger \phi) \tilde{W}_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi \tilde{G}}$	$(\phi^\dagger \phi) \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$
Class	Label	Operator	Label	Operator
$\psi^2 \phi^3$	$[\mathcal{O}_{e\phi}]_{i\ell}^{j_e}$	$(\phi^\dagger \phi)(\bar{\ell}_{i\ell} \phi e^{j_e})$		
	$[\mathcal{O}_{d\phi}]_{i_q}^{j_d}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \phi d^{j_d})$	$[\mathcal{O}_{u\phi}]_{i_q}^{j_u}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \tilde{\phi} u^{j_u})$
$\psi^2 X \phi$ Loop generated	$[\mathcal{O}_{eB}]_{i\ell}^{j_e}$	$(\bar{\ell}_{i\ell} \sigma^{\mu\nu} e^{j_e}) \phi B_{\mu\nu}$	$[\mathcal{O}_{eW}]_{i\ell}^{j_e}$	$(\bar{\ell}_{i\ell} \sigma^{\mu\nu} e^{j_e}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uB}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \tilde{\phi} B_{\mu\nu}$	$[\mathcal{O}_{uW}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \sigma^a \tilde{\phi} W_{\mu\nu}^a$
	$[\mathcal{O}_{dB}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \phi B_{\mu\nu}$	$[\mathcal{O}_{dW}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uG}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A u^{j_u}) \tilde{\phi} G_{\mu\nu}^A$	$[\mathcal{O}_{dG}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A d^{j_d}) \phi G_{\mu\nu}^A$

Procedure example: $\omega_4 \sim (3, 1)_{-4/3}$




Class	Label	Operator	Label	Operator	
$(\bar{L}L)(\bar{L}L)$	$\mathcal{O}_{\ell\ell}^D$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{\ell}_j \gamma_\mu \ell^j)$	$\mathcal{O}_{\ell q}^{(1)}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{q}_j \gamma_\mu q^j)$	
	$\mathcal{O}_{\ell\ell}^E$	$(\bar{\ell}_i \gamma^\mu \ell^j)(\bar{\ell}_j \gamma_\mu \ell^i)$	$\mathcal{O}_{\ell q}^{(3)}$	$(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$	
	$\mathcal{O}_{qq}^{(1)D}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{q}_j \gamma_\mu q^j)$	$\mathcal{O}_{qq}^{(3)D}$	$(\bar{q}_i \gamma^\mu \sigma^a q^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$	
	$\mathcal{O}_{qq}^{(1)E}$	$(\bar{q}_i \gamma^\mu q^j)(\bar{q}_j \gamma_\mu q^i)$	$\mathcal{O}_{qq}^{(3)E}$	$(\bar{q}_i \gamma^\mu \sigma^a q^j)(\bar{q}_j \gamma_\mu \sigma^a q^i)$	
$(\bar{R}R)(\bar{R}R)$	\mathcal{O}_{ee}^D	$(\bar{e}_i \gamma^\mu e^i)(\bar{e}_j \gamma_\mu e^j)$	\mathcal{O}_{dd}^D	$(\bar{d}_i \gamma^\mu d^i)(\bar{d}_j \gamma_\mu d^j)$	
	\mathcal{O}_{uu}^D	$(\bar{u}_i \gamma^\mu u^i)(\bar{u}_j \gamma_\mu u^j)$	\mathcal{O}_{dd}^E	$(\bar{d}_i \gamma^\mu d^j)(\bar{d}_j \gamma_\mu d^i)$	
	\mathcal{O}_{uu}^E	$(\bar{u}_i \gamma^\mu u^j)(\bar{u}_j \gamma_\mu u^i)$	$\mathcal{O}_{ud}^{(1)}$	$(\bar{u}_i \gamma^\mu u^i)(\bar{d}_j \gamma_\mu d^j)$	
	\mathcal{O}_{eu}	$(\bar{e}_i \gamma^\mu e^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{ud}^{(8)}$	$(\bar{u}_i \gamma^\mu T^A u^i)(\bar{d}_j \gamma_\mu T^A d^j)$	
	\mathcal{O}_{ed}	$(\bar{e}_i \gamma^\mu e^i)(\bar{d}_j \gamma_\mu d^j)$			
$(\bar{L}L)(\bar{R}R)$	\mathcal{O}_{le}^D	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{u}_j \gamma_\mu u^j)$	
	\mathcal{O}_{qe}^D	$(\bar{q}_i \gamma^\mu q^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{u}_j \gamma_\mu T^A u^j)$	
	\mathcal{O}_{lu}^D	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{qd}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{d}_j \gamma_\mu d^j)$	
	\mathcal{O}_{ld}^D	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{d}_j \gamma_\mu d^j)$	$\mathcal{O}_{qd}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{d}_j \gamma_\mu T^A d^j)$	
$\psi^2 \phi^2 D$	$\mathcal{O}_{φℓ}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_μ φ)(\bar{\ell}_i \gamma^\mu \ell^i)$	$\mathcal{O}_{φe}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_μ φ)(\bar{e}_i \gamma^\mu e^i)$	
	$\mathcal{O}_{φℓ}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_μ φ)(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)$	$\mathcal{O}_{φu}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_μ φ)(\bar{u}_i \gamma^\mu u^i)$	
	$\mathcal{O}_{φq}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_μ φ)(\bar{q}_i \gamma^\mu q^i)$	$\mathcal{O}_{φd}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_μ φ)(\bar{d}_i \gamma^\mu d^i)$	
	$\mathcal{O}_{φq}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_μ φ)(\bar{q}_i \gamma^\mu \sigma^a q^i)$			
X^3 Loop generated	\mathcal{O}_W	$ε_{abc} W_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	\mathcal{O}_G	$f_{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	
	$\mathcal{O}_{\tilde{W}}$	$ε_{abc} \tilde{W}_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	$\mathcal{O}_{\tilde{G}}$	$f_{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$	
	ϕ^6	$\mathcal{O}_φ$	$(\phi^\dagger \phi)^3$		
	$\phi^4 D^2$	$\mathcal{O}_{φ□}$	$(\phi^\dagger \phi) □ (\phi^\dagger \phi)$	$\mathcal{O}_{φD}$	$(\phi^\dagger D_\mu φ)[(D^\mu φ)^\dagger φ]$
	$\phi^2 B^2$	$\mathcal{O}_{φB}$	$(\phi^\dagger \phi) B_{μν} B^{\muν}$	$\mathcal{O}_{φWB}$	$(\phi^\dagger \sigma^a φ) W_{μν}^a B^{\muν}$
	$X^2 φ^2$ Loop generated	$\mathcal{O}_{φ\tilde{B}}$	$(\phi^\dagger \phi) \tilde{B}_{μν} B^{\muν}$	$\mathcal{O}_{φ\tilde{W}B}$	$(\phi^\dagger \sigma^a φ) \tilde{W}_{μν}^a B^{\muν}$
	$\mathcal{O}_{φW}$	$(\phi^\dagger \phi) W_{μν}^a W^{a\muν}$	$\mathcal{O}_{φG}$	$(\phi^\dagger \phi) G_{μν}^A G^{A\muν}$	
	$\mathcal{O}_{φ\tilde{W}}$	$(\phi^\dagger \phi) \tilde{W}_{μν}^a W^{a\muν}$	$\mathcal{O}_{φ\tilde{G}}$	$(\phi^\dagger \phi) \tilde{G}_{μν}^A G^{A\muν}$	
$\psi^2 φ^3$	$[\mathcal{O}_{eφ}]_{i_ℓ}^{j_e}$	$(\phi^\dagger φ)(\bar{ℓ}_{i_ℓ} φ e^{j_e})$			
	$[\mathcal{O}_{dφ}]_{i_q}^{j_d}$	$(\phi^\dagger φ)(\bar{q}_{i_q} φ d^{j_d})$	$[\mathcal{O}_{uφ}]_{i_q}^{j_u}$	$(\phi^\dagger φ)(\bar{q}_{i_q} \tilde{φ} u^{j_u})$	
	$[\mathcal{O}_{eB}]_{i_ℓ}^{j_e}$	$(\bar{ℓ}_{i_ℓ} σ^{\muν} e^{j_e}) φ B_{μν}$	$[\mathcal{O}_{eW}]_{i_ℓ}^{j_e}$	$(\bar{ℓ}_{i_ℓ} σ^{\muν} e^{j_e}) σ^a φ W_{μν}^a$	
	$[\mathcal{O}_{uB}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} σ^{\muν} u^{j_u}) \tilde{φ} B_{μν}$	$[\mathcal{O}_{uW}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} σ^{\muν} u^{j_u}) σ^a \tilde{φ} W_{μν}^a$	
	$[\mathcal{O}_{dB}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} σ^{\muν} d^{j_d}) φ B_{μν}$	$[\mathcal{O}_{dW}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} σ^{\muν} d^{j_d}) σ^a φ W_{μν}^a$	
$\psi^2 Xφ$ Loop generated	$[\mathcal{O}_{uG}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} σ^{\muν} T^A u^{j_u}) \tilde{φ} G_{μν}^A$	$[\mathcal{O}_{dG}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} σ^{\muν} T^A d^{j_d}) φ G_{μν}^A$	

Procedure example: $\omega_4 \sim (3, 1)_{-4/3}$




Class	Label	Operator	Label	Operator
$(\bar{L}L)(\bar{L}L)$	$\mathcal{O}_{\ell\ell}^D$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{\ell}_j \gamma_\mu \ell^j)$	$\mathcal{O}_{\ell q}^{(1)}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{q}_j \gamma_\mu q^j)$
	$\mathcal{O}_{\ell\ell}^E$	$(\bar{\ell}_i \gamma^\mu \ell^j)(\bar{\ell}_j \gamma_\mu \ell^i)$	$\mathcal{O}_{\ell q}^{(3)}$	$(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)D}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{q}_j \gamma_\mu q^j)$	$\mathcal{O}_{qq}^{(3)D}$	$(\bar{q}_i \gamma^\mu \sigma^a q^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)E}$	$(\bar{q}_i \gamma^\mu q^j)(\bar{q}_j \gamma_\mu q^i)$	$\mathcal{O}_{qq}^{(3)E}$	$(\bar{q}_i \gamma^\mu \sigma^a q^j)(\bar{q}_j \gamma_\mu \sigma^a q^i)$
$(\bar{R}R)(\bar{R}R)$	\mathcal{O}_{ee}^D	$(\bar{e}_i \gamma^\mu e^i)(\bar{e}_j \gamma_\mu e^j)$	\mathcal{O}_{dd}^D	$(\bar{d}_i \gamma^\mu d^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{uu}^D	$(\bar{u}_i \gamma^\mu u^i)(\bar{u}_j \gamma_\mu u^j)$	\mathcal{O}_{dd}^E	$(\bar{d}_i \gamma^\mu d^j)(\bar{d}_j \gamma_\mu d^i)$
	\mathcal{O}_{uu}^E	$(\bar{u}_i \gamma^\mu u^j)(\bar{u}_j \gamma_\mu u^i)$	$\mathcal{O}_{ud}^{(1)}$	$(\bar{u}_i \gamma^\mu u^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{eu}	$(\bar{e}_i \gamma^\mu e^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{ud}^{(8)}$	$(\bar{u}_i \gamma^\mu T^A u^i)(\bar{d}_j \gamma_\mu T^A d^j)$
	\mathcal{O}_{ed}	$(\bar{e}_i \gamma^\mu e^i)(\bar{d}_j \gamma_\mu d^j)$		
$(\bar{L}L)(\bar{R}R)$	\mathcal{O}_{le}^D	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{u}_j \gamma_\mu u^j)$
	\mathcal{O}_{qe}^D	$(\bar{q}_i \gamma^\mu q^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{u}_j \gamma_\mu T^A u^j)$
	$\mathcal{O}_{\ell u}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{qd}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{ld}	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{d}_j \gamma_\mu d^j)$	$\mathcal{O}_{qd}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{d}_j \gamma_\mu T^A d^j)$
$\psi^2 \phi^2 D$	$\mathcal{O}_{\phi\ell}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \ell^i)$	$\mathcal{O}_{\phi e}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{e}_i \gamma^\mu e^i)$
	$\mathcal{O}_{\phi\ell}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)$	$\mathcal{O}_{\phi u}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{u}_i \gamma^\mu u^i)$
	$\mathcal{O}_{\phi q}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{q}_i \gamma^\mu q^i)$	$\mathcal{O}_{\phi d}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{d}_i \gamma^\mu d^i)$
	$\mathcal{O}_{\phi q}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{q}_i \gamma^\mu \sigma^a q^i)$		
Class	Label	Operator	Label	Operator
Loop generated	\mathcal{O}_W	$\varepsilon_{abc} W_a^{\mu\nu} W_b^{\nu\rho} W_\rho^{\mu\lambda}$	\mathcal{O}_G	$f_{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
	$\mathcal{O}_{\tilde{W}}$	$\varepsilon_{abc} \tilde{W}_\mu^{\mu\nu} W_\nu^{\nu\rho} W_\rho^{\mu\lambda}$	$\mathcal{O}_{\tilde{G}}$	$f_{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
ϕ^6	\mathcal{O}_ϕ	$(\phi^\dagger \phi)^3$		
$\phi^4 D^2$	$\mathcal{O}_{\phi\Box}$	$(\phi^\dagger \phi) \Box (\phi^\dagger \phi)$	$\mathcal{O}_{\phi D}$	$(\phi^\dagger D_\mu \phi) [(D^\mu \phi)^\dagger \phi]$
Loop generated	$\mathcal{O}_{\phi B}$	$(\phi^\dagger \phi) B_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi WB}$	$(\phi^\dagger \sigma^a \phi) W_{\mu\nu}^a B^{\mu\nu}$
	$\mathcal{O}_{\phi \tilde{B}}$	$(\phi^\dagger \phi) \tilde{B}_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi \tilde{W} B}$	$(\phi^\dagger \sigma^a \phi) \tilde{W}_{\mu\nu}^a B^{\mu\nu}$
	$\mathcal{O}_{\phi W}$	$(\phi^\dagger \phi) W_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi G}$	$(\phi^\dagger \phi) G_{\mu\nu}^A G^{A\mu\nu}$
	$\mathcal{O}_{\phi \tilde{W}}$	$(\phi^\dagger \phi) \tilde{W}_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi \tilde{G}}$	$(\phi^\dagger \phi) \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$
Class	Label	Operator	Label	Operator
$\psi^2 \phi^3$	$[\mathcal{O}_{e\phi}]_{i_\ell}^{j_e}$	$(\phi^\dagger \phi)(\bar{\ell}_{i_\ell} \phi e^{j_e})$		
	$[\mathcal{O}_{d\phi}]_{i_q}^{j_d}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \phi d^{j_d})$	$[\mathcal{O}_{u\phi}]_{i_q}^{j_u}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \tilde{\phi} u^{j_u})$
Loop generated	$[\mathcal{O}_{eB}]_{i_\ell}^{j_e}$	$(\bar{\ell}_{i_\ell} \sigma^{\mu\nu} e^{j_e}) \phi B_{\mu\nu}$	$[\mathcal{O}_{eW}]_{i_\ell}^{j_e}$	$(\bar{\ell}_{i_\ell} \sigma^{\mu\nu} e^{j_e}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uB}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \tilde{\phi} B_{\mu\nu}$	$[\mathcal{O}_{uW}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \sigma^a \tilde{\phi} W_{\mu\nu}^a$
	$[\mathcal{O}_{dB}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \phi B_{\mu\nu}$	$[\mathcal{O}_{dW}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uG}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A u^{j_u}) \tilde{\phi} G_\mu^A$	$[\mathcal{O}_{dG}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A d^{j_d}) \phi G_\mu^A$

Procedure example: $\omega_4 \sim (3, 1)_{-4/3}$



Class	Label	Operator	Label	Operator
$(\bar{L}L)(\bar{L}L)$	$\mathcal{O}_{\ell\ell}^D$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{\ell}_j \gamma_\mu \ell^j)$	$\mathcal{O}_{\ell q}^{(1)}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{q}_j \gamma_\mu q^j)$
	$\mathcal{O}_{\ell\ell}^E$	$(\bar{\ell}_i \gamma^\mu \ell^j)(\bar{\ell}_j \gamma_\mu \ell^i)$	$\mathcal{O}_{\ell q}^{(3)}$	$(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)D}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{q}_j \gamma_\mu q^j)$	$\mathcal{O}_{qq}^{(3)D}$	$(\bar{q}_i \gamma^\mu \sigma^a q^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)E}$	$(\bar{q}_i \gamma^\mu q^j)(\bar{q}_j \gamma_\mu q^i)$	$\mathcal{O}_{qq}^{(3)E}$	$(\bar{q}_i \gamma^\mu \sigma^a q^j)(\bar{q}_j \gamma_\mu \sigma^a q^i)$
$(\bar{R}R)(\bar{R}R)$	\mathcal{O}_{ee}^D	$(\bar{e}_i \gamma^\mu e^i)(\bar{e}_j \gamma_\mu e^j)$	\mathcal{O}_{dd}^D	$(\bar{d}_i \gamma^\mu d^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{uu}^D	$(\bar{u}_i \gamma^\mu u^i)(\bar{u}_j \gamma_\mu u^j)$	\mathcal{O}_{dd}^E	$(\bar{d}_i \gamma^\mu d^j)(\bar{d}_j \gamma_\mu d^i)$
	\mathcal{O}_{uu}^E	$(\bar{u}_i \gamma^\mu u^j)(\bar{u}_j \gamma_\mu u^i)$	$\mathcal{O}_{ud}^{(1)}$	$(\bar{u}_i \gamma^\mu u^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{eu}	$(\bar{e}_i \gamma^\mu e^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{ud}^{(8)}$	$(\bar{u}_i \gamma^\mu T^A u^i)(\bar{d}_j \gamma_\mu T^A d^j)$
	\mathcal{O}_{ed}	$(\bar{e}_i \gamma^\mu e^i)(\bar{d}_j \gamma_\mu d^j)$		
$(\bar{L}L)(\bar{R}R)$	\mathcal{O}_{le}^D	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{u}_j \gamma_\mu u^j)$
	\mathcal{O}_{qe}^D	$(\bar{q}_i \gamma^\mu q^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{u}_j \gamma_\mu T^A u^j)$
	$\mathcal{O}_{\ell u}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{qd}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{ld}	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{d}_j \gamma_\mu d^j)$	$\mathcal{O}_{qd}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{d}_j \gamma_\mu T^A d^j)$
$\psi^2 \phi^2 D$	$\mathcal{O}_{\phi\ell}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \ell^i)$	$\mathcal{O}_{\phi e}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{e}_i \gamma^\mu e^i)$
	$\mathcal{O}_{\phi\ell}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)$	$\mathcal{O}_{\phi u}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{u}_i \gamma^\mu u^i)$
	$\mathcal{O}_{\phi q}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{q}_i \gamma^\mu q^i)$	$\mathcal{O}_{\phi d}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{d}_i \gamma^\mu d^i)$
	$\mathcal{O}_{\phi q}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{q}_i \gamma^\mu \sigma^a q^i)$		
Class	Label	Operator	Label	Operator
Loop generated	\mathcal{O}_W	$\varepsilon_{abc} W_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	\mathcal{O}_G	$f_{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
	$\mathcal{O}_{\tilde{W}}$	$\varepsilon_{abc} \tilde{W}_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	$\mathcal{O}_{\tilde{G}}$	$f_{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
ϕ^6	\mathcal{O}_ϕ	$(\phi^\dagger \phi)^3$		
$\phi^4 D^2$	$\mathcal{O}_{\phi\Box}$	$(\phi^\dagger \phi) \Box (\phi^\dagger \phi)$	$\mathcal{O}_{\phi D}$	$(\phi^\dagger D_\mu \phi) [(D^\mu \phi)^\dagger \phi]$
Loop generated	$\mathcal{O}_{\phi B}$	$(\phi^\dagger \phi) B_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi WB}$	$(\phi^\dagger \sigma^a \phi) W_{\mu\nu}^a B^{\mu\nu}$
	$\mathcal{O}_{\phi \tilde{B}}$	$(\phi^\dagger \phi) \tilde{B}_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi \tilde{W} B}$	$(\phi^\dagger \sigma^a \phi) \tilde{W}_{\mu\nu}^a B^{\mu\nu}$
	$\mathcal{O}_{\phi W}$	$(\phi^\dagger \phi) W_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi G}$	$(\phi^\dagger \phi) G_{\mu\nu}^A G^{A\mu\nu}$
	$\mathcal{O}_{\phi \tilde{W}}$	$(\phi^\dagger \phi) \tilde{W}_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi \tilde{G}}$	$(\phi^\dagger \phi) \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$
Class	Label	Operator	Label	Operator
$\psi^2 \phi^3$	$[\mathcal{O}_{e\phi}]_{i_\ell}^{j_e}$	$(\phi^\dagger \phi)(\bar{\ell}_{i_\ell} \phi e^{j_e})$		
	$[\mathcal{O}_{d\phi}]_{i_q}^{j_d}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \phi d^{j_d})$	$[\mathcal{O}_{u\phi}]_{i_q}^{j_u}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \tilde{\phi} u^{j_u})$
Loop generated	$[\mathcal{O}_{eB}]_{i_\ell}^{j_e}$	$(\bar{\ell}_{i_\ell} \sigma^{\mu\nu} e^{j_e}) \phi B_{\mu\nu}$	$[\mathcal{O}_{eW}]_{i_\ell}^{j_e}$	$(\bar{\ell}_{i_\ell} \sigma^{\mu\nu} e^{j_e}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uB}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \tilde{\phi} B_{\mu\nu}$	$[\mathcal{O}_{uW}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \sigma^a \tilde{\phi} W_{\mu\nu}^a$
	$[\mathcal{O}_{dB}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \phi B_{\mu\nu}$	$[\mathcal{O}_{dW}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uG}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A u^{j_u}) \tilde{\phi} G_{\mu\nu}^A$	$[\mathcal{O}_{dG}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A d^{j_d}) \phi G_{\mu\nu}^A$

Procedure example: $\omega_4 \sim (3,1)_{-4/3}$



- Similar procedure applied for all other mediators

Class	Label	Operator	Label	Operator
$(\bar{L}L)(\bar{L}L)$	$\mathcal{O}_{\ell\ell}^D$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{\ell}_j \gamma_\mu \ell^j)$	$\mathcal{O}_{\ell q}^{(1)}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{q}_j \gamma_\mu q^j)$
	$\mathcal{O}_{\ell\ell}^E$	$(\bar{\ell}_i \gamma^\mu \ell^j)(\bar{\ell}_j \gamma_\mu \ell^i)$	$\mathcal{O}_{\ell q}^{(3)}$	$(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)D}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{q}_j \gamma_\mu q^j)$	$\mathcal{O}_{qq}^{(3)D}$	$(\bar{q}_i \gamma^\mu \sigma^a q^i)(\bar{q}_j \gamma_\mu \sigma^a q^j)$
	$\mathcal{O}_{qq}^{(1)E}$	$(\bar{q}_i \gamma^\mu q^j)(\bar{q}_j \gamma_\mu q^i)$	$\mathcal{O}_{qq}^{(3)E}$	$(\bar{q}_i \gamma^\mu \sigma^a q^j)(\bar{q}_j \gamma_\mu \sigma^a q^i)$
$(\bar{R}R)(\bar{R}R)$	\mathcal{O}_{ee}	$(\bar{e}_i \gamma^\mu e^i)(\bar{e}_j \gamma_\mu e^j)$	\mathcal{O}_{dd}^D	$(\bar{d}_i \gamma^\mu d^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{uu}^D	$(\bar{u}_i \gamma^\mu u^i)(\bar{u}_j \gamma_\mu u^j)$	\mathcal{O}_{dd}^E	$(\bar{d}_i \gamma^\mu d^j)(\bar{d}_j \gamma_\mu d^i)$
	\mathcal{O}_{uu}^E	$(\bar{u}_i \gamma^\mu u^j)(\bar{u}_j \gamma_\mu u^i)$	$\mathcal{O}_{ud}^{(1)}$	$(\bar{u}_i \gamma^\mu u^i)(\bar{d}_j \gamma_\mu d^j)$
	\mathcal{O}_{eu}	$(\bar{e}_i \gamma^\mu e^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{ud}^{(8)}$	$(\bar{u}_i \gamma^\mu T^A u^i)(\bar{d}_j \gamma_\mu T^A d^j)$
	\mathcal{O}_{ed}	$(\bar{e}_i \gamma^\mu e^i)(\bar{d}_j \gamma_\mu d^j)$		
$(\bar{L}L)(\bar{R}R)$	$\mathcal{O}_{\ell e}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{u}_j \gamma_\mu u^j)$
	\mathcal{O}_{qe}	$(\bar{q}_i \gamma^\mu q^i)(\bar{e}_j \gamma_\mu e^j)$	$\mathcal{O}_{qu}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{u}_j \gamma_\mu T^A u^j)$
	$\mathcal{O}_{\ell u}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{u}_j \gamma_\mu u^j)$	$\mathcal{O}_{qd}^{(1)}$	$(\bar{q}_i \gamma^\mu q^i)(\bar{d}_j \gamma_\mu d^j)$
	$\mathcal{O}_{\ell d}$	$(\bar{\ell}_i \gamma^\mu \ell^i)(\bar{d}_j \gamma_\mu d^j)$	$\mathcal{O}_{qd}^{(8)}$	$(\bar{q}_i \gamma^\mu T^A q^i)(\bar{d}_j \gamma_\mu T^A d^j)$
$\psi^2 \phi^2 D$	$\mathcal{O}_{\phi\ell}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{\ell}_i \gamma^\mu \ell^i)$	$\mathcal{O}_{\phi e}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{e}_i \gamma^\mu e^i)$
	$\mathcal{O}_{\phi\ell}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu^a \phi)(\bar{\ell}_i \gamma^\mu \sigma^a \ell^i)$	$\mathcal{O}_{\phi u}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{u}_i \gamma^\mu u^i)$
	$\mathcal{O}_{\phi q}^{(1)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{q}_i \gamma^\mu q^i)$	$\mathcal{O}_{\phi d}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu \phi)(\bar{d}_i \gamma^\mu d^i)$
	$\mathcal{O}_{\phi q}^{(3)}$	$(\phi^\dagger i \overset{\leftrightarrow}{D}_\mu^a \phi)(\bar{q}_i \gamma^\mu \sigma^a q^i)$		
Class	Label	Operator	Label	Operator
Loop generated X^3	\mathcal{O}_W	$\varepsilon_{abc} W_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	\mathcal{O}_G	$f_{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
	$\mathcal{O}_{\tilde{W}}$	$\varepsilon_{abc} \tilde{W}_\mu^{a\nu} W_\nu^{b\rho} W_\rho^{c\mu}$	$\mathcal{O}_{\tilde{G}}$	$f_{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu}$
ϕ^6	\mathcal{O}_ϕ	$(\phi^\dagger \phi)^3$		
$\phi^4 D^2$	$\mathcal{O}_{\phi\square}$	$(\phi^\dagger \phi) \square (\phi^\dagger \phi)$	$\mathcal{O}_{\phi D}$	$(\phi^\dagger D_\mu \phi)[(D^\mu \phi)^\dagger \phi]$
Loop generated $X^2 \phi^2$	$\mathcal{O}_{\phi B}$	$(\phi^\dagger \phi) B_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi WB}$	$(\phi^\dagger \sigma^a \phi) W_{\mu\nu}^a B^{\mu\nu}$
	$\mathcal{O}_{\phi \tilde{B}}$	$(\phi^\dagger \phi) \tilde{B}_{\mu\nu} B^{\mu\nu}$	$\mathcal{O}_{\phi \tilde{W} B}$	$(\phi^\dagger \sigma^a \phi) \tilde{W}_{\mu\nu}^a B^{\mu\nu}$
	$\mathcal{O}_{\phi W}$	$(\phi^\dagger \phi) W_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi G}$	$(\phi^\dagger \phi) G_{\mu\nu}^A G^{A\mu\nu}$
	$\mathcal{O}_{\phi \tilde{W}}$	$(\phi^\dagger \phi) \tilde{W}_{\mu\nu}^a W^{a\mu\nu}$	$\mathcal{O}_{\phi \tilde{G}}$	$(\phi^\dagger \phi) \tilde{G}_{\mu\nu}^A G^{A\mu\nu}$
Class	Label	Operator	Label	Operator
$\psi^2 \phi^3$	$[\mathcal{O}_{e\phi}]_{i_\ell}^{j_e}$	$(\phi^\dagger \phi)(\bar{\ell}_{i_\ell} \phi e^{j_e})$		
	$[\mathcal{O}_{d\phi}]_{i_q}^{j_d}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \phi d^{j_d})$	$[\mathcal{O}_{u\phi}]_{i_q}^{j_u}$	$(\phi^\dagger \phi)(\bar{q}_{i_q} \tilde{\phi} u^{j_u})$
Loop generated $\psi^2 X \phi$	$[\mathcal{O}_{eB}]_{i_\ell}^{j_e}$	$(\bar{\ell}_{i_\ell} \sigma^{\mu\nu} e^{j_e}) \phi B_{\mu\nu}$	$[\mathcal{O}_{eW}]_{i_\ell}^{j_e}$	$(\bar{\ell}_{i_\ell} \sigma^{\mu\nu} e^{j_e}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uB}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \tilde{\phi} B_{\mu\nu}$	$[\mathcal{O}_{uW}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} u^{j_u}) \sigma^a \tilde{\phi} W_{\mu\nu}^a$
	$[\mathcal{O}_{dB}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \phi B_{\mu\nu}$	$[\mathcal{O}_{dW}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} d^{j_d}) \sigma^a \phi W_{\mu\nu}^a$
	$[\mathcal{O}_{uG}]_{i_q}^{j_u}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A u^{j_u}) \tilde{\phi} G_{\mu\nu}^A$	$[\mathcal{O}_{dG}]_{i_q}^{j_d}$	$(\bar{q}_{i_q} \sigma^{\mu\nu} T^A d^{j_d}) \phi G_{\mu\nu}^A$

Leading directions

- Classification of all NP mediators

Field	Irrep	Normalization	Operator
$S_1 \sim (\mathbf{1}, \mathbf{1})_1$	$\mathbf{3}_\ell$	$ y_{S_1} ^2/M_{S_1}^2$	$\mathcal{O}_{\ell\ell}^D - \mathcal{O}_{\ell\ell}^E$
$S_2 \sim (\mathbf{1}, \mathbf{1})_2$	$\bar{\mathbf{6}}_e$	$ y_{S_2} ^2/(2M_{S_2}^2)$	\mathcal{O}_{ee}
	$(\bar{\mathbf{3}}_e, \mathbf{3}_\ell)$	$- y_\varphi^e ^2/(2M_\varphi^2)$	$\mathcal{O}_{\ell e}$
$\varphi \sim (\mathbf{1}, \mathbf{2})_{\frac{1}{2}}$	$(\bar{\mathbf{3}}_d, \mathbf{3}_q)$	$- y_\varphi^d ^2/(6M_\varphi^2)$	$\mathcal{O}_{qd}^{(1)} + 6\mathcal{O}_{qd}^{(8)}$
	$(\bar{\mathbf{3}}_q, \mathbf{3}_u)$	$- y_\varphi^u ^2/(6M_\varphi^2)$	$\mathcal{O}_{qu}^{(1)} + 6\mathcal{O}_{qu}^{(8)}$
$\Xi_1 \sim (\mathbf{1}, \mathbf{3})_1$	$\bar{\mathbf{6}}_\ell$	$ y_{\Xi_1} ^2/(2M_{\Xi_1}^2)$	$\mathcal{O}_{\ell\ell}^D + \mathcal{O}_{\ell\ell}^E$
	$(\mathbf{3}_q, \mathbf{3}_\ell)$	$ y_{\omega_1}^q ^2/(4M_{\omega_1}^2)$	$\mathcal{O}_{\ell q}^{(1)} - \mathcal{O}_{\ell q}^{(3)}$
	$(\mathbf{3}_e, \mathbf{3}_u)$	$ y_{\omega_1}^{eu} ^2/(2M_{\omega_1}^2)$	\mathcal{O}_{eu}
$\omega_1 \sim (\mathbf{3}, \mathbf{1})_{-\frac{1}{3}}$	$\bar{\mathbf{6}}_q$	$ y_{\omega_1}^{qq} ^2/(4M_{\omega_1}^2)$	$\mathcal{O}_{qq}^{(1)D} - \mathcal{O}_{qq}^{(3)D} + \mathcal{O}_{qq}^{(1)E} - \mathcal{O}_{qq}^{(3)E}$
	$(\bar{\mathbf{3}}_d, \bar{\mathbf{3}}_u)$	$ y_{\omega_1}^{du} ^2/(3M_{\omega_1}^2)$	$\mathcal{O}_{ud}^{(1)} - 3\mathcal{O}_{ud}^{(8)}$
$\omega_2 \sim (\mathbf{3}, \mathbf{1})_{\frac{2}{3}}$	$\mathbf{3}_d$	$ y_{\omega_2} ^2/M_{\omega_2}^2$	$\mathcal{O}_{dd}^D - \mathcal{O}_{dd}^E$
	$(\mathbf{3}_e, \mathbf{3}_d)$	$ y_{\omega_4}^{ed} ^2/(2M_{\omega_4}^2)$	\mathcal{O}_{ed}
$\omega_4 \sim (\mathbf{3}, \mathbf{1})_{-\frac{4}{3}}$	$\mathbf{3}_u$	$ y_{\omega_4}^{uu} ^2/M_{\omega_4}^2$	$\mathcal{O}_{uu}^D - \mathcal{O}_{uu}^E$
$\Pi_1 \sim (\mathbf{3}, \mathbf{2})_{\frac{1}{6}}$	$(\bar{\mathbf{3}}_\ell, \mathbf{3}_d)$	$- y_{\Pi_1} ^2/(2M_{\Pi_1}^2)$	$\mathcal{O}_{\ell d}$
	$(\bar{\mathbf{3}}_\ell, \mathbf{3}_u)$	$- y_{\Pi_7}^{\ell u} ^2/(2M_{\Pi_7}^2)$	$\mathcal{O}_{\ell u}$
$\Pi_7 \sim (\mathbf{3}, \mathbf{2})_{\frac{7}{6}}$	$(\bar{\mathbf{3}}_e, \mathbf{3}_q)$	$- y_{\Pi_7}^{qe} ^2/(2M_{\Pi_7}^2)$	\mathcal{O}_{qe}
$\zeta \sim (\mathbf{3}, \mathbf{3})_{-\frac{1}{3}}$	$(\mathbf{3}_q, \mathbf{3}_\ell)$	$ y_\zeta^{q\ell} ^2/(4M_\zeta^2)$	$3\mathcal{O}_{\ell q}^{(1)} + \mathcal{O}_{\ell q}^{(3)}$
	$\mathbf{3}_q$	$ y_\zeta^{qq} ^2/(2M_\zeta^2)$	$3\mathcal{O}_{qq}^{(1)D} + \mathcal{O}_{qq}^{(3)D} - 3\mathcal{O}_{qq}^{(1)E} - \mathcal{O}_{qq}^{(3)E}$
$\Omega_1 \sim (\mathbf{6}, \mathbf{1})_{\frac{1}{3}}$	$(\mathbf{3}_u, \mathbf{3}_d)$	$ y_{\Omega_1}^{ud} ^2/(6M_{\Omega_1}^2)$	$2\mathcal{O}_{ud}^{(1)} + 3\mathcal{O}_{ud}^{(8)}$
	$\bar{\mathbf{3}}_q$	$ y_{\Omega_1}^{qq} ^2/(4M_{\Omega_1}^2)$	$\mathcal{O}_{qq}^{(1)D} - \mathcal{O}_{qq}^{(3)D} - \mathcal{O}_{qq}^{(1)E} + \mathcal{O}_{qq}^{(3)E}$
$\Omega_2 \sim (\mathbf{6}, \mathbf{1})_{-\frac{2}{3}}$	$\mathbf{6}_d$	$ y_{\Omega_2} ^2/(4M_{\Omega_2}^2)$	$\mathcal{O}_{dd}^D + \mathcal{O}_{dd}^E$
$\Omega_4 \sim (\mathbf{6}, \mathbf{1})_{\frac{4}{3}}$	$\mathbf{6}_u$	$ y_{\Omega_4} ^2/(4M_{\Omega_4}^2)$	$\mathcal{O}_{uu}^D + \mathcal{O}_{uu}^E$
$\Upsilon \sim (\mathbf{6}, \mathbf{3})_{\frac{1}{3}}$	$\mathbf{6}_q$	$ y_\Upsilon ^2/(8M_\Upsilon^2)$	$3\mathcal{O}_{qq}^{(1)D} + \mathcal{O}_{qq}^{(3)D} + 3\mathcal{O}_{qq}^{(1)E} + \mathcal{O}_{qq}^{(3)E}$
	$(\bar{\mathbf{3}}_q, \mathbf{3}_u)$	$- y_\Phi^{qu} ^2/(18M_\Phi^2)$	$4\mathcal{O}_{qu}^{(1)} - 3\mathcal{O}_{qu}^{(8)}$
$\Phi \sim (\mathbf{8}, \mathbf{2})_{\frac{1}{2}}$	$(\bar{\mathbf{3}}_d, \mathbf{3}_q)$	$- y_\Phi^{dq} ^2/(18M_\Phi^2)$	$4\mathcal{O}_{qd}^{(1)} - 3\mathcal{O}_{qd}^{(8)}$

Field	Irrep	Normalization	Operator
	$\mathbf{8}_\ell$	$-(g_\ell^e)^2/(12M_B^2)$	$3\mathcal{O}_{\ell\ell}^E - \mathcal{O}_{\ell\ell}^D$
	$\mathbf{8}_e$	$-(g_\ell^e)^2/(6M_B^2)$	\mathcal{O}_{ee}
$\mathcal{B} \sim (\mathbf{1}, \mathbf{1})_0$	$\mathbf{8}_q$	$-(g_B^q)^2/(12M_B^2)$	$3\mathcal{O}_{qq}^{(1)E} - \mathcal{O}_{qq}^{(1)D}$
	$\mathbf{8}_u$	$-(g_B^u)^2/(12M_B^2)$	$3\mathcal{O}_{uu}^E - \mathcal{O}_{uu}^D$
	$\mathbf{8}_d$	$-(g_B^d)^2/(12M_B^2)$	$3\mathcal{O}_{dd}^E - \mathcal{O}_{dd}^D$
$\mathcal{B}_1 \sim (\mathbf{1}, \mathbf{1})_1$	$(\bar{\mathbf{3}}_d, \mathbf{3}_u)$	$- g_{\mathcal{B}_1}^{du} ^2/(3M_{\mathcal{B}_1}^2)$	$\mathcal{O}_{ud}^{(1)} + 6\mathcal{O}_{ud}^{(8)}$
$\mathcal{W} \sim (\mathbf{1}, \mathbf{3})_0$	$\mathbf{8}_q$	$-(g_W^q)^2/(48M_W^2)$	$3\mathcal{O}_{qq}^{(3)E} - \mathcal{O}_{qq}^{(3)D}$
	$\mathbf{8}_\ell$	$(g_W^\ell)^2/(48M_W^2)$	$5\mathcal{O}_{\ell\ell}^E - 7\mathcal{O}_{\ell\ell}^D$
$\mathcal{L}_3 \sim (\mathbf{1}, \mathbf{2})_{-\frac{3}{2}}$	$(\mathbf{3}_e, \mathbf{3}_\ell)$	$ g_{\mathcal{L}_3} ^2/M_{\mathcal{L}_3}^2$	$\mathcal{O}_{\ell e}$
$\mathcal{U}_2 \sim (\mathbf{3}, \mathbf{1})_{\frac{2}{3}}$	$(\bar{\mathbf{3}}_e, \mathbf{3}_d)$	$- g_{\mathcal{U}_2}^{ed} ^2/M_{\mathcal{U}_2}^2$	\mathcal{O}_{ed}
	$(\bar{\mathbf{3}}_e, \mathbf{3}_q)$	$- g_{\mathcal{U}_2}^{\ell q} ^2/(2M_{\mathcal{U}_2}^2)$	$\mathcal{O}_{\ell q}^{(1)} + \mathcal{O}_{\ell q}^{(3)}$
$\mathcal{U}_5 \sim (\mathbf{3}, \mathbf{1})_{\frac{5}{3}}$	$(\bar{\mathbf{3}}_e, \mathbf{3}_u)$	$- g_{\mathcal{U}_5} ^2/M_{\mathcal{U}_5}^2$	\mathcal{O}_{eu}
$\mathcal{Q}_1 \sim (\mathbf{3}, \mathbf{2})_{\frac{1}{6}}$	$(\mathbf{3}_u, \mathbf{3}_\ell)$	$ g_{\mathcal{Q}_1}^{u\ell} ^2/M_{\mathcal{Q}_1}^2$	$\mathcal{O}_{\ell u}$
	$(\bar{\mathbf{3}}_d, \mathbf{3}_q)$	$2 g_{\mathcal{Q}_1}^{dq} ^2/(3M_{\mathcal{Q}_1}^2)$	$\mathcal{O}_{qd}^{(1)} - 3\mathcal{O}_{qd}^{(8)}$
$\mathcal{Q}_5 \sim (\mathbf{3}, \mathbf{2})_{-\frac{5}{6}}$	$(\mathbf{3}_d, \mathbf{3}_\ell)$	$ g_{\mathcal{Q}_5}^{d\ell} ^2/M_{\mathcal{Q}_5}^2$	$\mathcal{O}_{\ell d}$
	$(\mathbf{3}_e, \mathbf{3}_q)$	$ g_{\mathcal{Q}_5}^{eq} ^2/M_{\mathcal{Q}_5}^2$	\mathcal{O}_{qe}
	$(\bar{\mathbf{3}}_u, \bar{\mathbf{3}}_q)$	$2 g_{\mathcal{Q}_5}^{uq} ^2/(3M_{\mathcal{Q}_5}^2)$	$\mathcal{O}_{qu}^{(1)} - 3\mathcal{O}_{qu}^{(8)}$
$\mathcal{X} \sim (\mathbf{3}, \mathbf{3})_{\frac{2}{3}}$	$(\bar{\mathbf{3}}_e, \mathbf{3}_q)$	$- g_{\mathcal{X}} ^2/(8M_{\mathcal{X}}^2)$	$3\mathcal{O}_{\ell q}^{(1)} - \mathcal{O}_{\ell q}^{(3)}$
$\mathcal{Y}_1 \sim (\bar{\mathbf{6}}, \mathbf{2})_{\frac{1}{6}}$	$(\bar{\mathbf{3}}_d, \bar{\mathbf{3}}_q)$	$ g_{\mathcal{Y}_1} ^2/(3M_{\mathcal{Y}_1}^2)$	$2\mathcal{O}_{qd}^{(1)} + 3\mathcal{O}_{qd}^{(8)}$
$\mathcal{Y}_5 \sim (\bar{\mathbf{6}}, \mathbf{2})_{-\frac{5}{6}}$	$(\bar{\mathbf{3}}_u, \bar{\mathbf{3}}_q)$	$ g_{\mathcal{Y}_5} ^2/(3M_{\mathcal{Y}_5}^2)$	$2\mathcal{O}_{qu}^{(1)} + 3\mathcal{O}_{qu}^{(8)}$
	$\mathbf{8}_q$	$-(g_g^q)^2/(144M_\mathcal{G}^2)$	$11\mathcal{O}_{qq}^{(1)D} - 9\mathcal{O}_{qq}^{(1)E} + 9\mathcal{O}_{qq}^{(3)D} - 3\mathcal{O}_{qq}^{(3)E}$
$\mathcal{G} \sim (\mathbf{8}, \mathbf{1})_0$	$\mathbf{8}_u$	$(g_\mathcal{G}^u)^2/(36M_\mathcal{G}^2)$	$3\mathcal{O}_{uu}^E - 5\mathcal{O}_{uu}^D$
	$\mathbf{8}_d$	$(g_\mathcal{G}^d)^2/(36M_\mathcal{G}^2)$	$3\mathcal{O}_{dd}^E - 5\mathcal{O}_{dd}^D$
$\mathcal{G}_1 \sim (\mathbf{8}, \mathbf{1})_1$	$(\bar{\mathbf{3}}_d, \mathbf{3}_u)$	$ g_{\mathcal{G}_1} ^2/(9M_{\mathcal{G}_1}^2)$	$-4\mathcal{O}_{ud}^{(1)} + 3\mathcal{O}_{ud}^{(8)}$
$\mathcal{H} \sim (\mathbf{8}, \mathbf{3})_0$	$\mathbf{8}_q$	$-(g_\mathcal{H})^2/(576M_\mathcal{H}^2)$	$27\mathcal{O}_{qq}^{(1)D} - 9\mathcal{O}_{qq}^{(1)E} - 7\mathcal{O}_{qq}^{(3)D} - 3\mathcal{O}_{qq}^{(3)E}$

Field	Irrep	Normalization	Operator
$N \sim (\mathbf{1}, \mathbf{1})_0$	$\mathbf{3}_\ell$	$ \lambda_N ^2/(4M_N^2)$	$\mathcal{O}_{\phi\ell}^{(1)} - \mathcal{O}_{\phi\ell}^{(3)}$
$E \sim (\mathbf{1}, \mathbf{1})_{-1}$	$\mathbf{3}_\ell$	$-\lambda_E ^2/(4M_E^2)$	$\mathcal{O}_{\phi\ell}^{(1)} + \mathcal{O}_{\phi\ell}^{(3)} - [2y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$\Delta_1 \sim (\mathbf{1}, \mathbf{2})_{-\frac{1}{2}}$	$\mathbf{3}_e$	$ \lambda_{\Delta_1} ^2/(2M_{\Delta_1}^2)$	$\mathcal{O}_{\phi e} + [y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$\Delta_3 \sim (\mathbf{1}, \mathbf{2})_{-\frac{3}{2}}$	$\mathbf{3}_e$	$-\lambda_{\Delta_3} ^2/(2M_{\Delta_3}^2)$	$\mathcal{O}_{\phi e} - [y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$\Sigma \sim (\mathbf{1}, \mathbf{3})_0$	$\mathbf{3}_\ell$	$ \lambda_\Sigma ^2/(16M_\Sigma^2)$	$3\mathcal{O}_{\phi\ell}^{(1)} + \mathcal{O}_{\phi\ell}^{(3)} + [4y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$\Sigma_1 \sim (\mathbf{1}, \mathbf{3})_{-1}$	$\mathbf{3}_\ell$	$ \lambda_{\Sigma_1} ^2/(16M_{\Sigma_1}^2)$	$\mathcal{O}_{\phi\ell}^{(3)} - 3\mathcal{O}_{\phi\ell}^{(1)} + [2y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$U \sim (\mathbf{3}, \mathbf{1})_{\frac{2}{3}}$	$\mathbf{3}_q$	$ \lambda_U ^2/(4M_U^2)$	$\mathcal{O}_{\phi q}^{(1)} - \mathcal{O}_{\phi q}^{(3)} + [2y_u^* \mathcal{O}_{u\phi} + \text{h.c.}]$
$D \sim (\mathbf{3}, \mathbf{1})_{-\frac{1}{3}}$	$\mathbf{3}_q$	$-\lambda_D ^2/(4M_D^2)$	$\mathcal{O}_{\phi q}^{(1)} + \mathcal{O}_{\phi q}^{(3)} - [2y_d^* \mathcal{O}_{d\phi} + \text{h.c.}]$
	$\mathbf{3}_u$	$-\lambda_u^v ^2/(2M_{Q_1}^2)$	$\mathcal{O}_{\phi u} - [y_u^* \mathcal{O}_{u\phi} + \text{h.c.}]$
$Q_1 \sim (\mathbf{3}, \mathbf{2})_{\frac{1}{6}}$	$\mathbf{3}_d$	$ \lambda_{Q_1}^d ^2/(2M_{Q_1}^2)$	$\mathcal{O}_{\phi d} + [y_d^* \mathcal{O}_{d\phi} + \text{h.c.}]$
	$\mathbf{3}_d$	$-\lambda_{Q_5} ^2/(2M_{Q_5}^2)$	$\mathcal{O}_{\phi d} - [y_d^* \mathcal$

Leading directions

- Classification of all NP mediators
- Most flavor irreps match onto a single well-defined linear combination of dimension-6 SMEFT operators

Field	Irrep	Normalization	Operator
$S_1 \sim (\mathbf{1}, \mathbf{1})_1$	$\mathbf{3}_\ell$	$ y_{S_1} ^2/M_{S_1}^2$	$\mathcal{O}_{\ell\ell}^D - \mathcal{O}_{\ell\ell}^E$
$S_2 \sim (\mathbf{1}, \mathbf{1})_2$	$\bar{\mathbf{6}}_e$	$ y_{S_2} ^2/(2M_{S_2}^2)$	\mathcal{O}_{ee}
	$(\bar{\mathbf{3}}_e, \mathbf{3}_\ell)$	$- y_\varphi^e ^2/(2M_\varphi^2)$	$\mathcal{O}_{\ell e}$
$\varphi \sim (\mathbf{1}, \mathbf{2})_{\frac{1}{2}}$	$(\bar{\mathbf{3}}_d, \mathbf{3}_q)$	$- y_\varphi^d ^2/(6M_\varphi^2)$	$\mathcal{O}_{qd}^{(1)} + 6\mathcal{O}_{qd}^{(8)}$
	$(\bar{\mathbf{3}}_q, \mathbf{3}_u)$	$- y_\varphi^u ^2/(6M_\varphi^2)$	$\mathcal{O}_{qu}^{(1)} + 6\mathcal{O}_{qu}^{(8)}$
$\Xi_1 \sim (\mathbf{1}, \mathbf{3})_1$	$\bar{\mathbf{6}}_\ell$	$ y_{\Xi_1} ^2/(2M_{\Xi_1}^2)$	$\mathcal{O}_{\ell\ell}^D + \mathcal{O}_{\ell\ell}^E$
	$(\mathbf{3}_q, \mathbf{3}_\ell)$	$ y_{\omega_1}^{q\ell} ^2/(4M_{\omega_1}^2)$	$\mathcal{O}_{\ell q}^{(1)} - \mathcal{O}_{\ell q}^{(3)}$
	$(\mathbf{3}_e, \mathbf{3}_u)$	$ y_{\omega_1}^{eu} ^2/(2M_{\omega_1}^2)$	\mathcal{O}_{eu}
$\omega_1 \sim (\mathbf{3}, \mathbf{1})_{-\frac{1}{3}}$	$\bar{\mathbf{6}}_q$	$ y_{\omega_1}^{qq} ^2/(4M_{\omega_1}^2)$	$\mathcal{O}_{qq}^{(1)D} - \mathcal{O}_{qq}^{(3)D} + \mathcal{O}_{qq}^{(1)E} - \mathcal{O}_{qq}^{(3)E}$
	$(\bar{\mathbf{3}}_d, \bar{\mathbf{3}}_u)$	$ y_{\omega_1}^{du} ^2/(3M_{\omega_1}^2)$	$\mathcal{O}_{ud}^{(1)} - 3\mathcal{O}_{ud}^{(8)}$
$\omega_2 \sim (\mathbf{3}, \mathbf{1})_{\frac{2}{3}}$	$\mathbf{3}_d$	$ y_{\omega_2} ^2/M_{\omega_2}^2$	$\mathcal{O}_{dd}^D - \mathcal{O}_{dd}^E$
	$(\mathbf{3}_e, \mathbf{3}_d)$	$ y_{\omega_2}^{ed} ^2/(2M_{\omega_2}^2)$	\mathcal{O}_{ed}
$\omega_4 \sim (\mathbf{3}, \mathbf{1})_{-\frac{4}{3}}$	$\mathbf{3}_u$	$ y_{\omega_4}^{uu} ^2/M_{\omega_4}^2$	$\mathcal{O}_{uu}^D - \mathcal{O}_{uu}^E$
$\Pi_1 \sim (\mathbf{3}, \mathbf{2})_{\frac{1}{6}}$	$(\bar{\mathbf{3}}_\ell, \mathbf{3}_d)$	$- y_{\Pi_1} ^2/(2M_{\Pi_1}^2)$	$\mathcal{O}_{\ell d}$
	$(\bar{\mathbf{3}}_\ell, \mathbf{3}_u)$	$- y_{\Pi_1}^{\ell u} ^2/(2M_{\Pi_1}^2)$	$\mathcal{O}_{\ell u}$
$\Pi_7 \sim (\mathbf{3}, \mathbf{2})_{\frac{7}{6}}$	$(\bar{\mathbf{3}}_e, \mathbf{3}_q)$	$- y_{\Pi_7}^{qe} ^2/(2M_{\Pi_7}^2)$	\mathcal{O}_{qe}
	$(\mathbf{3}_q, \mathbf{3}_\ell)$	$ y_\zeta^{q\ell} ^2/(4M_\zeta^2)$	$3\mathcal{O}_{\ell q}^{(1)} + \mathcal{O}_{\ell q}^{(3)}$
$\zeta \sim (\mathbf{3}, \mathbf{3})_{-\frac{1}{3}}$	$\mathbf{3}_q$	$ y_\zeta^{qq} ^2/(2M_\zeta^2)$	$3\mathcal{O}_{qq}^{(1)D} + \mathcal{O}_{qq}^{(3)D} - 3\mathcal{O}_{qq}^{(1)E} - \mathcal{O}_{qq}^{(3)E}$
	$(\mathbf{3}_u, \mathbf{3}_d)$	$ y_{\Omega_1}^{ud} ^2/(6M_{\Omega_1}^2)$	$2\mathcal{O}_{ud}^{(1)} + 3\mathcal{O}_{ud}^{(8)}$
$\Omega_1 \sim (\mathbf{6}, \mathbf{1})_{\frac{1}{3}}$	$\bar{\mathbf{3}}_q$	$ y_{\Omega_1}^{qq} ^2/(4M_{\Omega_1}^2)$	$\mathcal{O}_{qq}^{(1)D} - \mathcal{O}_{qq}^{(3)D} - \mathcal{O}_{qq}^{(1)E} + \mathcal{O}_{qq}^{(3)E}$
$\Omega_2 \sim (\mathbf{6}, \mathbf{1})_{-\frac{2}{3}}$	$\mathbf{6}_d$	$ y_{\Omega_2} ^2/(4M_{\Omega_2}^2)$	$\mathcal{O}_{dd}^D + \mathcal{O}_{dd}^E$
$\Omega_4 \sim (\mathbf{6}, \mathbf{1})_{\frac{4}{3}}$	$\mathbf{6}_u$	$ y_{\Omega_4} ^2/(4M_{\Omega_4}^2)$	$\mathcal{O}_{uu}^D + \mathcal{O}_{uu}^E$
$\Upsilon \sim (\mathbf{6}, \mathbf{3})_{\frac{1}{3}}$	$\mathbf{6}_q$	$ y_\Upsilon ^2/(8M_\Upsilon^2)$	$3\mathcal{O}_{qq}^{(1)D} + \mathcal{O}_{qq}^{(3)D} + 3\mathcal{O}_{qq}^{(1)E} + \mathcal{O}_{qq}^{(3)E}$
	$(\bar{\mathbf{3}}_q, \mathbf{3}_u)$	$- y_\Phi^{qu} ^2/(18M_\Phi^2)$	$4\mathcal{O}_{qu}^{(1)} - 3\mathcal{O}_{qu}^{(8)}$
$\Phi \sim (\mathbf{8}, \mathbf{2})_{\frac{1}{2}}$	$(\bar{\mathbf{3}}_d, \mathbf{3}_q)$	$- y_\Phi^{dq} ^2/(18M_\Phi^2)$	$4\mathcal{O}_{qd}^{(1)} - 3\mathcal{O}_{qd}^{(8)}$

Field	Irrep	Normalization	Operator
	$\mathbf{8}_\ell$	$-(g_\ell^{\ell\ell})^2/(12M_B^2)$	$3\mathcal{O}_{\ell\ell}^E - \mathcal{O}_{\ell\ell}^D$
	$\mathbf{8}_e$	$-(g_e^e)^2/(6M_B^2)$	\mathcal{O}_{ee}
$\mathcal{B} \sim (\mathbf{1}, \mathbf{1})_0$	$\mathbf{8}_q$	$-(g_B^q)^2/(12M_B^2)$	$3\mathcal{O}_{qq}^{(1)E} - \mathcal{O}_{qq}^{(1)D}$
	$\mathbf{8}_u$	$-(g_B^u)^2/(12M_B^2)$	$3\mathcal{O}_{uu}^E - \mathcal{O}_{uu}^D$
	$\mathbf{8}_d$	$-(g_B^d)^2/(12M_B^2)$	$3\mathcal{O}_{dd}^E - \mathcal{O}_{dd}^D$
$\mathcal{B}_1 \sim (\mathbf{1}, \mathbf{1})_1$	$(\bar{\mathbf{3}}_d, \mathbf{3}_u)$	$- g_{\mathcal{B}_1}^{du} ^2/(3M_{\mathcal{B}_1}^2)$	$\mathcal{O}_{ud}^{(1)} + 6\mathcal{O}_{ud}^{(8)}$
	$\mathbf{8}_q$	$-(g_W^q)^2/(48M_W^2)$	$3\mathcal{O}_{qq}^{(3)E} - \mathcal{O}_{qq}^{(3)D}$
	$\mathbf{8}_\ell$	$(g_W^q)^2/(48M_W^2)$	$5\mathcal{O}_{\ell\ell}^E - 7\mathcal{O}_{\ell\ell}^D$
$\mathcal{L}_3 \sim (\mathbf{1}, \mathbf{2})_{-\frac{3}{2}}$	$(\mathbf{3}_e, \mathbf{3}_\ell)$	$ g_{\mathcal{L}_3} ^2/M_{\mathcal{L}_3}^2$	$\mathcal{O}_{\ell e}$
	$(\bar{\mathbf{3}}_e, \mathbf{3}_d)$	$- g_{\mathcal{L}_3}^{ed} ^2/M_{\mathcal{L}_3}^2$	\mathcal{O}_{ed}
$\mathcal{U}_2 \sim (\mathbf{3}, \mathbf{1})_{\frac{2}{3}}$	$(\bar{\mathbf{3}}_e, \mathbf{3}_q)$	$- g_{\mathcal{U}_2}^{\ell q} ^2/(2M_{\mathcal{U}_2}^2)$	$\mathcal{O}_{\ell q}^{(1)} + \mathcal{O}_{\ell q}^{(3)}$
	$(\bar{\mathbf{3}}_u, \bar{\mathbf{3}}_q)$	$- g_{\mathcal{U}_2}^{uq} ^2/(2M_{\mathcal{U}_2}^2)$	\mathcal{O}_{eu}
$\mathcal{Q}_1 \sim (\mathbf{3}, \mathbf{2})_{\frac{1}{6}}$	$(\mathbf{3}_u, \mathbf{3}_\ell)$	$ g_{\mathcal{Q}_1}^{u\ell} ^2/M_{\mathcal{Q}_1}^2$	$\mathcal{O}_{\ell u}$
	$(\bar{\mathbf{3}}_d, \bar{\mathbf{3}}_q)$	$2 g_{\mathcal{Q}_1}^{dq} ^2/(3M_{\mathcal{Q}_1}^2)$	$\mathcal{O}_{qd}^{(1)} - 3\mathcal{O}_{qd}^{(8)}$
$\mathcal{Q}_5 \sim (\mathbf{3}, \mathbf{2})_{-\frac{5}{6}}$	$(\mathbf{3}_d, \mathbf{3}_\ell)$	$ g_{\mathcal{Q}_5}^{d\ell} ^2/M_{\mathcal{Q}_5}^2$	$\mathcal{O}_{\ell d}$
	$(\mathbf{3}_e, \mathbf{3}_q)$	$ g_{\mathcal{Q}_5}^{eq} ^2/M_{\mathcal{Q}_5}^2$	\mathcal{O}_{qe}
	$(\bar{\mathbf{3}}_u, \bar{\mathbf{3}}_q)$	$2 g_{\mathcal{Q}_5}^{uq} ^2/(3M_{\mathcal{Q}_5}^2)$	$\mathcal{O}_{qu}^{(1)} - 3\mathcal{O}_{qu}^{(8)}$
$\mathcal{X} \sim (\mathbf{3}, \mathbf{3})_{\frac{2}{3}}$	$(\bar{\mathbf{3}}_e, \mathbf{3}_q)$	$- g_X ^2/(8M_X^2)$	$3\mathcal{O}_{\ell q}^{(1)} - \mathcal{O}_{\ell q}^{(3)}$
$\mathcal{Y}_1 \sim (\bar{\mathbf{6}}, \mathbf{2})_{\frac{1}{6}}$	$(\bar{\mathbf{3}}_d, \bar{\mathbf{3}}_q)$	$ g_{\mathcal{Y}_1} ^2/(3M_{\mathcal{Y}_1}^2)$	$2\mathcal{O}_{qd}^{(1)} + 3\mathcal{O}_{qd}^{(8)}$
$\mathcal{Y}_5 \sim (\bar{\mathbf{6}}, \mathbf{2})_{-\frac{5}{6}}$	$(\bar{\mathbf{3}}_u, \bar{\mathbf{3}}_q)$	$ g_{\mathcal{Y}_5} ^2/(3M_{\mathcal{Y}_5}^2)$	$2\mathcal{O}_{qu}^{(1)} + 3\mathcal{O}_{qu}^{(8)}$
	$\mathbf{8}_q$	$-(g_q^q)^2/(144M_G^2)$	$11\mathcal{O}_{qq}^{(1)D} - 9\mathcal{O}_{qq}^{(1)E} + 9\mathcal{O}_{qq}^{(3)D} - 3\mathcal{O}_{qq}^{(3)E}$
$\mathcal{G} \sim (\mathbf{8}, \mathbf{1})_0$	$\mathbf{8}_u$	$(g_G^u)^2/(36M_G^2)$	$3\mathcal{O}_{uu}^E - 5\mathcal{O}_{uu}^D$
	$\mathbf{8}_d$	$(g_G^d)^2/(36M_G^2)$	$3\mathcal{O}_{dd}^E - 5\mathcal{O}_{dd}^D$
$\mathcal{G}_1 \sim (\mathbf{8}, \mathbf{1})_1$	$(\bar{\mathbf{3}}_d, \mathbf{3}_u)$	$ g_{\mathcal{G}_1} ^2/(9M_{\mathcal{G}_1}^2)$	$-4\mathcal{O}_{ud}^{(1)} + 3\mathcal{O}_{ud}^{(8)}$
$\mathcal{H} \sim (\mathbf{8}, \mathbf{3})_0$	$\mathbf{8}_q$	$-(g_H)^2/(576M_H^2)$	$27\mathcal{O}_{qq}^{(1)D} - 9\mathcal{O}_{qq}^{(1)E} - 7\mathcal{O}_{qq}^{(3)D} - 3\mathcal{O}_{qq}^{(3)E}$

Field	Irrep	Normalization	Operator
$N \sim (\mathbf{1}, \mathbf{1})_0$	$\mathbf{3}_\ell$	$ \lambda_N ^2/(4M_N^2)$	$\mathcal{O}_{\phi\ell}^{(1)} - \mathcal{O}_{\phi\ell}^{(3)}$
$E \sim (\mathbf{1}, \mathbf{1})_{-1}$	$\mathbf{3}_\ell$	$- \lambda_E ^2/(4M_E^2)$	$\mathcal{O}_{\phi\ell}^{(1)} + \mathcal{O}_{\phi\ell}^{(3)} - [2y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$\Delta_1 \sim (\mathbf{1}, \mathbf{2})_{-\frac{1}{2}}$	$\mathbf{3}_e$	$ \lambda_{\Delta_1} ^2/(2M_{\Delta_1}^2)$	$\mathcal{O}_{\phi e} + [y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$\Delta_3 \sim (\mathbf{1}, \mathbf{2})_{-\frac{3}{2}}$	$\mathbf{3}_e$	$- \lambda_{\Delta_3} ^2/(2M_{\Delta_3}^2)$	$\mathcal{O}_{\phi e} - [y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$\Sigma \sim (\mathbf{1}, \mathbf{3})_0$	$\mathbf{3}_\ell$	$ \lambda_\Sigma ^2/(16M_\Sigma^2)$	$3\mathcal{O}_{\phi\ell}^{(1)} + \mathcal{O}_{\phi\ell}^{(3)} + [4y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$\Sigma_1 \sim (\mathbf{1}, \mathbf{3})_{-1}$	$\mathbf{3}_\ell$	$ \lambda_{\Sigma_1} ^2/(16M_{\Sigma_1}^2)$	$\mathcal{O}_{\phi\ell}^{(3)} - 3\mathcal{O}_{\phi\ell}^{(1)} + [2y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$U \sim (\mathbf{3}, \mathbf{1})_{\frac{2}{3}}$	$\mathbf{3}_q$	$ \lambda_U ^2/(4M_U^2)$	$\mathcal{O}_{\phi q}^{(1)} - \mathcal{O}_{\phi q}^{(3)} + [2y_u^* \mathcal{O}_{u\phi} + \text{h.c.}]$
$D \sim (\mathbf{3}, \mathbf{1})_{-\frac{1}{3}}$	$\mathbf{3}_q$	$- \lambda_D ^2/(4M_D^2)$	$\mathcal{O}_{\phi q}^{(1)} + \mathcal{O}_{\phi q}^{(3)} - [2y_d^* \mathcal{O}_{d\phi} + \text{h.c.}]$
	$\mathbf{3}_u$	$- \lambda_{Q_1}^u ^2/(2M_{Q_1}^2)$	$\mathcal{O}_{\phi u} - [y_u^* \mathcal{O}_{u\phi} + \text{h.c.}]$
$Q_1 \sim (\mathbf{3}, \mathbf{2})_{\frac{1}{6}}$	$\mathbf{3}_d$	$ \lambda_{Q_1}^d ^2/(2M_{Q_1}^2)$	$\mathcal{O}_{\phi d} + [y_d^* \mathcal{O}_{d\phi} + \text{h.c.}]$
	$\mathbf{3}_d$	$- \lambda_{Q_5} ^2/(2M_{Q_5}^2)$	$\mathcal{O}_{\phi d} - [y_d^* \mathcal{O}_{d\phi} + \text{h.c.}]$
	$\mathbf{3}_u$	$ \lambda_{Q_7} ^2/(2M$	

Leading directions

- Classification of all NP mediators
- Most flavor irreps match onto a single well-defined linear combination of dimension-6 SMEFT operators
- These linear combinations are denoted as leading SMEFT directions

Field	Irrep	Normalization	Operator
$S_1 \sim (\mathbf{1}, \mathbf{1})_1$	$\mathbf{3}_\ell$	$ y_{S_1} ^2/M_{S_1}^2$	$\mathcal{O}_{\ell\ell}^D - \mathcal{O}_{\ell\ell}^E$
$S_2 \sim (\mathbf{1}, \mathbf{1})_2$	$\bar{\mathbf{6}}_e$	$ y_{S_2} ^2/(2M_{S_2}^2)$	\mathcal{O}_{ee}
	$(\bar{\mathbf{3}}_e, \mathbf{3}_\ell)$	$- y_\varphi^e ^2/(2M_\varphi^2)$	$\mathcal{O}_{\ell e}$
$\varphi \sim (\mathbf{1}, \mathbf{2})_{\frac{1}{2}}$	$(\bar{\mathbf{3}}_d, \mathbf{3}_q)$	$- y_\varphi^d ^2/(6M_\varphi^2)$	$\mathcal{O}_{qd}^{(1)} + 6\mathcal{O}_{qd}^{(8)}$
	$(\bar{\mathbf{3}}_q, \mathbf{3}_u)$	$- y_\varphi^u ^2/(6M_\varphi^2)$	$\mathcal{O}_{qu}^{(1)} + 6\mathcal{O}_{qu}^{(8)}$
$\Xi_1 \sim (\mathbf{1}, \mathbf{3})_1$	$\bar{\mathbf{6}}_\ell$	$ y_{\Xi_1} ^2/(2M_{\Xi_1}^2)$	$\mathcal{O}_{\ell\ell}^D + \mathcal{O}_{\ell\ell}^E$
	$(\mathbf{3}_q, \mathbf{3}_\ell)$	$ y_{\omega_1}^{q\ell} ^2/(4M_{\omega_1}^2)$	$\mathcal{O}_{\ell q}^{(1)} - \mathcal{O}_{\ell q}^{(3)}$
	$(\mathbf{3}_e, \mathbf{3}_u)$	$ y_{\omega_1}^{eu} ^2/(2M_{\omega_1}^2)$	\mathcal{O}_{eu}
$\omega_1 \sim (\mathbf{3}, \mathbf{1})_{-\frac{1}{3}}$	$\bar{\mathbf{6}}_q$	$ y_{\omega_1}^{qq} ^2/(4M_{\omega_1}^2)$	$\mathcal{O}_{qq}^{(1)D} - \mathcal{O}_{qq}^{(3)D} + \mathcal{O}_{qq}^{(1)E} - \mathcal{O}_{qq}^{(3)E}$
	$(\bar{\mathbf{3}}_d, \bar{\mathbf{3}}_u)$	$ y_{\omega_1}^{du} ^2/(3M_{\omega_1}^2)$	$\mathcal{O}_{ud}^{(1)} - 3\mathcal{O}_{ud}^{(8)}$
$\omega_2 \sim (\mathbf{3}, \mathbf{1})_{\frac{2}{3}}$	$\mathbf{3}_d$	$ y_{\omega_2} ^2/M_{\omega_2}^2$	$\mathcal{O}_{dd}^D - \mathcal{O}_{dd}^E$
	$(\mathbf{3}_e, \mathbf{3}_d)$	$ y_{\omega_4}^{ed} ^2/(2M_{\omega_4}^2)$	\mathcal{O}_{ed}
$\omega_4 \sim (\mathbf{3}, \mathbf{1})_{-\frac{4}{3}}$	$\mathbf{3}_u$	$ y_{\omega_4}^{uu} ^2/M_{\omega_4}^2$	$\mathcal{O}_{uu}^D - \mathcal{O}_{uu}^E$
$\Pi_1 \sim (\mathbf{3}, \mathbf{2})_{\frac{1}{6}}$	$(\bar{\mathbf{3}}_\ell, \mathbf{3}_d)$	$- y_{\Pi_1} ^2/(2M_{\Pi_1}^2)$	$\mathcal{O}_{\ell d}$
	$(\bar{\mathbf{3}}_\ell, \mathbf{3}_u)$	$- y_{\Pi_7}^{\ell u} ^2/(2M_{\Pi_7}^2)$	$\mathcal{O}_{\ell u}$
	$(\bar{\mathbf{3}}_e, \mathbf{3}_q)$	$- y_{\Pi_7}^{qe} ^2/(2M_{\Pi_7}^2)$	\mathcal{O}_{qe}
$\zeta \sim (\mathbf{3}, \mathbf{3})_{-\frac{1}{3}}$	$\mathbf{3}_q$	$ y_\zeta^{q\ell} ^2/(4M_\zeta^2)$	$3\mathcal{O}_{\ell q}^{(1)} + \mathcal{O}_{\ell q}^{(3)}$
		$ y_\zeta^{qq} ^2/(2M_\zeta^2)$	$3\mathcal{O}_{qq}^{(1)D} + \mathcal{O}_{qq}^{(3)D} - 3\mathcal{O}_{qq}^{(1)E} - \mathcal{O}_{qq}^{(3)E}$
$\Omega_1 \sim (\mathbf{6}, \mathbf{1})_{\frac{1}{3}}$	$(\mathbf{3}_u, \mathbf{3}_d)$	$ y_{\Omega_1}^{ud} ^2/(6M_{\Omega_1}^2)$	$2\mathcal{O}_{ud}^{(1)} + 3\mathcal{O}_{ud}^{(8)}$
	$\bar{\mathbf{3}}_q$	$ y_{\Omega_1}^{qq} ^2/(4M_{\Omega_1}^2)$	$\mathcal{O}_{qq}^{(1)D} - \mathcal{O}_{qq}^{(3)D} - \mathcal{O}_{qq}^{(1)E} + \mathcal{O}_{qq}^{(3)E}$
$\Omega_2 \sim (\mathbf{6}, \mathbf{1})_{-\frac{2}{3}}$	$\mathbf{6}_d$	$ y_{\Omega_2} ^2/(4M_{\Omega_2}^2)$	$\mathcal{O}_{dd}^D + \mathcal{O}_{dd}^E$
$\Omega_4 \sim (\mathbf{6}, \mathbf{1})_{\frac{4}{3}}$	$\mathbf{6}_u$	$ y_{\Omega_4} ^2/(4M_{\Omega_4}^2)$	$\mathcal{O}_{uu}^D + \mathcal{O}_{uu}^E$
$\Upsilon \sim (\mathbf{6}, \mathbf{3})_{\frac{1}{3}}$	$\mathbf{6}_q$	$ y_\Upsilon ^2/(8M_\Upsilon^2)$	$3\mathcal{O}_{qq}^{(1)D} + \mathcal{O}_{qq}^{(3)D} + 3\mathcal{O}_{qq}^{(1)E} + \mathcal{O}_{qq}^{(3)E}$
	$(\bar{\mathbf{3}}_q, \mathbf{3}_u)$	$- y_\Phi^{qu} ^2/(18M_\Phi^2)$	$4\mathcal{O}_{qu}^{(1)} - 3\mathcal{O}_{qu}^{(8)}$
$\Phi \sim (\mathbf{8}, \mathbf{2})_{\frac{1}{2}}$	$(\bar{\mathbf{3}}_d, \mathbf{3}_q)$	$- y_\Phi^{dq} ^2/(18M_\Phi^2)$	$4\mathcal{O}_{qd}^{(1)} - 3\mathcal{O}_{qd}^{(8)}$

Field	Irrep	Normalization	Operator
	$\mathbf{8}_\ell$	$-(g_\ell^e)^2/(12M_\ell^2)$	$3\mathcal{O}_{\ell\ell}^E - \mathcal{O}_{\ell\ell}^D$
	$\mathbf{8}_e$	$-(g_\ell^e)^2/(6M_\ell^2)$	\mathcal{O}_{ee}
$\mathcal{B} \sim (\mathbf{1}, \mathbf{1})_0$	$\mathbf{8}_q$	$-(g_B^q)^2/(12M_B^2)$	$3\mathcal{O}_{qq}^{(1)E} - \mathcal{O}_{qq}^{(1)D}$
	$\mathbf{8}_u$	$-(g_B^u)^2/(12M_B^2)$	$3\mathcal{O}_{uu}^E - \mathcal{O}_{uu}^D$
	$\mathbf{8}_d$	$-(g_B^d)^2/(12M_B^2)$	$3\mathcal{O}_{dd}^E - \mathcal{O}_{dd}^D$
$\mathcal{B}_1 \sim (\mathbf{1}, \mathbf{1})_1$	$(\bar{\mathbf{3}}_d, \mathbf{3}_u)$	$- g_{\mathcal{B}_1}^{du} ^2/(3M_{\mathcal{B}_1}^2)$	$\mathcal{O}_{ud}^{(1)} + 6\mathcal{O}_{ud}^{(8)}$
$\mathcal{W} \sim (\mathbf{1}, \mathbf{3})_0$	$\mathbf{8}_q$	$-(g_W^q)^2/(48M_W^2)$	$3\mathcal{O}_{qq}^{(3)E} - \mathcal{O}_{qq}^{(3)D}$
	$\mathbf{8}_\ell$	$(g_W^q)^2/(48M_W^2)$	$5\mathcal{O}_{\ell\ell}^E - 7\mathcal{O}_{\ell\ell}^D$
$\mathcal{L}_3 \sim (\mathbf{1}, \mathbf{2})_{-\frac{3}{2}}$	$(\mathbf{3}_e, \mathbf{3}_\ell)$	$ g_{\mathcal{L}_3} ^2/M_{\mathcal{L}_3}^2$	$\mathcal{O}_{\ell e}$
$\mathcal{U}_2 \sim (\mathbf{3}, \mathbf{1})_{\frac{2}{3}}$	$(\bar{\mathbf{3}}_e, \mathbf{3}_d)$	$- g_{\mathcal{U}_2}^{ed} ^2/M_{\mathcal{U}_2}^2$	\mathcal{O}_{ed}
	$(\bar{\mathbf{3}}_e, \mathbf{3}_q)$	$- g_{\mathcal{U}_2}^{\ell q} ^2/(2M_{\mathcal{U}_2}^2)$	$\mathcal{O}_{\ell q}^{(1)} + \mathcal{O}_{\ell q}^{(3)}$
$\mathcal{U}_5 \sim (\mathbf{3}, \mathbf{1})_{\frac{5}{3}}$	$(\bar{\mathbf{3}}_e, \mathbf{3}_u)$	$- g_{\mathcal{U}_5} ^2/M_{\mathcal{U}_5}^2$	\mathcal{O}_{eu}
$\mathcal{Q}_1 \sim (\mathbf{3}, \mathbf{2})_{\frac{1}{6}}$	$(\mathbf{3}_u, \mathbf{3}_\ell)$	$ g_{\mathcal{Q}_1}^{u\ell} ^2/M_{\mathcal{Q}_1}^2$	$\mathcal{O}_{\ell u}$
	$(\bar{\mathbf{3}}_d, \mathbf{3}_q)$	$2 g_{\mathcal{Q}_1}^{dq} ^2/(3M_{\mathcal{Q}_1}^2)$	$\mathcal{O}_{qd}^{(1)} - 3\mathcal{O}_{qd}^{(8)}$
$\mathcal{Q}_5 \sim (\mathbf{3}, \mathbf{2})_{-\frac{5}{6}}$	$(\mathbf{3}_d, \mathbf{3}_\ell)$	$ g_{\mathcal{Q}_5}^{d\ell} ^2/M_{\mathcal{Q}_5}^2$	$\mathcal{O}_{\ell d}$
	$(\mathbf{3}_e, \mathbf{3}_q)$	$ g_{\mathcal{Q}_5}^{eq} ^2/M_{\mathcal{Q}_5}^2$	\mathcal{O}_{qe}
	$(\bar{\mathbf{3}}_u, \bar{\mathbf{3}}_q)$	$2 g_{\mathcal{Q}_5}^{uq} ^2/(3M_{\mathcal{Q}_5}^2)$	$\mathcal{O}_{qu}^{(1)} - 3\mathcal{O}_{qu}^{(8)}$
$\mathcal{X} \sim (\mathbf{3}, \mathbf{3})_{\frac{2}{3}}$	$(\bar{\mathbf{3}}_e, \mathbf{3}_q)$	$- g_{\mathcal{X}} ^2/(8M_{\mathcal{X}}^2)$	$3\mathcal{O}_{\ell q}^{(1)} - \mathcal{O}_{\ell q}^{(3)}$
$\mathcal{Y}_1 \sim (\bar{\mathbf{6}}, \mathbf{2})_{\frac{1}{6}}$	$(\bar{\mathbf{3}}_d, \bar{\mathbf{3}}_q)$	$ g_{\mathcal{Y}_1} ^2/(3M_{\mathcal{Y}_1}^2)$	$2\mathcal{O}_{qd}^{(1)} + 3\mathcal{O}_{qd}^{(8)}$
$\mathcal{Y}_5 \sim (\bar{\mathbf{6}}, \mathbf{2})_{-\frac{5}{6}}$	$(\bar{\mathbf{3}}_u, \bar{\mathbf{3}}_q)$	$ g_{\mathcal{Y}_5} ^2/(3M_{\mathcal{Y}_5}^2)$	$2\mathcal{O}_{qu}^{(1)} + 3\mathcal{O}_{qu}^{(8)}$
	$\mathbf{8}_q$	$-(g_q^q)^2/(144M_\mathcal{G}^2)$	$11\mathcal{O}_{qq}^{(1)D} - 9\mathcal{O}_{qq}^{(1)E} + 9\mathcal{O}_{qq}^{(3)D} - 3\mathcal{O}_{qq}^{(3)E}$
$\mathcal{G} \sim (\mathbf{8}, \mathbf{1})_0$	$\mathbf{8}_u$	$(g_\mathcal{G}^u)^2/(36M_\mathcal{G}^2)$	$3\mathcal{O}_{uu}^E - 5\mathcal{O}_{uu}^D$
	$\mathbf{8}_d$	$(g_\mathcal{G}^d)^2/(36M_\mathcal{G}^2)$	$3\mathcal{O}_{dd}^E - 5\mathcal{O}_{dd}^D$
$\mathcal{G}_1 \sim (\mathbf{8}, \mathbf{1})_1$	$(\bar{\mathbf{3}}_d, \mathbf{3}_u)$	$ g_{\mathcal{G}_1} ^2/(9M_{\mathcal{G}_1}^2)$	$-4\mathcal{O}_{ud}^{(1)} + 3\mathcal{O}_{ud}^{(8)}$
$\mathcal{H} \sim (\mathbf{8}, \mathbf{3})_0$	$\mathbf{8}_q$	$-(g_\mathcal{H})^2/(576M_\mathcal{H}^2)$	$27\mathcal{O}_{qq}^{(1)D} - 9\mathcal{O}_{qq}^{(1)E} - 7\mathcal{O}_{qq}^{(3)D} - 3\mathcal{O}_{qq}^{(3)E}$

Field	Irrep	Normalization	Operator
$N \sim (\mathbf{1}, \mathbf{1})_0$	$\mathbf{3}_\ell$	$ \lambda_N ^2/(4M_N^2)$	$\mathcal{O}_{\phi\ell}^{(1)} - \mathcal{O}_{\phi\ell}^{(3)}$
$E \sim (\mathbf{1}, \mathbf{1})_{-1}$	$\mathbf{3}_\ell$	$- \lambda_E ^2/(4M_E^2)$	$\mathcal{O}_{\phi\ell}^{(1)} + \mathcal{O}_{\phi\ell}^{(3)} - [2y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$\Delta_1 \sim (\mathbf{1}, \mathbf{2})_{-\frac{1}{2}}$	$\mathbf{3}_e$	$ \lambda_{\Delta_1} ^2/(2M_{\Delta_1}^2)$	$\mathcal{O}_{\phi e} + [y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$\Delta_3 \sim (\mathbf{1}, \mathbf{2})_{-\frac{3}{2}}$	$\mathbf{3}_e$	$- \lambda_{\Delta_3} ^2/(2M_{\Delta_3}^2)$	$\mathcal{O}_{\phi e} - [y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$\Sigma \sim (\mathbf{1}, \mathbf{3})_0$	$\mathbf{3}_\ell$	$ \lambda_\Sigma ^2/(16M_\Sigma^2)$	$3\mathcal{O}_{\phi\ell}^{(1)} + \mathcal{O}_{\phi\ell}^{(3)} + [4y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$\Sigma_1 \sim (\mathbf{1}, \mathbf{3})_{-1}$	$\mathbf{3}_\ell$	$ \lambda_{\Sigma_1} ^2/(16M_{\Sigma_1}^2)$	$\mathcal{O}_{\phi\ell}^{(3)} - 3\mathcal{O}_{\phi\ell}^{(1)} + [2y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$U \sim (\mathbf{3}, \mathbf{1})_{\frac{2}{3}}$	$\mathbf{3}_q$	$ \lambda_U ^2/(4M_U^2)$	$\mathcal{O}_{\phi q}^{(1)} - \mathcal{O}_{\phi q}^{(3)} + [2y_u^* \mathcal{O}_{u\phi} + \text{h.c.}]$
$D \sim (\mathbf{3}, \mathbf{1})_{-\frac{1}{3}}$	$\mathbf{3}_q$	$- \lambda_D ^2/(4M_D^2)$	$\mathcal{O}_{\phi q}^{(1)} + \mathcal{O}_{\phi q}^{(3)} - [2y_d^* \mathcal{O}_{d\phi} + \text{h.c.}]$
	$\mathbf{3}_u$	$- \lambda_{Q_1}^u ^2/(2M_{Q_1}^2)$	$\mathcal{O}_{\phi u} - [y_u^* \mathcal{O}_{u\phi} + \text{h.c.}]$
$Q_1 \sim (\mathbf{3}, \mathbf{2})_{\frac{1}{6}}$	$\mathbf{3}_d$	$ \lambda_{Q_1}^d ^2/(2M_{Q_1}^2)$	$\mathcal{O}_{\phi d} + [y_d^* \mathcal{O}_{d\phi} + \text{h.c.}]$
	$\mathbf{3}_d$	$- \lambda_{Q_5} ^2/(2M_{Q_5}^2)$	$\mathcal{O}_{\phi d} - [y_d^* \mathcal{$

Leading directions

- Classification of all NP mediators
- Most flavor irreps match onto a single well-defined linear combination of dimension-6 SMEFT operators
- These linear combinations are denoted as leading SMEFT directions
- Suitable for phenomenological analysis

Field	Irrep	Normalization	Operator
$\mathcal{S}_1 \sim (\mathbf{1}, \mathbf{1})_1$	$\mathbf{3}_\ell$	$ y_{\mathcal{S}_1} ^2/M_{\mathcal{S}_1}^2$	$\mathcal{O}_{\ell\ell}^D - \mathcal{O}_{\ell\ell}^E$
$\mathcal{S}_2 \sim (\mathbf{1}, \mathbf{1})_2$	$\bar{\mathbf{6}}_e$	$ y_{\mathcal{S}_2} ^2/(2M_{\mathcal{S}_2}^2)$	\mathcal{O}_{ee}
	$(\bar{\mathbf{3}}_e, \mathbf{3}_\ell)$	$- y_\varphi^e ^2/(2M_\varphi^2)$	$\mathcal{O}_{\ell e}$
$\varphi \sim (\mathbf{1}, \mathbf{2})_{\frac{1}{2}}$	$(\bar{\mathbf{3}}_d, \mathbf{3}_q)$	$- y_\varphi^d ^2/(6M_\varphi^2)$	$\mathcal{O}_{qd}^{(1)} + 6\mathcal{O}_{qd}^{(8)}$
	$(\bar{\mathbf{3}}_q, \mathbf{3}_u)$	$- y_\varphi^u ^2/(6M_\varphi^2)$	$\mathcal{O}_{qu}^{(1)} + 6\mathcal{O}_{qu}^{(8)}$
$\Xi_1 \sim (\mathbf{1}, \mathbf{3})_1$	$\bar{\mathbf{6}}_\ell$	$ y_{\Xi_1} ^2/(2M_{\Xi_1}^2)$	$\mathcal{O}_{\ell\ell}^D + \mathcal{O}_{\ell\ell}^E$
	$(\mathbf{3}_q, \mathbf{3}_\ell)$	$ y_{\omega_1}^{q\ell} ^2/(4M_{\omega_1}^2)$	$\mathcal{O}_{\ell q}^{(1)} - \mathcal{O}_{\ell q}^{(3)}$
	$(\mathbf{3}_e, \mathbf{3}_u)$	$ y_{\omega_1}^{eu} ^2/(2M_{\omega_1}^2)$	\mathcal{O}_{eu}
$\omega_1 \sim (\mathbf{3}, \mathbf{1})_{-\frac{1}{3}}$	$\bar{\mathbf{6}}_q$	$ y_{\omega_1}^{qq} ^2/(4M_{\omega_1}^2)$	$\mathcal{O}_{qq}^{(1)D} - \mathcal{O}_{qq}^{(3)D} + \mathcal{O}_{qq}^{(1)E} - \mathcal{O}_{qq}^{(3)E}$
	$(\bar{\mathbf{3}}_d, \bar{\mathbf{3}}_u)$	$ y_{\omega_1}^{du} ^2/(3M_{\omega_1}^2)$	$\mathcal{O}_{ud}^{(1)} - 3\mathcal{O}_{ud}^{(8)}$
$\omega_2 \sim (\mathbf{3}, \mathbf{1})_{\frac{2}{3}}$	$\mathbf{3}_d$	$ y_{\omega_2} ^2/M_{\omega_2}^2$	$\mathcal{O}_{dd}^D - \mathcal{O}_{dd}^E$
	$(\mathbf{3}_e, \mathbf{3}_d)$	$ y_{\omega_4}^{ed} ^2/(2M_{\omega_4}^2)$	\mathcal{O}_{ed}
$\omega_4 \sim (\mathbf{3}, \mathbf{1})_{-\frac{4}{3}}$	$\mathbf{3}_u$	$ y_{\omega_4}^{uu} ^2/M_{\omega_4}^2$	$\mathcal{O}_{uu}^D - \mathcal{O}_{uu}^E$
$\Pi_1 \sim (\mathbf{3}, \mathbf{2})_{\frac{1}{6}}$	$(\bar{\mathbf{3}}_\ell, \mathbf{3}_d)$	$- y_{\Pi_1} ^2/(2M_{\Pi_1}^2)$	$\mathcal{O}_{\ell d}$
	$(\bar{\mathbf{3}}_\ell, \mathbf{3}_u)$	$- y_{\Pi_7}^{\ell u} ^2/(2M_{\Pi_7}^2)$	$\mathcal{O}_{\ell u}$
	$(\bar{\mathbf{3}}_e, \mathbf{3}_q)$	$- y_{\Pi_7}^{qe} ^2/(2M_{\Pi_7}^2)$	\mathcal{O}_{qe}
$\zeta \sim (\mathbf{3}, \mathbf{3})_{-\frac{1}{3}}$	$\mathbf{3}_q$	$ y_\zeta^{q\ell} ^2/(4M_\zeta^2)$	$3\mathcal{O}_{\ell q}^{(1)} + \mathcal{O}_{\ell q}^{(3)}$
		$ y_\zeta^{qq} ^2/(2M_\zeta^2)$	$3\mathcal{O}_{qq}^{(1)D} + \mathcal{O}_{qq}^{(3)D} - 3\mathcal{O}_{qq}^{(1)E} - \mathcal{O}_{qq}^{(3)E}$
$\Omega_1 \sim (\mathbf{6}, \mathbf{1})_{\frac{1}{3}}$	$(\mathbf{3}_u, \mathbf{3}_d)$	$ y_{\Omega_1}^{ud} ^2/(6M_{\Omega_1}^2)$	$2\mathcal{O}_{ud}^{(1)} + 3\mathcal{O}_{ud}^{(8)}$
	$\bar{\mathbf{3}}_q$	$ y_{\Omega_1}^{qq} ^2/(4M_{\Omega_1}^2)$	$\mathcal{O}_{qq}^{(1)D} - \mathcal{O}_{qq}^{(3)D} - \mathcal{O}_{qq}^{(1)E} + \mathcal{O}_{qq}^{(3)E}$
$\Omega_2 \sim (\mathbf{6}, \mathbf{1})_{-\frac{2}{3}}$	$\mathbf{6}_d$	$ y_{\Omega_2} ^2/(4M_{\Omega_2}^2)$	$\mathcal{O}_{dd}^D + \mathcal{O}_{dd}^E$
$\Omega_4 \sim (\mathbf{6}, \mathbf{1})_{\frac{4}{3}}$	$\mathbf{6}_u$	$ y_{\Omega_4} ^2/(4M_{\Omega_4}^2)$	$\mathcal{O}_{uu}^D + \mathcal{O}_{uu}^E$
$\Upsilon \sim (\mathbf{6}, \mathbf{3})_{\frac{1}{3}}$	$\mathbf{6}_q$	$ y_\Upsilon ^2/(8M_\Upsilon^2)$	$3\mathcal{O}_{qq}^{(1)D} + \mathcal{O}_{qq}^{(3)D} + 3\mathcal{O}_{qq}^{(1)E} + \mathcal{O}_{qq}^{(3)E}$
	$(\bar{\mathbf{3}}_q, \mathbf{3}_u)$	$- y_\Phi^{qu} ^2/(18M_\Phi^2)$	$4\mathcal{O}_{qu}^{(1)} - 3\mathcal{O}_{qu}^{(8)}$
$\Phi \sim (\mathbf{8}, \mathbf{2})_{\frac{1}{2}}$	$(\bar{\mathbf{3}}_d, \mathbf{3}_q)$	$- y_\Phi^{dq} ^2/(18M_\Phi^2)$	$4\mathcal{O}_{qd}^{(1)} - 3\mathcal{O}_{qd}^{(8)}$

Field	Irrep	Normalization	Operator
	$\mathbf{8}_\ell$	$-(g_\ell^e)^2/(12M_\ell^2)$	$3\mathcal{O}_{\ell\ell}^E - \mathcal{O}_{\ell\ell}^D$
	$\mathbf{8}_e$	$-(g_\ell^e)^2/(6M_\ell^2)$	\mathcal{O}_{ee}
$\mathcal{B} \sim (\mathbf{1}, \mathbf{1})_0$	$\mathbf{8}_q$	$-(g_B^q)^2/(12M_B^2)$	$3\mathcal{O}_{qq}^{(1)E} - \mathcal{O}_{qq}^{(1)D}$
	$\mathbf{8}_u$	$-(g_B^u)^2/(12M_B^2)$	$3\mathcal{O}_{uu}^E - \mathcal{O}_{uu}^D$
	$\mathbf{8}_d$	$-(g_B^d)^2/(12M_B^2)$	$3\mathcal{O}_{dd}^E - \mathcal{O}_{dd}^D$
$\mathcal{B}_1 \sim (\mathbf{1}, \mathbf{1})_1$	$(\bar{\mathbf{3}}_d, \mathbf{3}_u)$	$- g_{\mathcal{B}_1}^{du} ^2/(3M_{\mathcal{B}_1}^2)$	$\mathcal{O}_{ud}^{(1)} + 6\mathcal{O}_{ud}^{(8)}$
$\mathcal{W} \sim (\mathbf{1}, \mathbf{3})_0$	$\mathbf{8}_q$	$-(g_W^q)^2/(48M_W^2)$	$3\mathcal{O}_{qq}^{(3)E} - \mathcal{O}_{qq}^{(3)D}$
	$\mathbf{8}_\ell$	$(g_W^q)^2/(48M_W^2)$	$5\mathcal{O}_{\ell\ell}^E - 7\mathcal{O}_{\ell\ell}^D$
$\mathcal{L}_3 \sim (\mathbf{1}, \mathbf{2})_{-\frac{3}{2}}$	$(\mathbf{3}_e, \mathbf{3}_\ell)$	$ g_{\mathcal{L}_3} ^2/M_{\mathcal{L}_3}^2$	$\mathcal{O}_{\ell e}$
$\mathcal{U}_2 \sim (\mathbf{3}, \mathbf{1})_{\frac{2}{3}}$	$(\bar{\mathbf{3}}_e, \mathbf{3}_d)$	$- g_{\mathcal{U}_2}^{ed} ^2/M_{\mathcal{U}_2}^2$	\mathcal{O}_{ed}
	$(\bar{\mathbf{3}}_e, \mathbf{3}_q)$	$- g_{\mathcal{U}_2}^{eq} ^2/(2M_{\mathcal{U}_2}^2)$	$\mathcal{O}_{\ell q}^{(1)} + \mathcal{O}_{\ell q}^{(3)}$
$\mathcal{U}_5 \sim (\mathbf{3}, \mathbf{1})_{\frac{5}{3}}$	$(\bar{\mathbf{3}}_e, \mathbf{3}_u)$	$- g_{\mathcal{U}_5} ^2/M_{\mathcal{U}_5}^2$	\mathcal{O}_{eu}
$\mathcal{Q}_1 \sim (\mathbf{3}, \mathbf{2})_{\frac{1}{6}}$	$(\mathbf{3}_u, \mathbf{3}_\ell)$	$ g_{\mathcal{Q}_1}^{u\ell} ^2/M_{\mathcal{Q}_1}^2$	$\mathcal{O}_{\ell u}$
	$(\bar{\mathbf{3}}_d, \mathbf{3}_q)$	$2 g_{\mathcal{Q}_1}^{dq} ^2/(3M_{\mathcal{Q}_1}^2)$	$\mathcal{O}_{qd}^{(1)} - 3\mathcal{O}_{qd}^{(8)}$
$\mathcal{Q}_5 \sim (\mathbf{3}, \mathbf{2})_{-\frac{5}{6}}$	$(\mathbf{3}_d, \mathbf{3}_\ell)$	$ g_{\mathcal{Q}_5}^{d\ell} ^2/M_{\mathcal{Q}_5}^2$	$\mathcal{O}_{\ell d}$
	$(\mathbf{3}_e, \mathbf{3}_q)$	$ g_{\mathcal{Q}_5}^{eq} ^2/M_{\mathcal{Q}_5}^2$	\mathcal{O}_{qe}
	$(\bar{\mathbf{3}}_u, \bar{\mathbf{3}}_q)$	$2 g_{\mathcal{Q}_5}^{uq} ^2/(3M_{\mathcal{Q}_5}^2)$	$\mathcal{O}_{qu}^{(1)} - 3\mathcal{O}_{qu}^{(8)}$
$\mathcal{X} \sim (\mathbf{3}, \mathbf{3})_{\frac{2}{3}}$	$(\bar{\mathbf{3}}_e, \mathbf{3}_q)$	$- g_{\mathcal{X}} ^2/(8M_{\mathcal{X}}^2)$	$3\mathcal{O}_{\ell q}^{(1)} - \mathcal{O}_{\ell q}^{(3)}$
$\mathcal{Y}_1 \sim (\bar{\mathbf{6}}, \mathbf{2})_{\frac{1}{6}}$	$(\bar{\mathbf{3}}_d, \bar{\mathbf{3}}_q)$	$ g_{\mathcal{Y}_1} ^2/(3M_{\mathcal{Y}_1}^2)$	$2\mathcal{O}_{qd}^{(1)} + 3\mathcal{O}_{qd}^{(8)}$
$\mathcal{Y}_5 \sim (\bar{\mathbf{6}}, \mathbf{2})_{-\frac{5}{6}}$	$(\bar{\mathbf{3}}_u, \bar{\mathbf{3}}_q)$	$ g_{\mathcal{Y}_5} ^2/(3M_{\mathcal{Y}_5}^2)$	$2\mathcal{O}_{qu}^{(1)} + 3\mathcal{O}_{qu}^{(8)}$
	$\mathbf{8}_q$	$-(g_g^q)^2/(144M_g^2)$	$11\mathcal{O}_{qq}^{(1)D} - 9\mathcal{O}_{qq}^{(1)E} + 9\mathcal{O}_{qq}^{(3)D} - 3\mathcal{O}_{qq}^{(3)E}$
$\mathcal{G} \sim (\mathbf{8}, \mathbf{1})_0$	$\mathbf{8}_u$	$(g_g^u)^2/(36M_g^2)$	$3\mathcal{O}_{uu}^E - 5\mathcal{O}_{uu}^D$
	$\mathbf{8}_d$	$(g_g^d)^2/(36M_g^2)$	$3\mathcal{O}_{dd}^E - 5\mathcal{O}_{dd}^D$
$\mathcal{G}_1 \sim (\mathbf{8}, \mathbf{1})_1$	$(\bar{\mathbf{3}}_d, \mathbf{3}_u)$	$ g_{\mathcal{G}_1} ^2/(9M_{\mathcal{G}_1}^2)$	$-4\mathcal{O}_{ud}^{(1)} + 3\mathcal{O}_{ud}^{(8)}$
$\mathcal{H} \sim (\mathbf{8}, \mathbf{3})_0$	$\mathbf{8}_q$	$-(g_H)^2/(576M_H^2)$	$27\mathcal{O}_{qq}^{(1)D} - 9\mathcal{O}_{qq}^{(1)E} - 7\mathcal{O}_{qq}^{(3)D} - 3\mathcal{O}_{qq}^{(3)E}$

Field	Irrep	Normalization	Operator
$N \sim (\mathbf{1}, \mathbf{1})_0$	$\mathbf{3}_\ell$	$ \lambda_N ^2/(4M_N^2)$	$\mathcal{O}_{\phi\ell}^{(1)} - \mathcal{O}_{\phi\ell}^{(3)}$
$E \sim (\mathbf{1}, \mathbf{1})_{-1}$	$\mathbf{3}_\ell$	$- \lambda_E ^2/(4M_E^2)$	$\mathcal{O}_{\phi\ell}^{(1)} + \mathcal{O}_{\phi\ell}^{(3)} - [2y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$\Delta_1 \sim (\mathbf{1}, \mathbf{2})_{-\frac{1}{2}}$	$\mathbf{3}_e$	$ \lambda_{\Delta_1} ^2/(2M_{\Delta_1}^2)$	$\mathcal{O}_{\phi e} + [y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$\Delta_3 \sim (\mathbf{1}, \mathbf{2})_{-\frac{3}{2}}$	$\mathbf{3}_e$	$- \lambda_{\Delta_3} ^2/(2M_{\Delta_3}^2)$	$\mathcal{O}_{\phi e} - [y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$\Sigma \sim (\mathbf{1}, \mathbf{3})_0$	$\mathbf{3}_\ell$	$ \lambda_\Sigma ^2/(16M_\Sigma^2)$	$3\mathcal{O}_{\phi\ell}^{(1)} + \mathcal{O}_{\phi\ell}^{(3)} + [4y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$\Sigma_1 \sim (\mathbf{1}, \mathbf{3})_{-1}$	$\mathbf{3}_\ell$	$ \lambda_{\Sigma_1} ^2/(16M_{\Sigma_1}^2)$	$\mathcal{O}_{\phi\ell}^{(3)} - 3\mathcal{O}_{\phi\ell}^{(1)} + [2y_e^* \mathcal{O}_{e\phi} + \text{h.c.}]$
$U \sim (\mathbf{3}, \mathbf{1})_{\frac{2}{3}}$	$\mathbf{3}_q$	$ \lambda_U ^2/(4M_U^2)$	$\mathcal{O}_{\phi q}^{(1)} - \mathcal{O}_{\phi q}^{(3)} + [2y_u^* \mathcal{O}_{u\phi} + \text{h.c.}]$
$D \sim (\mathbf{3}, \mathbf{1})_{-\frac{1}{3}}$	$\mathbf{3}_q$	$- \lambda_D ^2/(4M_D^2)$	$\mathcal{O}_{\phi q}^{(1)} + \mathcal{O}_{\phi q}^{(3)} - [2y_d^* \mathcal{O}_{d\phi} + \text{h.c.}]$
	$\mathbf{3}_u$	$- \lambda_{Q_1}^u ^2/(2M_{Q_1}^2)$	$\mathcal{O}_{\phi u} - [y_u^* \mathcal{O}_{u\phi} + \text{h.c.}]$
$Q_1 \sim (\mathbf{3}, \mathbf{2})_{\frac{1}{6}}$	$\mathbf{3}_d$	$ \lambda_{Q_1}^d ^2/(2M_{Q_1}^2)$	$\mathcal{O}_{\phi d} + [y_d^* \mathcal{O}_{d\phi} + \text{h.c.}]$
	$\mathbf{3}_d$	$- \lambda_{Q_5} ^2/(2M_{Q_5}^2)$	$\mathcal{O}_{\phi d} - [y_d^* \mathcal{O}_{d$

Leading directions

- Classification of all NP mediators
- Most flavor irreps match onto a single well-defined linear combination of dimension-6 SMEFT operators
- These linear combinations are denoted as leading SMEFT directions
- Suitable for phenomenological analysis
- Main goal: estimate the lower bound on the mass scale for different irreps

Field	Irrep	Normalization	Operator
$\mathcal{S}_1 \sim (\mathbf{1}, \mathbf{1})_1$	$\mathbf{3}_\ell$	$ y_{\mathcal{S}_1} ^2/M_{\mathcal{S}_1}^2$	$\mathcal{O}_{\ell\ell}^D - \mathcal{O}_{\ell\ell}^E$
$\mathcal{S}_2 \sim (\mathbf{1}, \mathbf{1})_2$	$\bar{\mathbf{6}}_e$	$ y_{\mathcal{S}_2} ^2/(2M_{\mathcal{S}_2}^2)$	\mathcal{O}_{ee}
	$(\bar{\mathbf{3}}_e, \mathbf{3}_\ell)$	$- y_\varphi^e ^2/(2M_\varphi^2)$	$\mathcal{O}_{\ell e}$
$\varphi \sim (\mathbf{1}, \mathbf{2})_{\frac{1}{2}}$	$(\bar{\mathbf{3}}_d, \mathbf{3}_q)$	$- y_\varphi^d ^2/(6M_\varphi^2)$	$\mathcal{O}_{qd}^{(1)} + 6\mathcal{O}_{qd}^{(8)}$
	$(\bar{\mathbf{3}}_q, \mathbf{3}_u)$	$- y_\varphi^u ^2/(6M_\varphi^2)$	$\mathcal{O}_{qu}^{(1)} + 6\mathcal{O}_{qu}^{(8)}$
$\Xi_1 \sim (\mathbf{1}, \mathbf{3})_1$	$\bar{\mathbf{6}}_\ell$	$ y_{\Xi_1} ^2/(2M_{\Xi_1}^2)$	$\mathcal{O}_{\ell\ell}^D + \mathcal{O}_{\ell\ell}^E$
	$(\mathbf{3}_q, \mathbf{3}_\ell)$	$ y_{\omega_1}^{q\ell} ^2/(4M_{\omega_1}^2)$	$\mathcal{O}_{\ell q}^{(1)} - \mathcal{O}_{\ell q}^{(3)}$
	$(\mathbf{3}_e, \mathbf{3}_u)$	$ y_{\omega_1}^{eu} ^2/(2M_{\omega_1}^2)$	\mathcal{O}_{eu}
$\omega_1 \sim (\mathbf{3}, \mathbf{1})_{-\frac{1}{3}}$	$\bar{\mathbf{6}}_q$	$ y_{\omega_1}^{qq} ^2/(4M_{\omega_1}^2)$	$\mathcal{O}_{qq}^{(1)D} - \mathcal{O}_{qq}^{(3)D} + \mathcal{O}_{qq}^{(1)E} - \mathcal{O}_{qq}^{(3)E}$
	$(\bar{\mathbf{3}}_d, \bar{\mathbf{3}}_u)$	$ y_{\omega_1}^{du} ^2/(3M_{\omega_1}^2)$	$\mathcal{O}_{ud}^{(1)} - 3\mathcal{O}_{ud}^{(8)}$
$\omega_2 \sim (\mathbf{3}, \mathbf{1})_{\frac{2}{3}}$	$\mathbf{3}_d$	$ y_{\omega_2} ^2/M_{\omega_2}^2$	$\mathcal{O}_{dd}^D - \mathcal{O}_{dd}^E$
	$(\mathbf{3}_e, \mathbf{3}_d)$	$ y_{\omega_4}^{ed} ^2/(2M_{\omega_4}^2)$	\mathcal{O}_{ed}
	$\mathbf{3}_u$	$ y_{\omega_4}^{uu} ^2/M_{\omega_4}^2$	$\mathcal{O}_{uu}^D - \mathcal{O}_{uu}^E$
$\Pi_1 \sim (\mathbf{3}, \mathbf{2})_{\frac{1}{6}}$	$(\bar{\mathbf{3}}_\ell, \mathbf{3}_d)$	$- y_{\Pi_1} ^2/(2M_{\Pi_1}^2)$	$\mathcal{O}_{\ell d}$
	$(\bar{\mathbf{3}}_\ell, \mathbf{3}_u)$	$- y_{\Pi_7}^{\ell u} ^2/(2M_{\Pi_7}^2)$	$\mathcal{O}_{\ell u}$
	$(\bar{\mathbf{3}}_e, \mathbf{3}_q)$	$- y_{\Pi_7}^{qe} ^2/(2M_{\Pi_7}^2)$	\mathcal{O}_{qe}
$\zeta \sim (\mathbf{3}, \mathbf{3})_{-\frac{1}{3}}$	$\mathbf{3}_q$	$ y_\zeta^{q\ell} ^2/(4M_\zeta^2)$	$3\mathcal{O}_{\ell q}^{(1)} + \mathcal{O}_{\ell q}^{(3)}$
		$ y_\zeta^{qq} ^2/(2M_\zeta^2)$	$3\mathcal{O}_{qq}^{(1)D} + \mathcal{O}_{qq}^{(3)D} - 3\mathcal{O}_{qq}^{(1)E} - \mathcal{O}_{qq}^{(3)E}$
$\Omega_1 \sim (\mathbf{6}, \mathbf{1})_{\frac{1}{3}}$	$(\mathbf{3}_u, \mathbf{3}_d)$	$ y_{\Omega_1}^{ud} ^2/(6M_{\Omega_1}^2)$	$2\mathcal{O}_{ud}^{(1)} + 3\mathcal{O}_{ud}^{(8)}$
	$\bar{\mathbf{3}}_q$	$ y_{\Omega_1}^{qq} ^2/(4M_{\Omega_1}^2)$	$\mathcal{O}_{qq}^{(1)D} - \mathcal{O}_{qq}^{(3)D} - \mathcal{O}_{qq}^{(1)E} + \mathcal{O}_{qq}^{(3)E}$
$\Omega_2 \sim (\mathbf{6}, \mathbf{1})_{-\frac{2}{3}}$	$\mathbf{6}_d$	$ y_{\Omega_2} ^2/(4M_{\Omega_2}^2)$	$\mathcal{O}_{dd}^D + \mathcal{O}_{dd}^E$
$\Omega_4 \sim (\mathbf{6}, \mathbf{1})_{\frac{4}{3}}$	$\mathbf{6}_u$	$ y_{\Omega_4} ^2/(4M_{\Omega_4}^2)$	$\mathcal{O}_{uu}^D + \mathcal{O}_{uu}^E$
$\Upsilon \sim (\mathbf{6}, \mathbf{3})_{\frac{1}{3}}$	$\mathbf{6}_q$	$ y_\Upsilon ^2/(8M_\Upsilon^2)$	$3\mathcal{O}_{qq}^{(1)D} + \mathcal{O}_{qq}^{(3)D} + 3\mathcal{O}_{qq}^{(1)E} + \mathcal{O}_{qq}^{(3)E}$
$\Phi \sim (\mathbf{8}, \mathbf{2})_{\frac{1}{2}}$	$(\bar{\mathbf{3}}_q, \mathbf{3}_u)$	$- y_\Phi^{qu} ^2/(18M_\Phi^2)$	$4\mathcal{O}_{qu}^{(1)} - 3\mathcal{O}_{qu}^{(8)}$
	$(\bar{\mathbf{3}}_d, \mathbf{3}_q)$	$- y_\Phi^{dq} ^2/(18M_\Phi^2)$	$4\mathcal{O}_{qd}^{(1)} - 3\mathcal{O}_{qd}^{(8)}$

Field	Irrep	Normalization	Operator
	$\mathbf{8}_\ell$	$-(g_\ell^e)^2/(12M_\ell^2)$	$3\mathcal{O}_{\ell\ell}^E - \mathcal{O}_{\ell\ell}^D$
	$\mathbf{8}_e$	$-(g_\ell^e)^2/(6M_\ell^2)$	\mathcal{O}_{ee}
$\mathcal{B} \sim (\mathbf{1}, \mathbf{1})_0$	$\mathbf{8}_q$	$-(g_B^q)^2/(12M_B^2)$	$3\mathcal{O}_{qq}^{(1)E} - \mathcal{O}_{qq}^{(1)D}$
	$\mathbf{8}_u$	$-(g_B^u)^2/(12M_B^2)$	$3\mathcal{O}_{uu}^E - \mathcal{O}_{uu}^D$
	$\mathbf{8}_d$	$-(g_B^d)^2/(12M_B^2)$	$3\mathcal{O}_{dd}^E - \mathcal{O}_{dd}^D$
$\mathcal{B}_1 \sim (\mathbf{1}, \mathbf{1})_1$	$(\bar{\mathbf{3}}_d, \mathbf{3}_u)$	$- g_{\mathcal{B}_1}^{du} ^2/(3M_{\mathcal{B}_1}^2)$	$\mathcal{O}_{ud}^{(1)} + 6\mathcal{O}_{ud}^{(8)}$
$\mathcal{W} \sim (\mathbf{1}, \mathbf{3})_0$	$\mathbf{8}_q$	$-(g_W^q)^2/(48M_W^2)$	$3\mathcal{O}_{qq}^{(3)E} - \mathcal{O}_{qq}^{(3)D}$
	$\mathbf{8}_\ell$	$(g_W^q)^2/(48M_W^2)$	$5\mathcal{O}_{\ell\ell}^E - 7\mathcal{O}_{\ell\ell}^D$
$\mathcal{L}_3 \sim (\mathbf{1}, \mathbf{2})_{-\frac{3}{2}}$	$(\mathbf{3}_e, \mathbf{3}_\ell)$	$ g_{\mathcal{L}_3} ^2/M_{\mathcal{L}_3}^2$	$\mathcal{O}_{\ell e}$
$\mathcal{U}_2 \sim (\mathbf{3}, \mathbf{1})_{\frac{2}{3}}$	$(\bar{\mathbf{3}}_e, \mathbf{3}_d)$	$- g_{\mathcal{U}_2}^{ed} ^2/M_{\mathcal{U}_2}^2$	\mathcal{O}_{ed}
	$(\bar{\mathbf{3}}_e, \mathbf{3}_q)$	$- g_{\mathcal{U}_2}^{eq} ^2/(2M_{\mathcal{U}_2}^2)$	$\mathcal{O}_{\ell q}^{(1)} + \mathcal{O}_{\ell q}^{(3)}$
$\mathcal{U}_5 \sim (\mathbf{3}, \mathbf{1})_{\frac{5}{3}}$	$(\bar{\mathbf{3}}_e, \mathbf{3}_u)$	$- g_{\mathcal{U}_5} ^2/M_{\mathcal{U}_5}^2$	\mathcal{O}_{eu}
$\mathcal{Q}_1 \sim (\mathbf{3}, \mathbf{2})_{\frac{1}{6}}$	$(\mathbf{3}_u, \mathbf{3}_\ell)$	$ g_{\mathcal{Q}_1}^{u\ell} ^2/M_{\mathcal{Q}_1}^2$	$\mathcal{O}_{\ell u}$
	$(\bar{\mathbf{3}}_d, \mathbf{3}_q)$	$2 g_{\mathcal{Q}_1}^{dq} ^2/(3M_{\mathcal{Q}_1}^2)$	$\mathcal{O}_{qd}^{(1)} - 3\mathcal{O}_{qd}^{(8)}$
$\mathcal{Q}_5 \sim (\mathbf{3}, \mathbf{2})_{-\frac{5}{6}}$	$(\mathbf{3}_d, \mathbf{3}_\ell)$	$ g_{\mathcal{Q}_5}^{d\ell} ^2/M_{\mathcal{Q}_5}^2$	$\mathcal{O}_{\ell d}$
	$(\mathbf{3}_e, \mathbf{3}_q)$	$ g_{\mathcal{Q}_5}^{eq} ^2/M_{\mathcal{Q}_5}^2$	\mathcal{O}_{qe}
	$(\bar{\mathbf{3}}_u, \bar{\mathbf{3}}_q)$	$2 g_{\mathcal{Q}_5}^{uq} ^2/(3M_{\mathcal{Q}_5}^2)$	$\mathcal{O}_{qu}^{(1)} - 3\mathcal{O}_{qu}^{(8)}$
$\mathcal{X} \sim (\mathbf{3}, \mathbf{3})_{\frac{2}{3}}$	$(\bar{\mathbf{3}}_e, \mathbf{3}_q)$	$- g_{\mathcal{X}} ^2/(8M_{\mathcal{X}}^2)$	$3\mathcal{O}_{\ell q}^{(1)} - \mathcal{O}_{\ell q}^{(3)}$
$\mathcal{Y}_1 \sim (\bar{\mathbf{6}}, \mathbf{2})_{\frac{1}{6}}$	$(\bar{\mathbf{3}}_d, \bar{\mathbf{3}}_q)$	$ g_{\mathcal{Y}_1} ^2/(3M_{\mathcal{Y}_1}^2)$	$2\mathcal{O}_{qd}^{(1)} + 3\mathcal{O}_{qd}^{(8)}$
$\mathcal{Y}_5 \sim (\bar{\mathbf{6}}, \mathbf{2})_{-\frac{5}{6}}$	$(\bar{\mathbf{3}}_u, \bar{\mathbf{3}}_q)$	$ g_{\mathcal{Y}_5} ^2/(3M_{\mathcal{Y}_5}^2)$	$2\mathcal{O}_{qu}^{(1)} + 3\mathcal{O}_{qu}^{(8)}$
$\mathcal{G} \sim (\mathbf{8}, \mathbf{1})_0$	$\mathbf{8}_q$	$-(g_\mathcal{G}^q)^2/(144M_\mathcal{G}^2)$	$11\mathcal{O}_{qq}^{(1)D} - 9\mathcal{O}_{qq}^{(1)E} + 9\mathcal{O}_{qq}^{(3)D} - 3\mathcal{O}_{qq}^{(3)E}$
	$\mathbf{8}_u$	$(g_\mathcal{G}^u)^2/(36M_\mathcal{G}^2)$	$3\mathcal{O}_{uu}^E - 5\mathcal{O}_{uu}^D$
	$\mathbf{8}_d$	$(g_\mathcal{G}^d)^2/(36M_\mathcal{G}^2)$	$3\mathcal{O}_{dd}^E - 5\mathcal{O}_{dd}^D$
$\mathcal{G}_1 \sim (\mathbf{8}, \mathbf{1})_1$	$(\bar{\mathbf{3}}_d, \mathbf{3}_u)$	$ g_{\mathcal{G}_1} ^2/(9M_{\mathcal{G}_1}^2)$	$-4\mathcal{O}_{ud}^{(1)} + 3\mathcal{O}_{ud}^{(8)}$
$\mathcal{H} \sim (\mathbf{8}, \mathbf{3})_0$	$\mathbf{8}_q$	$-(g_\mathcal{H})^2/(576M_\mathcal{H}^2)$	$27\mathcal{O}_{qq}^{(1)D} - 9\mathcal{O}_{qq}^{(1)E} - 7\mathcal{O}_{qq}^{(3)D} - 3\mathcal{O}_{qq}^{(3)E}$

Field	Irrep	Normalization	Operator
$N \sim (\mathbf{1}, \mathbf{1})_0$	$\mathbf{3}_\ell$	$ \lambda_N ^2/(4M_N^2)$	$\mathcal{O}_{\phi\ell}^{(1)} - \mathcal{O}_{\phi\ell}^{(3)}$
$E \sim (\mathbf{1}, \mathbf{1})_{-1}$	$\mathbf{3}_\ell$	$- \lambda_E ^2/(4M_E^2)$	$\mathcal{O}_{\phi\ell}^{(1)} + \mathcal{O}_{\phi\ell}^{(3)} - [2y_e^*\mathcal{O}_{e\phi} + \text{h.c.}]$
$\Delta_1 \sim (\mathbf{1}, \mathbf{2})_{-\frac{1}{2}}$	$\mathbf{3}_e$	$ \lambda_{\Delta_1} ^2/(2M_{\Delta_1}^2)$	$\mathcal{O}_{\phi e} + [y_e^*\mathcal{O}_{e\phi} + \text{h.c.}]$
$\Delta_3 \sim (\mathbf{1}, \mathbf{2})_{-\frac{3}{2}}$	$\mathbf{3}_e$	$- \lambda_{\Delta_3} ^2/(2M_{\Delta_3}^2)$	$\mathcal{O}_{\phi e} - [y_e^*\mathcal{O}_{e\phi} + \text{h.c.}]$
$\Sigma \sim (\mathbf{1}, \mathbf{3})_0$	$\mathbf{3}_\ell$	$ \lambda_\Sigma ^2/(16M_\Sigma^2)$	$3\mathcal{O}_{\phi\ell}^{(1)} + \mathcal{O}_{\phi\ell}^{(3)} + [4y_e^*\mathcal{O}_{e\phi} + \text{h.c.}]$
$\Sigma_1 \sim (\mathbf{1}, \mathbf{3})_{-1}$	$\mathbf{3}_\ell$	$ \lambda_{\Sigma_1} ^2/(16M_{\Sigma_1}^2)$	$\mathcal{O}_{\phi\ell}^{(3)} - 3\mathcal{O}_{\phi\ell}^{(1)} + [2y_e^*\mathcal{O}_{e\phi} + \text{h.c.}]$
$U \sim (\mathbf{3}, \mathbf{1})_{\frac{2}{3}}$	$\mathbf{3}_q$	$ \lambda_U ^2/(4M_U^2)$	$\mathcal{O}_{\phi q}^{(1)} - \mathcal{O}_{\phi q}^{(3)} + [2y_u^*\mathcal{O}_{u\phi} + \text{h.c.}]$
$D \sim (\mathbf{3}, \mathbf{1})_{-\frac{1}{3}}$	$\mathbf{3}_q$	$- \lambda_D ^2/(4M_D^2)$	$\mathcal{O}_{\phi q}^{(1)} + \mathcal{O}_{\phi q}^{(3)} - [2y_d^*\mathcal{O}_{d\phi} + \text{h.c.}]$
$Q_1 \sim (\mathbf{3}, \mathbf{2})_{\frac{1}{6}}$	$\mathbf{3}_u$	$- \lambda_{Q_1}^u ^2/(2M_{Q_1}^2)$	$\mathcal{O}_{\phi u} - [y_u^*\mathcal{O}_{u\phi} + \text{h.c.}]$
	$\mathbf{3}_d$	$ \lambda_{Q_1}^d ^2/(2M_{Q_1}^2)$	$\mathcal{O}_{\phi d} + [y_d^*\mathcal{O}_{d\phi} + \text{h.c.}]$
$Q_5 \sim (\mathbf{3}, \mathbf{2})_{-\frac{5}{6}}$	$\mathbf{3}_d$	$-$	

Leading directions: phenomenology

- All NP mediators can be classified into 5 phenomenological classes
- For each class the corresponding fit is employed

Leading directions: phenomenology


- All NP mediators can be classified into 5 phenomenological classes
- For each class the corresponding fit is employed
 - Class I: 4-lepton
 - Class II: 2-quark-2-lepton
 - Class III: 4-quark
 - Class IV: W/Z corrections
 - Class V: Higgs/oblique

Leading directions: phenomenology

Greljo, AP [2305.08898]

- All NP mediators can be classified into 5 phenomenological classes
- For each class the corresponding fit is employed

- Class I: 4-lepton
- Class II: 2-quark-2-lepton
- Class III: 4-quark
- Class IV: W/Z corrections
- Class V: Higgs/oblique




Leading directions: phenomenology

Greljo, AP [2305.08898]

- All NP mediators can be classified into 5 phenomenological classes
- For each class the corresponding fit is employed

- Class I: 4-lepton
- Class II: 2-quark-2-lepton
- Class III: 4-quark
- Class IV: W/Z corrections
- Class V: Higgs/oblique




Leading directions: phenomenology

Greljo, AP [2305.08898]

- All NP mediators can be classified into 5 phenomenological classes
- For each class the corresponding fit is employed

- Class I: 4-lepton
- Class II: 2-quark-2-lepton
- Class III: 4-quark
- Class IV: W/Z corrections
- Class V: Higgs/oblique




Leading directions: phenomenology

Greljo, AP [2305.08898]

- All NP mediators can be classified into 5 phenomenological classes
- For each class the corresponding fit is employed

- Class I: 4-lepton
- Class II: 2-quark-2-lepton
- Class III: 4-quark
- Class IV: W/Z corrections
- Class V: Higgs/oblique




Leading directions: phenomenology

Greljo, AP [2305.08898]

- All NP mediators can be classified into 5 phenomenological classes
- For each class the corresponding fit is employed

- Class I: 4-lepton
- Class II: 2-quark-2-lepton
- Class III: 4-quark
- Class IV: W/Z corrections
- Class V: Higgs/oblique




Leading directions: phenomenology

Greljo, AP [2305.08898]

- All NP mediators can be classified into 5 phenomenological classes
- For each class the corresponding fit is employed

- Class I: 4-lepton
- Class II: 2-quark-2-lepton
- Class III: 4-quark
- Class IV: W/Z corrections
- Class V: Higgs/oblique



Conclusions

- SM, despite being wonderful theory, has its limitations

Conclusions

- SM, despite being wonderful theory, has its limitations
- Effective field theories (EFTs) represent a powerful and robust framework

Conclusions

- SM, despite being wonderful theory, has its limitations
- Effective field theories (EFTs) represent a powerful and robust framework
- SMEFT is an important EFT for probing BSM

Conclusions

- SM, despite being wonderful theory, has its limitations
- Effective field theories (EFTs) represent a powerful and robust framework
- SMEFT is an important EFT for probing BSM
- Interplay of flavor symmetries and NP mediators

Conclusions

- SM, despite being wonderful theory, has its limitations
- Effective field theories (EFTs) represent a powerful and robust framework
- SMEFT is an important EFT for probing BSM
- Interplay of flavor symmetries and NP mediators
- Phenomenological analysis of the NP mediators

Conclusions

- SM, despite being wonderful theory, has its limitations
- Effective field theories (EFTs) represent a powerful and robust framework
- SMEFT is an important EFT for probing BSM
- Interplay of flavor symmetries and NP mediators
- Phenomenological analysis of the NP mediators
- Outlook and future directions:
 - Exploration of smaller flavor groups, e.g. $U(2)^5$
 - Study of the one-loop leading directions
 - Improvements of the phenomenological aspects (dijet program)

Conclusions

- SM, despite being wonderful theory, has its limitations
- Effective field theories (EFTs) represent a powerful and robust framework
- SMEFT is an important EFT for probing BSM
- Interplay of flavor symmetries and NP mediators
- Phenomenological analysis of the NP mediators
- Outlook and future directions:
 - Exploration of smaller flavor groups, e.g. $U(2)^5$
 - Study of the one-loop leading directions
 - Improvements of the phenomenological aspects (dijet program)

