

Decoding multi-limb trajectories of naturalistic running from calcium imaging using deep learning

Decoding neural activity into behaviorally-relevant variables such as speech or movement is an essential step in the development of brain-machine interfaces (BMIs) and can be used to clarify the role of distinct brain areas in relation to behavior. Two-photon (2p) calcium imaging provides access to thousands of neurons with single-cell resolution in genetically-defined populations and therefore is a promising tool for next-generation optical BMIs. However, decoding 2p calcium imaging recordings into behavioral variables for use in real-time applications has traditionally been challenging due to the low sampling rate of the signal as well as the indirect and non-linear relationship between the underlying neural activity and the slow fluorescent signal. Here, we show an approach using deep learning to decode the naturalistic multi-limb trajectories of running mice from neural recordings made with 2p calcium imaging over the sensorimotor cortex in a single hemisphere. The work demonstrates the feasibility of using deep learning methods to identify and characterize populations of neurons that encode behaviorally-relevant variables. This approach will be critical in the future implementation of neural decoding for next-generation optical BMIs that will improve the lives of patients suffering from neurological injury and disease.

Focus areas

Author: PARK, Seungbin

Co-authors: DADARLAT, Maria; LIPTON, Megan Hope

Presenter: PARK, Seungbin